



LESCO

DISTRIBUTING

Car Audio - Car Video - Car Security - Car Safety - Marine Audio - LED Lighting - CB Radios - Auto Accessories - And Much More.....

Audiopipe®

APCLE Series Amplifiers

- Class D Mono Power Amplifiers • MOSFET Power Supply
- Variable Low Pass Electronic Crossover • Overload & Overheat Protection



Model	Chs/Class	4 Ohm	2 Ohm	Max Power
APCLE-10001D	1/D	400W x 1	600W x 1	1000W
APCLE-15001D	1/D	600W x 1	950W x 1	1500W
APCLE-18001D	1/D	700W x 1	1150W x 1	1800W
APCLE-30001D	1/D	1800W x 1	3000W x 1	3000W
APCLE-1002	2/AB	50W x 2	100W x 2	500W
APCLE-2002	2/AB	100W x 2	125W x 4	1000W
APCLE-3002	2/AB	150W x 2	300W x 2	1500W
APCLE-1004	4/AB	50W x 4	100W x 4	1000W
APCLE-1504	4/AB	75W x 4	150W x 4	1500W
APCLE-2004	4/AB	100W x 4	150W x 4	2000W
APCLE-6004	4/AB	150W x 4	200W x 4	2500W

APMI Series Mini-Amplifiers

- Mosfet Power Amplifiers • Mini-Design



Model	Channels	4 Ohm RMS	2 Ohm RMS	Max Power
APMN-55105	5	4X66 + 225W	4X98 + 338W	1600W
APMN-4100D	4	4X100W	4X190W	2000W
APMN-4150D	4	4X150W	4X200W	2500W
APMN-4200D	4	4X182W	4X242W	3000W
APMI-2000	1	900W x 1	1400W x 1	2000W
APMI-2075	2	75W x 2	110W x 2	1000W
APMI-2125	2	125W x 1	200W x 1	1200W
APMI-4080	4	80W x 4	115W x 4	1200W
APMI-55100	5	75W x 4 + 350W	120W x 4 + 500W	1600W
APMI-600	2	268W x 2	380W x 2	600W
APMI-4095	4	100W x 4	130W x 4	1300W

APMA Series Mini-Amplifiers

- FRD Chip Technology • Auto Turn On/Off • Mini-Design • Heavy Duty Stackable Heatsink • Low Pass • Up to 2 Ohm Stable



Model	Channels	Class	2 Ohm RMS	Max Power
APMO-5200WR	2	D	100W x 2	200W
APMO-5400WR	4	D	50W x 4	200W



LESCO

DISTRIBUTING

Car Audio - Car Video - Car Security - Car Safety - Marine Audio - LED Lighting - CB Radios - Auto Accessories - And Much More.....

Audiopipe®

Micro Amplifiers

Model	Channels	4 Ohm RMS	2 Ohm RMS	Max Power
APMCR-1500	1	189 W	364 W	576 W
APMCR-1800	1	289W	496W	756W
APMCR-4060	4	60W X 4	75W X 4	1000W
APMCR-4100	4	100W X 4	180W X 4	1200W



Equalizers & Crossovers

EQ-4-V15	1/2 DIN 4 BAND GRAPHIC IN DASH EQUALIZER
EQ-709X	1/2 DIN 7 BAND GRAPHIC IN DASH EQUALIZER
EQ-909X	1/2 DIN 9 BAND GRAPHIC IN DASH EQUALIZER

XV-3XP	3IN 8 OUT	15V 3 WAY ACTIVE CROSOVER
XV-4-V15	6IN 8 OUT	15V 4 WAY ACTIVE CROSOVER
XB-6-V15	6IN 8 OUT	15V 6 WAY ACTIVE CROSOVER
XV-6 V15	6 IN 12 OUT	15V ACTIVE CROSOVER



APDLI Series Amplifiers



Model	Chs/Class	4 Ohm RMS	2 Ohm RMS	Max Power
APDLI-16001D	1/D	650W x 1	1000W x 1	1600W
APDLI-20001D	1/D	800W x 1	1200W x 1	2000W
APDLI-2504	4/AB	110W x 4	160W x 4	2100W
APDLI-3502	2/AB	160W x 2	325W x 2	1600W

Amplifier Installation Kits

PK-1500SX-60 AMP AFC Fuse

- 17' 2 RCA Plugs to 2 RCA Plugs Cable w/Signal Wire • 17' 8 GA. Red Power Cable • 3' 8 GA. Black Power Cable • 25' GA. Ga Blue Speaker Wire • AGU Fuse Holder with 60A Fuse • Gold Plated Spade Terminal Red Color • Gold Plated Spade Terminal Black Color • Gold Ring Terminal Red Color • Gold Ring Terminal Black Color • 10 Black Cable Ties • 3' Split Loom Tubing

PK-2100SX-as above with 80 AMP 4GAUGEAWG Fuse



Super Bass Combo Package

APSB-1299PP

- APSE-120PC
High Performance Sealed Enclosure
- Frequency Response: 25-1000Hz
 - Constructed of High Grade MDF
 - 328mm(H)x15.4(D)x27.4mm(L)

APCL-1002

- 2 Channel Power Amplifier
- Built-in Variable High Pass & Low Pass Crossover
 - RCA Line Input-Output Jacks
 - Electronic Protection Circuitry to Protect the Amplifier from Short Circuit, DC Offset & Thermal Overload.
 - 55mm(H)x176mm(W)x224mm(L)
 - 2.2"(H)x7.0"(W)x8.8"



BMS-750

- Amplifier Installation Kit
- Primary Wire: 17" 10 AWG Red
 - Primary Wire II: 3" 10 AWG Silver
 - Speaker Wire: 25" 16 AWG
 - Fuse: 40Amp AGU
 - Fuse Holder: NS-C
 - Loom Tubing: 3" Split Loom Tubing
 - Cable Ties: 10 Assorted



LESCO

DISTRIBUTING

Audiopipe®

Car Audio - Car Video - Car Security - Car Safety - Marine Audio - LED Lighting - CB Radios - Auto Accessories - And Much More.....

TXX-BD Subwoofers

• Air Cushion Foam Surround Composite Cone • Black Powdered Die-cast Aluminum Basket • 4 Ohm 4 Layer Black Aluminum Dual Voice Coil • Nomex Spider

Model	Size	RMS Watt/Peak Watt	Magnet Wt.
TXX-BD4-12	12"	1100Watts/2200Watts	220 oz. *
TXX-BD4-15	15"	800Watts/1600Watts	75 oz. *
TXX-BD2-10	10"	600Watts/1200Watts	100 oz.
TXX-BD2-12	12"	750Watts/1500Watts	150 oz.
TXX-BD2-15	15"	900Watts/1800Watts	160 oz.
TXX-BD1-10	10"	600W/800Watts	60 oz.
TXX-BD1-12	12"	750W/1200Watts	60 oz.
TXX-BD1-15	15"	900W/1600Watts	75 oz.
TXX-BD2W-18D2	18"	1500W/3000Watts	250 oz.



* Also Available (2OHM)

TXX-BD3 Subwoofers

• Powdered Black Paint Aluminum Basket • 4 Layer Dual Voice Coil BASV
• Patent Pipe Multi-Connect Terminal • Dual 4 Ohms Impedance

Model	Size	Peak Watt/RMS Watt	Magnet Wt.
TXX-BD3-8	8"	250Watts/500Watts	96 oz.
TXX-BD3-10	10"	1400Watts/700Watts	132 oz.
TXX-BD3-12	12"	1500Watts/750Watts	204 oz.
TXX-BD3-15	15"	2400Watts/1200Watts	220 oz.



TXX-BDL Subwoofers

• Air Cushion Foam Surround Composite Cone • Powered Black Patent Cast Aluminum Basket • 4 Layer Black Aluminum Voice Coil • Deep Bumped T-yoke • 2 x 4 Ohm Impedance

Model	Size	RMS Watt/Peak Watt	Magnet Wt.
TXX-BDL2-12	12"	800Watts/1600Watts	150 oz.
TXX-BDL2-15	15"	900Watts/1800Watts	160 oz.
TXX-BDL3-12	12"	750Watts/1500Watts	160 oz.
TXX-BDL3-15	15"	900Watts/1800Watts	160 oz.



Flat Subwoofers

MODEL	SIZE	RMS	PEAK	MAGNET
TXX-FA1000	10"	300	600	60
TXX-FA1200	12"	400	800	65



TS Series Subwoofers

MODEL	SIZE	RMS	PEAK	MAGNET
TS-CVR6	6"	75	150	25
TS-CVR8	8"	175	350	30
TS-CVR10	10"	300	600	50
TS-CVR12	12"	375	750	60
TS-CVR15	15"	500	1000	73



APSL Mid Range Speakers

- Classic Steel Basket Series W/ Standard Mounting Depths

Model	Size	RMS Watts	Max Watts	Magnet
APSL-6C	6"	100W	200W	22
APSL-8C	8"	200W	400W	34
APSL-10C	10"	350W	700W	56
APSL-12C	12"	400W	800W	53
APSL-15C	15"	450W	900W	53



APMB LoudSpeakers

- Slim Mount APMB Series Allow For Shallow Mount Solutions

Model	Size	RMS Watts	Max Watts	Magnet
APMB-10N11DR	10"	300	600	NEODYMIUM
APMB-6SB-C	6"	125	250	20
APMB-8SB-C	8"	125	250	20
APMB-65FLT	6.5"	125	250	18
APMB-8FLT	8"	150	300	14



CSL Cox Speakers

- The CSL Family is known for its sleek design and attractive appearance. Their red rims outline the black frame, creating a sexy and lavish tone, while also releasing sound at its highest quality and magnitude.

Item	Size	RMS	Magnet	OHMS
CSL-1302R	3.5"	45w	5oz	4
CSL-1402R	4"	50w	6oz	4
CSL-1502R	5.25"	100w	8oz	4
CSL-1623R	6"	165w	15oz	4
CSL-1623AR	6.5"	165w	15oz	4
CSL-4102R	4x10"	100w	6oz	4
CSL-4602R	4x6"	75w	6oz	4
CSL-6803R	6x8"	200w	10oz	4
CSL-6924R	6x9"	250w	25oz	4



**LESCO**

DISTRIBUTING

Audiopipe®
MARINE

Car Audio - Car Video - Car Security - Car Safety - Marine Audio - LED Lighting - CB Radios - Auto Accessories - And Much More.....

POWER Mini Amplifier Series

- MOSFET Power Supply Mini Marine Amplifiers • Remote Subwoofer Volume Control Included



Model	Channels	4 Ohm RMS	2 Ohm RMS	Max
APMAR-1300MINI	1	300W x 1	600W x 1	1000W
APMAR-2075MINI	2	75W x 2	110W x 2	1000W
APMAR-4090	4	100W x 4	130W x 2	250W
APMAR-4095	4	80W x 4	115W x 2/230W x 2	1200W

APSR Amplifiers

- Mosfet PWM Power Supply • 12dB High Pass Low Pass Crossover • Low Level Input Sensitivity • Low Level Input • Dash Mount Remote Gain Control Included (select models)
- Direct Short, Thermal & Overload Circuit Protection.



Model	Channels	4 Ohm RMS	2 Ohm RMS	MONO	Max Power
APSR-1000	1	400W x 1	720W x 1	1020W x 1 @ 1 Ohm RMS	1000W
APSR-2150	2	150W x 2	260W x 2	5200W x 1 @ 4 Ohm RMS	520W
APSR-4120	4	120W x 4	195W x 4	390W x 2 @ 4 Ohm RMS	2500W
APSR-6185	6	150W x 6	250W x 6	500W x 3 @ 4 Ohm RMS	4500W

APMP MARINE LOUD SPEAKERS

- WATER REPELLANT MARINE APPLICATION LOUDPSPEAKERS • LIQUID METAL PLASTIC BASKETS
- CARBON FIBER CONES • TITANIUM WHITE GRILLS INCLUDED • FOR INDOOR AND OUTDOOR APPLICATIONS



ITEM	SIZE	RMS	MAGNET	OHMS
APMP-834CFF	8"	150W	340Z	40HM
APMP-618CFF	6.5"	125W	180Z	40HM

Marine Speakers

- Rubber Surround Piano Black IMPP Cone
- Titanium Dome Diaphragm High Performance Tweeter



Model	Description	Magnet Wt.	RMS/Max
APSW-6032	6.5" 2-Way Marine Coaxial (White)	15 oz	100W/200W
APSW-6932	6 x 9" 2-Way Marine Coaxial (White)	20 oz	150W/300W
APSW-8032T	8" 2-Way Marine Coaxial (White)	22 oz	175W/350W