



polk  
**DB+**

# DB+

Everything you love about Polk's Dynamic Balance technology —that rich, clean, full-range sound—is built into the marine-tough, yet ruggedly sophisticated, DB+ series. And with its universal fit, it can be installed in any vehicle: Automobiles, motorcycles, boats, ATVs—you name it.

## FIT FOR ANY RIDE™

### *High Performance Factory Upgrade*

Upgrade from your OEM speaker system toward a bigger, fuller, high-performance sound. The high-grade materials used in our DB+ Series ensure you get an audio system that's designed and engineered for clear, full range sound that will last much longer than your factory setup. These speakers also feature non-resonant materials so you get extremely clear highs, mids and lows no matter what you're listening to through our patented Dynamic Balance (DB) Technology.

### *Universal Fit*

The new DB+ series has been updated so you can enjoy a simple drop in installation in any vehicle including cars, boats, ATV's -- you name it. Its new shallow tweeter design ensures your factory speaker grille re-installs with ease for a flush, seamless look. This quick and easy experience also ensures a faster installation process so you can get back to what matters with our great sound always along for the ride.



### *Marine Certified*

The DB+ Series is IP65 rated so it's dirt- & water- resistant. It also has been tested for salt-fog, UV and humidity. A big part of that marine certification also means that each speaker has a non-corrosive plastic grille, a polypropylene UV tolerant cone, waterproof inner and outer surrounds, and stainless steel mounting hardware, ensuring that it's fully protected against the elements.





	DB402	DB522	DB652	DB462	DB572	DB692	DB 5252	DB6502
<b>Type</b> Type/Typo/Typ	4" coaxial	5.25" coaxial	6.5" coaxial	4" x 6" coaxial	5" x 7" coaxial	6" x 9" three way	5.25" component	6.5" component
<b>Driver Complement (inches &amp; mm)</b> Complément de transmetteur/Complemento driver/ Complemento controlador/Treiberbestückung	4" 101.60 mm	5.25" 133.35 mm	6.5" 165 mm	4" x 6" 101.6 mm x 152.4 mm	5" x 7" 127 mm x 177.8 mm	6" x 9" 152.4 mm x 228.6 mm	5.25" 133.35 mm	6.5" 165 mm
<b>Tweeter complement (inches &amp; mm)</b> Complément du haut-parleur d'aigu/Complemento tweeter/Complemento Tweeter/Hochtöner- Bestückung	0.75" 19 mm	0.75" 19 mm	0.75" 19 mm	0.75" 19 mm	0.75" 19 mm	0.75" + 0.5" 19 mm + 13 mm	0.75" 19 mm	0.75" 19 mm
<b>Cutout dimensions (inches &amp; mm)</b> Coupé dimensions/ritagliare dimension/Separar dimensiones/Ausgeschnitten Maße	4.09" 104 mm	4.76" 121 mm	5.0" 127 mm	4" x 6" 101.6 mm x 152.4 mm	4.92" x 7.15" 125 mm x 181.6 mm	5.97" x 8.80" 151.6 mm x 223.5 mm	4.76" 121 mm	5.0" 127 mm
<b>Mounting Height (inches &amp; mm)</b> Hauteur de montage/Altezza di montaggio/Altura de montaje/Montagehöhe	0.22" 5.59 mm	0.31" 8 mm	0.47" 12 mm	0.18" 4.57 mm	0.51" 12.95 mm	0.66" 16.76 mm	0.28" 7.11 mm	0.41" 10.41 mm
<b>Mounting depth: top (inches &amp; mm)</b> Profondeur de montage (dessus)/Profundità supporto (alto)/Profundidad de montaje (arriba/ Einbautiefe (oben)	1.79" 45.5 mm	1.74" 44.2 mm	1.77" 45 mm	1.81" 46 mm	2.24" 57 mm	3.25" 82.5 mm	1.74" 44.2 mm	1.77" 45 mm
<b>Mounting depth: bottom (inches &amp; mm)</b> Profondeur du montage (dessous)/Profundità supporto (basso)/Profundidad de montaje (abajo/ Einbautiefe (unten)	2.00" 51 mm	2.01" 51.2 mm	2.12" 54 mm	1.91" 48.6 mm	2.76" 70 mm	3.83" 97.3 mm	2.02" 51.2 mm	2.23" 54 mm
<b>Peak Power handling</b> Puissance de crête/Gestione potenza picco/Gestión de la potencia máxima/Maximale Lautsprecherleistung	135 W	300 W	300 W	150 W	225 W	450 W	300 W	300 W
<b>Continuous Power handling</b> Puissance continue/Gestione potenza continua/Gestión de la potencia continua/Kontinuierliche Lautsprecherleistung	45 W	100 W	100 W	50 W	75 W	150 W	100 W	100 W
<b>Nominal Impedance (ohm)</b> Impédance normale (ohm)/Impedenza normale (ohm)/ Impedancia normal (ohm)/Normale Impedanz (ohm)	4	4	4	4	4	4	4	4
<b>Frequency response (Hz)</b> Courbe de résonance (Hz)/Respuesta in frecuencia (Hz)/ Resposta de frecuencia (Hz)/Frequenzgang (Hz)	60Hz-22kHz	55Hz-22kHz	40Hz-22kHz	50Hz-22kHz	35Hz-22kHz	30Hz-22kHz	50Hz-23kHz	35Hz-23kHz
<b>Grille height</b> Hauteur de la grille/Altezza griglia/Altura de rejilla/ Akustik-Gitterhöhe	14.07 mm	17.55 mm	20 mm	n/a	n/a	22.94 mm	17.55 mm	20 mm
<b>Sensitivity (dB)</b> Sensibilité (dB)/Sensibilità (dB)/Sensibilidad (dB)/ Audioempfindlichkeit (dB)	90	91	92	90	92	93	91	92

**DB PLUS SERIES**

PRODUCT	UPC	MODEL	DESCRIPTION	INSTALLATION DIMENSIONS	FINISH	QUANTITY PER MASTER CARTON	MASTER CARTON	PRICING UNIT OF MEASURE	MAP/IMRP
	747192127244	DB 402	4" Coaxial Speakers with Marine Certification	Cut out Diameter - 4.09" Bottom Mount - 2" Top Mount - 1.79"	Black	8	Length - 11.9" Width - 11.8" Height - 12.5" Weight - 20.25 lbs	Pair	\$69.99
	747192127251	DB 522	5.25" Coaxial Speakers with Marine Certification	Cut out Diameter - 4.76" Bottom Mount - 2.01" Top Mount - 1.74"	Black	6	Length - 16" Width - 14.2" Height - 9.7" Weight - 23.8 lbs	Pair	\$79.99
	747192127268	DB 5202	5.25" Component Speaker System with Marine Certification	Cut out Diameter - 4.76" Bottom Mount - 2.01" Top Mount - 1.74"	Black	4	Length - 21.5" Width - 14.2" Height - 6.6" Weight - 21.2 lbs	Pair	\$159.99
	747192127275	DB 652	6.5" Coaxial Speakers with Marine Certification	Cut out Diameter - 5" Bottom Mount - 2.12" Top Mount - 1.77"	Black	6	Length - 16" Width - 15.2" Height - 7.5" Weight - 28.2 lbs	Pair	\$89.99
	747192127282	DB 6502	6.5" Component Speaker System with Marine Certification	Cut out Diameter - 5" Bottom Mount - 2.12" Top Mount - 1.77"	Black	4	Length - 24.5" Width - 15.2" Height - 7.5" Weight - 24.25 lbs	Pair	\$169.99



**DB PLUS SERIES**

PRODUCT	UPC	MODEL	DESCRIPTION	INSTALLATION DIMENSIONS	FINISH	QUANTITY PER MASTER CARTON	MASTER CARTON	PRICING UNIT OF MEASURE	MAP/IMRP
	747192127299	DB 462	4"x 6" Coaxial Speakers with Marine Certification	Cut out Diameter 4"H x 6"W Bottom Mount - 1.91" Top Mount - 1.81"	Black	8	Length - 16.2" Width - 9.61" Height - 11.2" Weight - 23.8 lbs	Pair	\$69.99
	747192127305	DB 572	5"x 7" Coaxial Speakers with Marine Certification	Cut out Diameter 4.92" H x 7.15" W Bottom Mount - 2.76" Top Mount - 2.24"	Black	6	Length - 23.2" Width - 13.3" Height - 10.4" Weight - 28.2 lbs	Pair	\$89.99
	747192127312	DB 692	6"x 9" Coaxial Speakers with Marine Certification	Cut out Diameter 5.97" H x 8.8" W Bottom Mount - 3.83" Top Mount - 3.25"	Black	2	Length - 15.5" Width - 11.9" Height - 10.2" Weight - 15 lbs	Pair	\$119.99