




Class D Mono Block Amplifiers



- Multi-Stranded Power Supply Toroids • Double-Sided Glass Epoxy Circuit Board • Subsonic Filter • Variable Bass Boost • Dual Cooling Fans • 4-Way Protection Circuitry (Thermal/Short/Overload/DC Offset) • Variable Low-Pass Crossover • Hi-Gloss Chrome-Plated Finish • Remote Bass Control with Blue Backlight Knob
- Nickel-Plated Block Terminals • Cobalt Blue Illumination

Model	Class	4 ohm	2 ohm	1 ohm
A12001DJ	- D Mono	450 Watts x 1	800 Watts x 1	1500 Watts x 1
A18001DJ	- D Mono	700 Watts x 1	1300 Watts x 1	2500 Watts x 1

Hi-Current Mono & Multi Channel Amplifiers



- High Current Circuitry • PWM MOSFET Power Supply • Double-Sided Glass Epoxy Circuit Board • Variable Subsonic Filter • Variable Bass Boost • Dual Cooling Fans • Variable Hi-Pass/Low Pass Crossover • 4-Way Protection Circuitry (Thermal/Short/Overload/DC Offset) • Hi-Gloss Chrome-Plated Finish • Cobalt Blue Illumination • Nickel-plated Block Terminals

Model	4Ω Stereo	2Ω Stereo	1Ω Stereo	4Ω Mono	2Ω Mono	1Ω Mono
A1500HCJ	-	-	-	600 Watts x 1	1100 Watts x 1	2200 Watts x 1
A2300HCJ	450 Watts x 2	700 Watts x 2	1000 Watts x 2	600 Watts x 1	1200 Watts x 1	2400 Watts x 1
A2200HCJ	300 Watts x 2	600 Watts x 2	850 Watts x 2	500 Watts x 1	1000 Watts x 1	2000 Watts x 1

Intake Multi-Channel A/B & Mono Block Amplifiers



- Class A/B MOSFET Circuitry • PWM MOSFET Power Supply • Double-Sided Glass Epoxy Circuit Board • Variable High/Low Crossover • Subsonic Filter • Bass Boost • 3-Way Protection Circuitry (Thermal/Short/Overload) • High Gloss Chrome-Plated Finish • Cooling Fan • RCA and HIGH Level Inputs • Cobalt Blue Illumination

Model	4Ω Stereo	2Ω Stereo	4Ω Mono	2Ω Mono
A1600J	-	-	900 Watts x 1	1800 Watts x 1
A800J	-	-	500 Watts x 1	1000 Watts x 1
A8002J	250 Watts x 2	800 Watts x 2	1000 Watts x 1	-
A4002J	120 Watts x 2	250 Watts x 2	500 Watts x 1	-
A2002J	75 Watts x 2	100 Watts x 2	300 Watts x 1	-
A6004J	100 Watts x 4	200 Watts x 4	400 Watts x 2	-
A4004J	50 Watts x 4	100 Watts x 4	200 Watts x 2	-
A5005J	50W x 4 + 250W x 1	100W x 2 + 500W x 1	200W x 2 + 500W x 1	-



LESCO DISTRIBUTING

Immortal Subwoofer Series

- Proprietary Tall Excursion Foam Surround • Ultra Light 2-Layer Carbon Fiber, Kevlar Cone w/Aluminum Dustcap • Chrome Plated 3-Dimensional Cast Aluminium Basket



Model	Description
-------	-------------

- AWIS15J** – 15" Flame Cast Basket - 2250 Watts RMS/3" Quad 2 ohm Voice Coil
- AWIS12J** – 12" Flame Cast Basket - 2000 Watts RMS/3" Quad 2 ohm Voice Coil

Aluminum Sound Q Subwoofer Series

- Spun Aluminum Cone • Phat 1.75" EPDM Rubber Surround
- Multi Connect Lug Lock Terminals



Model	Description
-------	-------------

- ALUM12J** – 12" Flame Cast Basket - 1000 Watts RMS/3" Dual 6 ohm Voice Coil
- ALUM10J** – 10" Flame Cast Basket - 800 Watts RMS/3" Dual 6 ohm Voice Coil

Low Profile Sound Q Subwoofer Series

- Spun Aluminum Cone • Phat 1.75" EPDM Rubber Surround
- Dual 4 ohm Voice Coil • Multi-Connect Lug Lock Terminals



Model	Description
-------	-------------

- AW1204J** – 12" Stamped Basket - 500 Watts RMS/Operation: 2 or 8 ohm
- AW1004J** – 10" Stamped Basket - 400 Watts RMS/Operation: 2 or 8 ohm

High Excursion Subwoofer Series

- Tall Narrow Foam Surround • Multi-connect Lug Lock Terminals



Model	Description
-------	-------------

- AW1500J** – 15" Flame Cast Basket - 800 Watts RMS/ 3" Dual 4 ohm Voice Coil
- AW1200J** – 12" Flame Cast Basket - 700 Watts RMS/2.5" Dual 4 ohm Voice Coil
- AW1000J** – 10" Flame Cast Basket - 600 Watts RMS/2.5" Dual 4 ohm Voice Coil

Natural Sound Subwoofer Series

- Multi-Connect Lug Lock Terminals • 2 or 8 ohm Operation



Model	Description
-------	-------------

- AW1571J** – 15" Flame Cast Basket - 500 Watts RMS/2" Dual 4 ohm Voice Coil
- AW1251J** – 12" Flame Cast Basket - 400 Watts RMS/2" Dual 4 ohm Voice Coil
- AW1051J** – 10" Flame Cast Basket - 300 Watts RMS/2" Dual 4 ohm Voice Coil



Component Speakers ABC Series

- Multi-Layer Honeycomb Cone • 2 Layer High-Temp ASV Voice Coil
- Butyl Rubber Surround • 1" Neodymium Silk Dome Swivel Tweeter
- Crossover Network • 4 ohm • 15 oz Magnet • Surface or Flush Mount

ABC525J – 5.25" - 120 Watts RMS Power Handling/5.25" and 1" Tweeter

ABC600J – 6.5" - 140 Watts RMS Power Handling/6.5" and 1" Tweeter



AS Full Range Speaker Series

- Poly Carbon Cone • Butyl Rubber Surround • 2-Layer High-Temp ASV Voice Coil • Black Ice Basket • Polyswitch Tweeter Protection Circuit • Removable Tweeter for Remote Mounting • Complete with Mounting Hardware

AS31J – 3" - 2-Way/ 60 Watts RMS

AS40J – 4" - 2-Way/ 80 Watts RMS

AS41J – 4" x 10" - 2-Way/100 Watts RMS

AS46J – 4" x 6" - 3-Way/ 80 Watts RMS

AS50J – 5.25" - 2-Way/ 80 Watts RMS


AS62J – 6.5" - 2-Way/ 90 Watts RMS

AS65J – 6.5" - 3-Way/100 Watts RMS

AS68J – 6" x 8" - 2-Way/100 Watts RMS

AS96J – 6" x 9" - 2-Way/180 Watts RMS

AS69J – 6" x 9" - 3-Way/180 Watts RMS



AT Dome Tweeter Series

- Ferro Fluid Cooled and High Flux Neodymium Magnet Flush • Crossover with Audiophile Grade Capacitors and Polyswitch Protection • 100 Watts RMS (Pair)

AT60J – 16mm Silk Dome Tweeters, Surface & Flex Mount Hardware

AT61J – 19mm Titanium Dome Tweeters, 360° Swivel, Angle & Surface Mount Hardware



Slot Ported Loaded Enclosures

- Hi-Quality MDF Construction • Black Carpeted Covering • Carbon Composite Cone with EPDM • Rubber Surround • 2" 4 Layer Voice Coil • Extended & Vented Pole Piece • Gold Binding Post Terminals

ABB122J – Dual 12" Slot Ported Enclosure - 800 Watts RMS/4 ohm Stereo - 45 oz. Strontium Magnet

ABB102J – Dual 10" Slot Ported Enclosure - 600 Watts RMS/4 ohm Stereo - 45 oz. Strontium Magnet



Slot Tuned Bandpass Loaded Enclosures

- Hi-Quality MDF Construction • Black Carpeted Covering • 3/8" Plexiglass Window • Blue Interior L.E.D. Lighting • IMPP Cone w/EPDM • Rubber Surround • 2" 4-Layer Voice Coil • Extended & Vented Pole Piece • Gold Binding Post Terminals

ABP122J – Dual 12" Slot Bandpass - 800 Watts RMS/4 ohm Stereo - 50 oz. Strontium Magnet

ABP102J – Dual 10" Slot Bandpass - 600 Watts RMS/4 ohm Stereo - 50 oz. Strontium Magnet

