

### IDQ V.3 Subwoofer Series



Model	Size	Power Handling	Impedance
<b>IDMAX10V3D2</b>	10"	350Watts	Dual 2 ohm
<b>IDMAX10V3D4</b>	10"	350Watts	Dual 4 ohm
<b>IDMAX12V3D2</b>	12"	450Watts	Dual 2 ohm
<b>IDMAX12V3D4</b>	12"	450Watts	Dual 4 ohm

### IDQ V.2 Subwoofer Series



Model	Size	Power Handling	Impedance
<b>IDQ10D2</b>	10"	300Watts	Dual 2 ohm
<b>IDQ10D4</b>	10"	300Watts	Dual 4 ohm
<b>IDQ12D2</b>	12"	500Watts	Dual 2 ohm
<b>IDQ12D4</b>	12"	500Watts	Dual 4 ohm

### ID V.3 Subwoofer Series



Model	Size	Power Handling	Impedance
<b>ID8D2V3</b>	8"	300Watts	Dual 2 ohm
<b>ID8D4V3</b>	8"	300Watts	Dual 4 ohm
<b>ID10D2V3</b>	10"	400Watts	Dual 2 ohm
<b>ID10D4V3</b>	10"	400Watts	Dual 4 ohm
<b>ID12D2V3</b>	12"	400Watts	Dual 2 ohm
<b>ID12D4V3</b>	12"	400Watts	Dual 4 ohm

### CTX Component Coaxial Speakers

**Common Features:**

- Butyl Rubber Surrounds • Neodymium Magnets
- Composite Coated Pure Titanium Dome Tweeters
- Mica-Polymer Composite Cones



Model	Size	Description
<b>CTX4</b>	4"	Co-axial System, 20mm Silk Dome Tweeter
<b>CTX46</b>	4x6"	Co-axial System, 20mm Sild Dome Tweeter
<b>CTX5</b>	5"	Co-axial System, 20mm Sild Dome Tweeter
<b>CTX57</b>	5x7"	Co-axial System, 20mm Sild Dome Tweeter
<b>CTX6</b>	6"	Co-axial System, 20mm Sild Dome Tweete
<b>CTX69</b>	6x9"	Co-axial System, 25mm Sild Dome Tweeter

### Chameleon Component Sets



Model	Size	Description
<b>CXS62</b>	6.5"	2 ohm Component Set with 30mm Tweeter
<b>CXS64</b>	6.5"	4 ohm Component Set with 30mm Tweeter