



ThunderElite Amp Series

- Adaptive Class D Technology • CEA2006 Compliant • High-Gloss Black Finish & Brilliant Chrome Intake • Smart Engage • Patented Power Supply • Prism EFX
- XTC Turbo-Charged Intercooler (Self Adjusting)



Model	Chs/Class	4Ω RMS	2Ω RMS	1Ω RMS
TE4001D	1/D	1250Watts x 1	2200Watts x 1	3750Watts x 1
TE1501D	1/D	500Watts x 1	1000Watts x 1	1500Watts x 1
TE801D	1/D	400Watts x 1	800Watts x 1	-
TE601D	1/D	300Watts x 1	600Watts x 1	-
TE602	2/AB	100Watts x 2	225Watts x 2	300Watts x 2
TE1004	4/AB	125Watts x 4	225Watts x 4	-
TE604	4/AB	80Watts x 4	150Watts x 4	-
TE404	4/AB	65Watts x 4	100Watts x 4	-

ThunderX Amp Series

- Adaptive Class D • Heavy Duty Aluminum Construction • Large Extruded Heatsink • Patented Power Supply • Anodized Finish • Smart Engage • Pure n-Channel Technology • Included EBC on Mono Blocks • Chrome X Thunder Badge • Anodized Finish



Model	Chs	4Ω RMS	2Ω RMS	4Ω Bridged
300XD	1	200Watts x 1	300Watts x 1	-
600XD	1	350Watts x 1	600Watts x 1	-
1000XD	1	700Watts x 1	1000Watts x 1	-
502X	2	50Watts x 2	75Watts x 2	150Watts x 1
702X	2	70Watts x 2	105Watts x 2	210Watts x 1
504X	4	50Watts x 4	75Watts x 4	150Watts x 2
704X	4	70Watts x 4	105Watts x 4	210Watts x 2

JackHammer Amp Series

- Surface-Mount Technology • CEA-2006 Compliant • Reduced Chassis Size
- Powder Coated Steel Panels and ABS Plastics • Mono-Blocks 1 ohm Stable
- Active Fan Cooling Technology • Hi-End Pro Audio Style RCA Connectors
- Included Jack-Stands



Model	Chs	4Ω RMS	2Ω RMS	4Ω Bridged
JH300	1	200Watts x 1	300Watts x 1	-
JH600	1	350Watts x 1	600Watts x 1	-
JH1200	1	400Watts x 1	800Watts x 1	-
JH202	2	50Watts x 2	100Watts x 2	200Watts x 1
JH404	4	50Watts x 4	100Watts x 4	200Watts x 2
JH805	4/1	37.5Wx4/250Wx1	75Wx4/500Wx1	150Wx2/250Wx1

Terminator Amp Series

- Gloss Black Cover • Maximum Input Signal: 4v • Variable Speed Internal Fan
- Maximum Input Sensitivity: 200MV



Model	4Ω RMS	2Ω RMS	4Ω Bridged
TN250/1	100Watts x 1	200Watts x 2	-
TN200/2	45Watts x 2	75Watts x 2	150Watts x 1
TN400/4	45Watts x 4	75Watts x 4	150Watts x 2



ThunderSquare TS55 Sub Series

- Patented Corner Geometry Stitched Surround • Stamped Basket and NBR Surround for Durability • Polypropylene Cone • 1.75" Voice Coil



Model (Dual 4Ω)	Model (Dual 2Ω)	Description	Power (RMS/Max)
TS5512-44	TS5512-22	12" TS55 Square Subwoofer	600/1800
TS5510-44	TS5510-22	10" TS55 Square Subwoofer	450/1350

ThunderRound TR55 Sub Series

- Precision Stamped Basket and NBR Surround • Stitched Surround
- Rubber Magnet Boot & Trim Ring • 1.75"-2" Voice Coil • Spider Plateau Venting • Improved Power Handling



Model (Dual 4Ω)	Model (Dual 2Ω)	Description	Power (RMS/Max)
TR5515-44	TR5515-04	15" TR55 Subwoofer	450/1350
TR5512-44	TR5512-04	12" TR55 Subwoofer	400/1200
TR5510-44	TR5510-04	10" TR55 Subwoofer	300/900

TR45 Sub Series

TR4515-44	TR4515-04	15" TR45 Subwoofer	300/900
TR4512-44	TR4512-04	12" TR45 Subwoofer	250/750
TR4510-44	TR4510-04	10" TR45 Subwoofer	200/600

JackHammer Sub Series

- Black Stamped Basket • Stitched Cone and Surround • Large Rubber Boot • Rubber Magnet Cover • Spider Plateau Venting • Improved Power Handling



Model	Ωs	Description	Power (RMS/Max)
JH5512-04	4Ω	12" JackHammer 55 Sub	400/1200
JH4512-04	Dual 2Ω	12" JackHammer 45 Sub	250/750
JH4510-04	Dual 4Ω	10" JackHammer 45 Sub	200/600

RS Sub Series

- Bumped Back-Plate • Foam Surround • 1.5" Voice Coil • Heavy-Duty Nickel Binding Posts



Model (Dual 4Ω)	Model (Dual 2Ω)	Description	Power (RMS/Max)
RS4412-44	RS4412-04	12" RS Hi-Performance Sub	200/600
RS4410-44	RS4410-04	10" RS Hi-Performance Sub	150/450



Thunder9500 Sub Series

- Die-Cast Basket • High-Roll NBR Surround • Dual Concave Cone Design • Aluminum Heatsink • 428° Voice Coil • Spider Plateau Vente • Extended Pole Piece • Over 50 lbs. each



Model (4Ω)	Model (Dual 4Ω)	Description	Power (RMS/Max)
T9515-04	T9515-44	15" T9500 SuperWoofer	1000/3000
T9512-04	T9512-44	12" T9500 SuperWoofer	1000/3000
T9510-04	T9510-44	10" T9500 SuperWoofer	750/2250

Thunder8500 Sub Series

- Die-Cast Aluminum Basket • Narrow NBR Surround • Dual Concave Cone Design • Aluminum Voice Coils • Flat Progressive Spider • Aluminum Shorting Ring • Extended Pole Piece • Spider Plateau Vented



Model (4Ω)	Model (Dual 4Ω)	Description	Power (RMS/Max)
T8515-04	T8515-44	15" T8500 SuperWoofer	600/1800
T8512-04	T8512-44	12" T8500 SuperWoofer	500/1500
T8510-04	T8510-44	10" T8500 SuperWoofer	500/1500

ThunderSquare TS85 Sub Series

- Black Anodized Aluminum Dust Cap and Stamped Aluminum Magnet Badge • Die-Cast Aluminum Basket • 1.75" Voice Coil



Model (4Ω)	Model (Dual 4Ω)	Description	Power (RMS/Max)
TS8512-44	TS8512-22	12" TS85 Square Subwoofer	700/1500
TS8510-44	TS8510-22	10" TS85 Square Subwoofer	600/1200

ThunderThin TT65 Sub Series

- 1 Piece Spider Cone • 3.325" Deep these Subwoofers will fit anywhere • Dual 4Ω or Dual 2Ω Configurations



Model (4Ω)	Model (Dual 4Ω)	Description	Power (RMS/Max)
TT6512-04	TT6512-02	12" TT65 Round Subwoofer	-
TT6510-04	TT6510-02	10" TT65 Round Subwoofer	-



ThunderAXE Hi-End Components

- Die-Cast Aluminum Basket • Glass Fiber Cone • Bi-Amplifier Capable
- 25mm Teteron Dome Tweeter • 2-Way Separate Crossover • 5 Adjustable Tweeter Levels • Shallow Mount Design



Model	Description	Power (RMS/Max)
TXC6.1	6-1/2" 2-Way Component System	150/450
TXC6.0	6-1/2" Mid-Bass Driver w/2-Way X-over System	150/450
TXC5.1	5-1/4" 2-Way Component System	125/375
TXC4.1	4" 2-Way Component System	100/300
TXC.1	25mm Teteron Dome Tweeter w/2-Way X-over System	75/225

ThunderAXE Separates

- Metal Flake Paint • Polypropylene Cones • Tunable Tweeter Network
- 2-Way High-Quality Crossover • 25mm Soft Dome Tweeter • Shallower Mounting Depths



Model	Description	Power (RMS/Max)
TX6001	6-1/2" 2-Way System	90/270
TX5001	5-1/4" 2-Way System	90/270
TX4001	4" 2-Way System	75/225
TX1000	25mm Soft Dome Tweeter with X-over System	50/150

Thunder Dome-Axials

- Shallowest Mounting Depths available • Soft Dome Tweeters
- Aluminum Deposition Cone • Fits European & Domestic Vehicles
- Installation Friendly



Model	Description	Power (RMS/Max)
TDX6903	6" x 9" 3-Way	100/300
TDX6902	6" x 9" 2-Way	100/300
TDX6802	6" x 8"/5" x 7" 2-Way	60/180
TDX6502	6-1/2"/6-3/4" 2-Way	60/180
TDX5202	6-1/4" 2-Way	45/135
TDX4602	4" x 6" 2-Way	40/120
TDX4002	4" 2-Way	35/105
TDX3502	3-1/2" 2-Way	25/75

XThunder

XT693	6" x 9" 3-Way Triaxial	42/84
XT573	5" x 7" (6" x 8") 3-Way Coaxial	25/50
XT603	6-1/2" 3-Way Coaxial	25/50
XT502	5-1/4" 3-Way Coaxial	20/40



LESCO

D I S T R I B U T I N G



Thunder Marine Amplifiers

- Sealed Covers keep Amplifier Controls and Speaker Terminals Dry • Conformal Coated Boards help to Prevent Corrosion



Model	Description	Power (RMS/Max)
TM452	2 Channel Marine Power Amplifier	150/450
TM601D	Class D, Mono-Block Marine Power Amplifier	200/600
TM904	4-Channel Marine Power Amplifier	300/900
TM1805	5-Channel Marine Power Amplifier	600/1800

Thunder Marine Subwoofers

- Sealed Covers keep Speaker Terminals Dry and Prevent Corrosion
- Impact Resistant Grilles Protect Speakers while still Looking Great



Model	Description	Power (RMS/Max)
TM1204	12" Thunder Marine Subwoofer, 4Ω	200/600
TM1004	10" Thunder Marine Subwoofer, 4Ω	200/600

Thunder Marine Speakers

- Sealed Covers keep Speaker Terminals Dry and Prevent Corrosion
- Impact Resistant Grilles Protect Speakers while still Looking Great



Model	Description	Power (RMS/Max)
TM60010E	6-1/2" 2-Way Marine Separates OEM	75/225
TM60020E	6-1/2" 2-Way Marine Coaxial OEM	75/225
TM6502	6-1/2" 2-Way Marine Coaxial	50/150
TM6502-B	6-1/2" 2-Way Marine Coaxial, Black	50/150
TM6502WB	6-1/2" 2-Way Wakeboard Coaxial	75/225
TM6502WB-B	6-1/2" 2-Way Wakeboard Coaxial, Black	75/225
TM7702	7.7" 2-Way Marine Coaxial	75/225