

Source Units



VRCPAA-106F - DVD/CD

- 10.6" LCD Screen • 30% Larger Screen over Traditional 7" Models • Apple CarPlay® & Android Auto® Built-in • Fits Standard 2-DIN Dash Kits/Brackets • Front & Rear Parking Camera RCA Inputs • Media Playback: DVD, USB, MicroSD Card




VRCPAA-106M - MECHLESS

- 10.6" LCD Screen • Mechless Headunit (No Disc/DVD Drive) • 30% Larger Screen over Traditional 7" Models • Apple CarPlay® & Android Auto® Built-in • Fits Standard 2-DIN Dash Kits/Brackets • Front & Rear Parking Camera RCA Inputs • Media Playback: DVD, USB, MicroSD Card



VRCPAA-70M - MECHLESS

- 7" LCD Screen • Mechless Unit (No DVD/CD Drive Slot) • Apple CarPlay Built-in w/ Siri Assistant • Android Auto Built-in w/ Google Assistant • HD Quality High-Resolution TFT-LCD Display • Extended Rear USB 2A 5V Phone Integration



VRCPAA-7DR - MECHLESS

- 7" LCD Screen • Apple CarPlay Built-in w/ Siri Assistant • Android Auto Built-in w/ Google Assistant • HD Quality High-Resolution TFT-LCD Display • Bluetooth HF Calling + Audio Streaming



VM-622HB - MECHLESS


- 2-DIN Multimedia System w/ 6.2" LCD • ISO 2-DIN Chassis, Mounting Brackets Included • HD 6.2" 800x480 LCD with Adjustable Backlight • Smartsense Clear Glass Capacitive Touchscreen • Bluetooth 4.0 Phone Calling + A2DP Audio Streaming • Back-up Camera RCA Input with +12V Auto-On Trigger



VCD-21B -CD

- Single DIN CD/MP3/AM/FM Receiver w/Built-in Bluetooth • Detachable Face • 32GB USB Playback • AUX Audio Input • Front & Rear Pre-Amp Output • Remote Control Included • Faceplate Carry Case Included

VM-21B - As above No CD- MECHLESS



VRN-75HB-DVD/NAVIGATION

- Single DIN GPS/DVD/CD/MP3/AM/FM Receiver with 7" LCD(LED Backlight) • Built-in Bluetooth • Android PhoneLink • AUX Audio Input • Front and Rear Pre-Amp Audio Output • Video Output • Rear View Camera Input • SiriusXM Ready • iGo GPS Navigation

VR-75XB - SiriusXM No Navigation or Android PhoneLink

VR-75B -Standard Features



VDVD-165-DVD

- Single DIN DVD Player • Playback from DVDR/RW or MP4 • Playback from 32GB USB of MP4 • In-Dash, Floor, and Vertical Mounting Brackets Included and DIN Size Trim-Ring for In-Dash Mounting Included • Remote Control & Infrared Repeater Included • OSD (On-Screen Display) • Digital Anti-Shock • 2v A/V Preamp Outputs



VR-624B - DVD/CD

- 6.2" Double Din DVD/CD Headunit w/ Bluetooth Streaming • DVD, USB & Aux Inputs for Media Playback • 2A 5V Adaptive Fast Charge Front USB • Backup Rear Camera Input w/ 12V Trigger



VR-720B-DVD/NAVIGATION

- 7" LCD Single DIN Flip Up DVD w/ Bluetooth 4.0 • Motorized Angle Adjustment • Detachable Theft Deterrent Front Panel • Playback from DVDR/RW or CDR/RW of MP3, MP4 • Playback From 32GB SD Card or USB of MP3, MP4 • Bluetooth V4.0 Hands-Free Calling from Enabled Device • A2DP MP3 Audio Playback from Enabled Device • ID3 Tag Reading for Track & Artist Information • Rear View Camera Input w/ Trigger • Multi-Region FM Frequency Stepping • 800 x 480 Widescreen Resolution

Authorized Dealers Only
- Call your Sales-Rep for Details -
- Territory Restrictions -

* ((SiriusXM)) \$70 REBATE AND 3 MONTH FREE ALL ACCESS*
 SUBSCRIPTION REQUIRED*

Stealth Full Range Amplifiers

• High Efficiency Class D Full Range Amplifiers • Hybrid Aluminum Alloy Heatsink • Mosfet Power Supply w/Audiophile Grade IRTM Transistors • High Level or Low Level RCA Input • Quick Disconnect RCA/High Level Wire Harness • Variable High Low Pass, and Subsonic Crossovers • Quick Disconnect Power and Speaker Output Harness Output Terminals • Direct Short, Thermal, Overload Circuits Protect Amplifier *with Built-in Bluetooth



Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
ST1.500D	1	150W x 1	250W x 1	-	500W	-
ST4.500D	4	45W x 1	65W x 1	125W x 2	500W	-
ST2.500D	2	75W x 1	125W x 1	250W x 1	500W	-
ST1-1000D	1	350W x 1	500W x 1	-	1000W	Yes
ST2.1000D	2	140W x 2	250W x 2	500W x 1	1000W	Yes
ST3.1000D	3	65W x 2 + 200W x 1	100W x 2 + 300W x 1	200W x 1 + 300W x 1	1000W	Yes
ST4.1000D	4	90W x 4	125W x 4	220W x 2	1000W	-
ST4.1000DB*	4	90W x 4	125W x 4	220W x 2	1000W	-
ST4.1200D	5	100W x 4	150W x 4	300W x 2	1600W	-
ST5.1300D	5	60W x 4 + 220W (Ch5)	90W x 4 + 300W (Ch5)	-	1300W	-

Tarantula Extreme

Tarantula Extreme offers tenacious 2ch & 4ch full-range amplifiers, each with impedance stability down to 1-ohm per channel or 2-ohm bridged (yes, you read that right, 1-ohm stereo & 2-ohm bridged). For your subwoofers, knarley 1,200w and 2,300w monoblocks are available. Finally, for you psychotic bassheads out there, insane 4,300w & 7,000w monoblocks

Model	MAX Power	RMS Power 4Ω	RMS Power 2Ω	RMS Power 1Ω	Remote Gain Control
TXP2.6500D	6500W	400W x 2	700W x 2	1,250W x 2	INCLUDED
TXP4.3500D	3500W	140W x 4	235W x 4	375W x 4	-
TXP1.3500D	3500W	450W x 4	800W x 4	1250W x 1	INCLUDED
TXP1.6000D	6000W	700W x 1	1200W x 1	2300 x 1	INCLUDED
TXP1.12000D	12000W	1300W x 1	2300W x 1	4300W x 1	INCLUDED
TXP1.18000D	18000W	1800W x 1	3600W x 1	7000W x 1	INCLUDED



Picasso Nano Full Range Amplifiers

• Class D Full Range Amplifier • Mosfet PWM Power Supply • Small Compact 4.75" Wide Chassis • Low Level Input Sensitivity • High Level Input



Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
PN4.520D	4	100W x 4	130W x 4	260W x 2	-	-
PN1.650D	1	400W x 1	650W x 1	-	-	Yes
PN2.350D	2	115W x 2	175W x 2	350W x 1	-	-
PN5.640D	5	60W x 4 + 200W x 1	80W x 4 + 350W x 1	160W x 2 + 350W x 1	-	Yes
PN4.1000D	4	140W x 4	250W x 4	500W x 2	-	-
PN1.1000D	1	350W x 1	600W x 1	1000W x 1 (1Ω)	-	Yes

Authorized Dealers Only
– Call your Sales-Rep for Details –
– Territory Restrictions –

Digital Bass Processors



BX-23Q

3-Band Bass Equalizer Enhances Dynamic Control of Subwoofer Response; 50Hz, 125Hz, 315Hz Dash Mount Remote Control w/ Subwoofer Level Control & Variable 35Hz-80Hz Subsonic Crossover Variable 27Hz-63Hz Frequency Sweep & Variable Center Frequency Q/Width 13V MAX



BX-20Z

• PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter & Bass Level Control • Balanced Inputs • Dash Mount Remote Control



BX-15

• PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter • Balanced Inputs • Bass Output Control • Dash Mount Remote Control



BX-12-Black

• Parametric EQ with Crossover and Sub Volume • 2 Selectable Inputs w/Variable Input Gain • F/R/ Subwoofer RCA Outputs • Variable Bass Boost & Subsonic Filter • Dash Mount Remote Control

BX-12W - as above in White



BX-10X

• PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter • Parametric Bass Control • Bass Output Control • Dash Mount Remote Control



BX-10-Black

• PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter • Parametric Bass Control • Bass Output Control • Dash Mount Remote Control

BX-10W - as above in White

Equalizers



MPQ-7B-Half DIN 7-Band Graphic EQ

• Graphic EQ with Subwoofer Level Control • Front Rear, and Subwoofer RCA Outputs • Selectable Low-Pass Filter • Two Selectable Balanced RCA Inputs with Input Gain



MPQ-7XO-Half DIN Dual Ch Parametric EQ

• Two Selectable Balanced RCA Inputs with Input Gain • Selectable Subsonic Filter • Variable Bass Boost • F/R/Subwoofer Outputs • Dual Channel Multi-Band Parametric Equalizer



MPQ-90

• 30V Bipolar Switching Power Supply • 20dB Headroom Eliminated Signal Overload • Selectable Stereo RCA Inputs, Main or AUX • Front, Rear, & Subwoofer RCA Outputs • Master Volume/Level Control • Independent Subwoofer Level Control • Independent Fade Control

Marine Stealth Full Range Amplifiers

• Hybrid Aluminum Alloy Heatsink • Mosfet Power Supply w/Audiophile Grade IRTM Transistors • Military Grade SMT PCB • Direct Short/Thermal & Overload Circuits Protect Amplifier • Variable High/Low Pass and Subsonic Crossovers • High/Low Level RCA Input • Quick Disconnect RCA/High Level Wire Harness



Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
SM4.1000D	4	90W x 4	125W x 4	250W x 2	1000W	-
ST4.1000DB	4	90W x 4	125W x 4	250W x 2	1000W	-
SM1.700D	1	250W x 1	350W x 1	-	700W	Yes

Authorized Dealers Only
- Call your Sales-Rep for Details -
- Territory Restrictions -

Rubicon Nano Full Range Amplifiers

- Hybrid Aluminum Alloy Heatsink • Mosfet Power Supply w/Audiophile Grade IRTM Transistors • Military Grade SMT PCB • Direct Short/Thermal & Overload Circuits Protect Amplifier • Variable High/Low Pass and Subsonic Crossovers
- High/Low Level RCA Input • Quick Disconnect RCA/High Level Wire Harness



Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
MR4.1400D	4	125W x 4	175W x 4	350W x 2	1400W	-
MR5.2000D	5	75W x 4 + 300W x 1	125W x 4 + 500W x 1	250W x 2 + 500W x 1	2000W	Yes
MR1.2000D	1	4000W x 1	600W x 1	1000W x 1(1Ω)	700W	Yes

Arachnid Series Speakers

Model	Size	Description	Max Power
AF.42	4"	2-way Coaxial Speaker	200W
AF.52	5.25"	2-way Coaxial Speaker	250W
AF.573	5"x7"	3-way Coaxial Speaker	350W
AF.653	6.5"	3-way Coaxial Speaker	300W
AF.694	6"x9"	4-way Coaxial Speaker	500W



Tweeters

TWS.1

- 1" Soft Dome Tweeter • Tri-Mounting: Flush/Surface and Surface Angle • Rated Input Power: 110 Watts • Impedance: 4 Ohm • 12dB/Octave Passive Crossover Included • Ferrofluid Cooled



TWS.4

- Tantalum 2-way Mount Tweeter • Polished Aluminum Housing • 12 dB In-Line Crossover Network • Rated Input Power: 110 Watts • Impedance: 4 Ohm



TWS.3N

- 1" PEI Dome Tweeter • Impedance: 4 Ohm • Adjustable Eyeball Design • 12 dB In-Line Crossover Network • Tri-Mounting: Flush/Surface/Surface Angle • Rated Input Power: 110 Watts



Authorized Dealers Only
– Call your Sales-Rep for Details –
– Territory Restrictions –