



• HE	IGH10' Integration Kits
	Jeep Wrangler JL & Gladiator JT
	RAM Trucks
MEW	Dodge Charger, Challenger, and Chrysler 300
dec	Chevrolet Silverado & GMC Sierra
	Jeep Wrangler JK
MEN	1 Toyota Tacoma
EV	Toyota Tundra

# WHAT'S IN THE BOX

- HEIGH10® 10" Multimedia Radio Replacement Display
- •All-In-One Radio Replacement Interface
- •Factory-Matched Radio Dash Kit for HEIGH10®
- PAC-LINK Communication Module
- Complete Plug-n-Play Installation Harnesses
- ·USB/HDMI Hub
- Antenna Adapters for Satellite & AM/FM Radio







### CHOOSE THE RIGHT RADIO REPLACEMENT SOLUTION FOR YOUR INSTALL

### RadioPRO ADVANCED Stinger® HEIGH10® Install Kits

Complete Stinger HEIGH10 Ready to install Installation Kits.

Factory-contoured plastics that perfectly and professionally mount the Stinger HEIGH10 multimedia infotainment system into specific vehicles, while retaining vehicle-specific OE features, like HD reverse camera, performance gauges, and more.

### RadioPRO Integrated Kits

**Everything you need to install a new aftermarket radio in one box.** Factory-matching aesthetics, reliable feature retention (RadioPRO) module, and time-saving plug-and-play harnesses will ensure a quality and professional installation.

### **Radio Replacement Interfaces**

**RadioPRO ADVANCED:** Representing PAC's latest integration technologies, RadioPRO ADVANCED offers greater features and performance in a smaller package! PAC-LINK expansion capabilities enable seamless connectivity with Stinger radios and many other future accessories.

**RadioPRO:** The RadioPRO line is your all-in-one installation tool, giving you the optimized installation of an aftermarket radio while enabling you to retain the car's important factory features.

### **Basic Digital Interfaces**

**C2R & OS** – PAC's legendary line of C2R and OS radio replacement interfaces allows you to effectively replace your factory radio without losing the factory features (requires SWI module to retain steering wheel controls). OS modules are developed to retain OnStar.

**Radio Replacement Accessories:** With vehicle-specific USB port retention cables, add-on chime output modules, video output retention cables, and more, PAC rounds out its radio replacement offerings with feature and vehicle-specific solutions for installations where simplified products get the job done.

### **Basic Analog Interfaces**

**ROEM** – These radio replacement interfaces are designed for older, analog factory radio replacement.

### **Steering Wheel Control Interfaces**

**ControlPRO (SWI):** Advanced steering wheel control interfaces with versatile configuration options. ControlPRO products can be configured from your smartphone or computer.





### TAKE YOUR IN-VEHICLE INFOTAINMENT TO NEW HEIGHTS

# HEIGH10°.

# **UN1810 (UNIVERSAL)**

### 10-INCH FLOATING MULTIMEDIA INFOTAINMENT DISPLAY SYSTEM

Featuring a high-resolution, 10-inch capacitive touchscreen with 16.7 million colors for a full visual experience, HEIGH10 is designed to enhance screen size and infotainment features for drivers of any vehicle. The display and main tuner box assemble into a standard Double-DIN chassis, so HEIGH10 fits most vehicle dash kits. While the modular design bolsters installation flexibility in space-limited applications—and, in some cases, even where no installation dash kit is available. HEIGH10 features anti-glare and anti-reflection technology for best outdoor visibility. Personalize your display with customizable RGB illumination to match factory illumination or create your own.

#### **FEATURES**

- Standard Double-DIN chassis for universal mounting applications
- Modular design and accessories for custom installation applications
- 10-inch, anti-glare 1024 x 600 HD digital capacitive touchscreen featuring 16.7 million colors
- Apple CarPlay<sup>®</sup>
- Google Android Auto™
- SiriusXM-Ready™ with Replay (SiriusXM Connect vehicle tuner and subscription required)
- AM/FM radio PTY/RT information
- · High power built-in amplifier
- 4V 6-ch RCA audio outputs with subwoofer control
- Toslink (Optical) variable audio output
- 15-band adjustable EQ with 3 user presets for each audio source

- Handsfree Bluetooth® 4.2 A2DP with aptX™
- Built-in microSD card slot for optional iGO navigation
- 4-camera video inputs with wired triggers (PAC RadioPRO compatible)
- · Mic audio input from rear camera
- Hardwired remote control ready (steering wheel controls)
- Customizable illumination colors and display backgrounds
- · Shallow 1-DIN chassis mounting design
- Modular multimedia infotainment display system
- Anti-glare and anti-reflection technology for best outdoor visibility
- Customizable RGB illumination to match factory illumination or create your own
- Shallow 1-DIN chassis design for installation flexibility

















# Stinger Installation Kits

Part#	Description
SR-GM14H	Installation Kit For GM Vehicles 2014-18
SR-JK11H	Wrangler JK Installation Kit For Heigh10® Multimedia Head Unit
SRK-JW18EH	Jeep Wrangler JL and 2020-2021 Jeep Gladiator JT Installation Kit For Heigh10® Multimedia Head Unit
SRK-RAM13H	RAM Truck 2013-2018 & 2019 "Classic" Body Style Integration & Installation Kit For Heigh10® Multimedia Head Unit











Stinger Powersports Amps

Part #	Description
SPX1000X5	Micro 5 Channel 1000 Watt Marine Amplifier
SPX350X2	Micro 2 Channel 350 Watt Powersports Amplifier
SPX700X4	Micro 4 Channel 700 Watt Powersports Amplifier







SPX350X2





Series	Lengths Available
1000 Series	1.5ft to 20ft
4000 Series	1.5ft to 20ft
6000 Series	3ft to 20ft
8000 Series	3ft to 20ft
9000 Series	1.5ft to 20ft

All Series Available in 2 Channel

Additional Options: 4 Channel: 6000 & 8000 4 & 6 Channel: 4000





Part #	Description
SK4201	4000 Series 1/0 GA Power Wiring Kit
SK4641	4000 Series 4 GA Power & Signal Wiring Kit
SK4681	4000 Series 8 GA Power & Signal Wiring Kit
SK6201	6000 Series 1/0 GA Power Wiring Kit
SK6641	6000 Series 4 GA Complete Wiring Kit
SK6681	6000 Series 8 GA Complete Wiring Kit



SSK0	CCA 1/0 GA Wiring Kit
SSK4	CCA 4 GA Wiring Kit
SSK0	CCA 8 GA Wiring Kit



# Accessories

Part # Description	
SEA4243 Marine Amplifier 4GA 3M Wiring Kit	SEA4243 SEA4247
SEA4247 Marine Amplifier 4GA 7M Wiring Kit	SEA4247
SEA4283 Marine Amplifier 8GA 3M Wiring Kit	
SEA4287 Marine Amplifier 8GA 7M Wiring Kit	
and amount to come of	H = 23 66
0	
VQ.	SEA4283 SEA4287
	AND STREET WHILE
	00

- Call for Additional Parts -

# LESCO DISTRIBUTING



CAR AUDIO - CAR VIDEO - CAR SECURITY - CAR SAFETY - MARINE AUDIO - LED LIGHTING - CB RADIOS - AUTO ACCESSORIES - AND MUCH MORE...



SEASRGB120

6 Conductor Speaker w/ RGB Roll Wire (120') 16GA Speaker Wire (red/black) 20GA Control Wire (red/green/blue/black)





CROSS FLOW COOLING FAN



### SGJ78

- 8-1/4" Cross flow cooling fan Keeps components running cool
- Draw: .19A Flow: 54CFM Sound Level: dBA35



### **SELECT WIRES**

SSVLP0BK - 0 GA, Matte Black, 50FT SSVLP0R - 0 GA, Matte Red, 50FT SSVLP4BK - 4 GA, Matte Black, 100FT SSVLP4R - 4 GA, Matte Red, 100FT

SSVLP8BK - 8 GA, Matte Black, 250FT SSVLP8R - 8 GA, Matte Red, 250FT SSVLS122B - 12 GA, Matte Black, 250FT SSVLS165B - 16 GA, Matte Black, 500FT



### STINGER INSTALL ACCESSORIES

### LED VOLTAGE GAUGE DISPLAY

### SVMB SVMR



• Universal Mounting fora Personalized Look • Easy Installation



### HARLEY-DAVIDSON DIRECT REPLACEMENT BATTERY 950 AMP

#### SVT30L

• 1900+ Watts • Good for over 400 full discharge cycles • 20 Hour Rate: 1.4A/28Ah • 5 Hour Rate: 4.76A/8Ah • 1/2 Hour Rate: 35A/8Ah • CCA: 410A • Peak Discharge: 2500A • 3 Year Warranty • Terminal Type: M6 bolts• Nonremovable terminal • Without case • Able to be mounted in any position (except inverted) • 3 Year Full Replacement Warranty • Replaces these Harley-Davidson batteries: - 66010-97C / - 66010-97B / - 66010-97A / - 66010-97



### SSVLANL

• Fuse holder • Heat resistant housing • Gauge input and output



### COMPLETE RADIO REPLACEMENT KIT FOR HARLEY

### HDK001X

 Designed for 1998-2013 Harley-Davidson Motorcycleswith Factory Fairings • Complete Padia Bankasment Salution • Bataina Handle

Radio Replacement Solution • Retains Handle-Bar Audio Controls
• Pre-Programmed Radio Specific Handle Bar Functions • Pre-Wired Installation Harness • 2 Options for Dash Kit Installation with & without Hinged Tinted UV Protective Cover) • Step-by-Step Instruction Manual











### **Power Accessories**

Part#	Description	
SGW992	9 Conductor Speed Wire 250FT Roll	
SPW516GY	Speaker Wire 16GA 500FT Roll- Gray	
SPW516WH	Speaker Wire 16GA 500FT Roll- White	
SPW516BK	Speaker Wire 16GA 500FT Roll- Black	
SHW14B	Hyper-Flex 4GA Power/Ground Wire 100FT Roll- Bl	ue
SHW14G	Hyper-Flex 4GA Power/Ground Wire 100FT Roll- Gr	ray
SHW14C	Hyper-Flex 4GA Power/Ground Wire 100FT Roll- Cl	ear
SPW14TB	Power Wire 4GA 100FT Roll- Black	
SPW14TR	Power Wire 4GA 100FT Roll- Red	
SPW14TR		
SPW516WH	SPW14TR SHW14C	
244 1FC-180 Mg	SPW14TR SHW14C SPW14TB SHW14G	



### Accessories

SEASW4125	4GA Marine Grade Siamese Wire 125FT Roll
SEASW8125	8GA Marine Grade Siamese Wire 125FT Roll

- Featuring Marine grade jacket. True Copper for current transfer and tinned conductors for reliability in the harsh marine environment
- Industry first Siamese Pair dual power and ground wire.
- High Strand Count OFC Hyper-Twist Tinned Conductors
- Highest Marine Grade Type III BC5W2 Compliant Marine PVC Jacket,1050C Dry, 750C wet, Salt, Fog, Oil, Water resistant
- Exceeds UL1426 Marine Standards
- Red Power / Yellow Ground Marine Standard color coding





# Sound Damping Material



Description
Bulk Pack - 9 pc (18" x 32") 36ft <sup>2</sup>
Stealth Bulk Pack - 9 pc (18" x 32") 36ft² Black
Door Kit - 6pc (12" x 24") 12ft <sup>2</sup>
Speaker Kit - 2 pc (10" x 12") 1.7ft <sup>2</sup>
. Combo Kit - Razor knife and roller
Trunk Kit - 10 pc (12" x 24") 20ft <sup>2</sup>
Bulk Roll - 80ft 2 (2'x40') Black
Foam Damping Mat -12ft <sup>2</sup> (32" x 54")
Speaker Standing Wave Rings
Fast Rings 5"
Fast Rings 5" x 7" & 6" x 8"
Fast Rings 6"
Fast Rings 6" x 9"
Hood Liner Kit - Expert RoadKill 12sq-ft (1/pack 32" x 54")
Carpet Foam Pad - RoadKill 12sq-ft (1/pack 32" x 54")
Ultimate RoadKill Bulk Kit 9 Pack: 36 sq-ft total (18" x 32")



**RKST36B** 



RKU36



RKX36B



RKXHL



RKCP12



RKXDK



RKXSK



RKO12



**RKXTK**