

ANTENNAS

★ Made in America ★


- Static Reducing Water Tight Tubing
- UV Stabilized Fade Resistant

The Original Firestik

- Cut to Tune

- KW2-B, BB, R, W** – 2 Feet
KW3-B, BB, R, W – 3 Feet
KW4-B, BB, R, W – 4 Feet
KW5-B, BB, R, W – 5 Feet

Available in: Black/Blue/Red or White



Tunable Tip Firestik II

FS2-B, BB, R, W – 2 Feet

FS3-B, BB, R, W – 3 Feet

FS4-B, BB, R, W – 4 Feet

Available in: Black/Blue/Red or White



Firefly® CB Antennas

FL4-B – Black **FL4-W** – White
 • 4 Feet - 5/8 Wave CB Antenna • Super Flexible Tunable Tip • Fits all Firestik Mounts and Accessories

FL3-B – Black **FL3-W** – White
 • As above 3 Feet - 5/8 Wave CB Antenna



MOUNTS

UHF CONNECTOR

AR-5

- UHF T-Connector - 1 Male UHF to 2 Female UHF



5-Way Mirror Mount

SS-64A

- K-4A Stud Mount w/Screw on Coaxial Termination • For 3/8" 24 Threaded Antennas and Accessories • Stainless Steel Mount and Hardware



Flat Universal Mount

SS-124A

- Stainless Steel Flat Universal Screw-on Mount • For 3/8" 24 Threaded Antennas and Accessories • K-4A Screw-on Stud Style Included



Stake Hole Mount

SS-194A

- No Holes Truck-Bed Mount • 6" Long & Extends Out Over the Bed-Rail • Includes Stud Mount, Stainless Steel Brackets, Hardware, and Gasket



Hood/Trunk Channel Mount

SS-174

- Stainless Steel Hood and Trunk Mount Mini Kit • 18' Fire-Flex Cable with Fire-Ring Connector, Stud, and SS Hardware



Vertical Door Jamb Mount

SS-204A

- Stainless Steel Vertical Door Jamb Mount (Screw on Connection) • For 3/8" 24 Threaded Antennas and Accessories • Stainless Steel Mounting Hardware



Molded Plastic Side Mount

M-2

- A unique mount that installs to any flat surface and conceals all wiring inside vehicle's chassis • Kit includes 18' of coax with terminal ends



No Hole Trunk-Lip Antenna Mount

K-74

- You'll be able to mount the antenna on the trunk deck without any drilling. The mount hooks on the rear lip of the trunk and is tightened from underneath utilizing two allen head screws. The K74 No Hole Trunk Lip Mount has two rubber feet to give additional support to the bracket.



MOUNTS & ACCESSORIES

Antenna Stud Mount

K-4AX (Bulk)

- Chrome Plated Machine Brass • To be used whenever a PL-259 Terminated Coax Cable is used • Stud Designed for 1/2" Holes

K-4A (Packaged)



Antenna Stud Mount

K-4

- Chrome Plated Machine Brass • Utilizes Ring Terminal Connectors (supplied)
- Can be used in any Mount or Mounting Surface with a 1/2" Holes



Mirror Rail or Side Mount

K-64A

- 3-Way Mount • Made from Cold Rolled Steel w/Chrome Plating
- Includes K-4A StudMount w/Screw on Coaxial Termination



Plated Heavy-Duty Side Mount

K-24A

- 3-Way Mount without backPlate • Cold Rolled Steel and Chrome Plating
- Includes Stud with Screw on Coaxial Cable Connector



Chrome Plated Antenna

R-3H

- Made from spring steel • Chrome plated • The upper and lower inserts are made of chrome-plated machine brass and have standard 3/8"-24 threads to fit all Firestik, FireFly and RoadPal antennas, mounts and accessories • The spring inserts, on both ends, have female threads
- A stainless steel 3/8"-24 stud is included for use on standard antenna studs and fittings • The heavy duty model may be used with antennas up to 60" • Physically, this spring is about 3.0" (76mm) tall with a diameter of 0.800" (20mm).

Fire-Flex® Single Antenna Coax Cable

K-8R9 - 9' Long

- Both the FireRing and the PL-259 Connector (the standard coax to CB Radio Connector) is installed and Encapsulated w/Molded Stress Reliefs



Coaxial Cable Assembly

MU-8R18

- 2-Piece 18' Coaxial Cable Assembly for Single Antenna Installtions
- Stranded Center Conductor • Mini-UHF/ PL-259 Adapter Included



Large Hole Plug Assortment

HPA-L

- Designed to Seal Holes in your Vehicle
- Large Hole Plug Package holds 2 Plugs for 3/4" Holes & 2 Plugs for 7/8" Holes
- Plugs will Not make a Water Tight Seal



Small Hole Plug Assortment

HPA-S

- Designed to Seal Holes in your Vehicle
- Small Hole Plug Package holds 2 Plugs for 3/8" Holes & 2 Plugs for 1/2" Holes
- Plugs will Not make a Water Tight Seal



Replacement Microphone Button

RMB-1

- Universal Replacement Black Anodized Aluminum CB Radio Mic Hanging Button
- Replaces Worn or Broken Buttons



Microphone Hanger

MH-20

- Durable Stainless Steel Hanger Resists Breakage • Fits all Standard Microphone Buttons



The Finest Antenna on the Market and it's made in the U.S.A.!

Kick Ass Antennas

- Precision Machined, Not Pressed
- Made from Light Weight Aircraft Grade Aluminum
- Rated to Exceed 10,000 Watts
- Tunable Whip for Optimal SWR Calibration
- Extremely Wide Banded with High DB Gain
- Lifetime Warranty on all Antennas

Single Coil Antennas

Model	Description
K-1-27	— Predator 27" Shaft
K-1-22	— Predator 22" Shaft
K-1-17	— Predator 17" Shaft
K-1-17-BADTOTHEBONE	— 10,000 Watts Competition Antenna
K-1-17-SPECIAL	— Predator 17" shaft high performance
K-1-12	— Predator 12" Shaft
K-1-12-SPECIAL	— Predator 12" Shaft high performance
K-1-9	— Predator 9" Shaft
K-1-9-SPECIAL	— Predator 9" Shaft high performance
K-1-6	— Predator 6" Shaft

Dual Coil Antennas


K-2-6	— 6" Dual Coil
K-2-9	— 9" Dual Coil
K-2-12	— 12" Dual Coil

Competition Antennas

Model	Description
K-1-17 COMPETITION	— Predator 17" Shaft Single Coil Includes 52" Stainless Steel Whip Antenna
K-1-12 COMPETITION	— Predator 12" Shaft Single Coil Includes 52" Stainless Steel Whip Antenna
K-1-9 COMPETITION	— Predator 9" Shaft Single Coil Includes 52" Stainless Steel Whip Antenna

Common Features:

- 8 Heavy Duty Coils
- Precision Machined / Not Pressed
- Made from Light Weight Aircraft Grade Aluminum
- Rated to Exceed 10,000 Watts
- Tunable Whip for Optimal SWR Calibration
- Extremely Wide Banded with High DB Gain
- Lifetime Warranty on all Antennas
- Made in U.S.A.



Antennas/Mounts

CB ANTENNA

JBC1400

- 4 Feet Base Loaded Quarter Wave CB Antenna
- 5/16" Dia. Fiberglass Coil w/16 Gauge Copper Wire • Chrome Plated Base - 3/8" 24 Threads
- Adjustable Stainless Steel Whip can be Raised or Lowered for Superior SWR Adjustments
- 1000 Watts P.E.P. • Made in the U.S.A

JBC1500

- As above in 5 Feet



BASE LOAD CB ANTENNA

JBC4800

- 4 ft. Base Loaded Antenna Pre-Tuned CB Antenna
- Unique Hi-Performance Design • Field Tunable, No Cutting - Adjust Rings • Low SWR • Chrome Plated 3/8" x 24 Threaded Base • Stainless Steel Tip



BLACK 48" MONSTER ANTENNA

MBL-4B

- 17-7 1/8" Diameter Stainless Steel Whip
- Tunable for Optimum SWR • Massive 1/2" Fiberglass Base with Hi-Power 14 Gauge Copper Wire • Oversized Chrome Plated Ferrules • 1500 Watt Rated



PATRIOT BASE ANTENNA

PAT-12

- 2 Section Omni-Directional 1/2 Wave CB Base Station Antenna • Rugged Fiberglass Construction with Chrome Plated Ferrules • Pre-Tuned • Max Power: 2000 Watts • Height: 12' • Weight: 3.5 lbs

PC-GPK1


Ground Plane Kit



BASE STATION ANTENNA

PT99

- 4 Section -18 - 1/2' Omni-Directional High Performance Base Station Antenna • 4 Piece Fiberglass Construction with Chrome Plated Ferrules • Precise Tuning w/Locking Threaded Hex Rings • 2000 Watts P.E.P. • 10 - 12 Meter
- Mounting Hardware Included



4.5' HEAVY DUTY GLASS ANTENNA

QW45BG

- Heavy-Duty 4 1/2' - 3/8" Dia. Quad Wound Fiberglass Antenna • Unique 4-22 Gauge Wire Wound Design • 5" - .125" Dia Stainless Steel Tuning Tip with Corona Discharge Cap • Clear Anti-Static PVC Jacket • 1500 Watt Rated



4' DUAL ANTENNA KITS



HSD995-4B - Black

HSD995-4W - White

- 4' Dual Fiberglass Antenna Kit
- Helically Wound • 750 Watt Rated
- Factory Tuned Field Adjustable

SINGLE 3' & 4' ANTENNA KITS



HSS995-4B - Black

HSS995-4W - White

- 4' Single Fiberglass Antenna Kit
- Helically Wound • 750 Watt Rated
- Factory Tuned Field Adjustable

HSS995-3B - Black HSS995-3W - White

- 3' Single Kit

Antenna Mounts

JBC112-24

- 3" Heavy Duty Chrome Plated Magnet Mount with Protective Base • Base Loaded 24" Ring-Tunable CB Antenna with Stainless Steel Whip • 12' RG58 Coaxial Cable with PL259



JBC535

- 1-1/8 inch Round Bar Mirror Mount Bracket • For Freightliner and Mack Trucks • Made From Quality Aluminum • Use with 3/8x24 threaded style antennas



JBC545

- 1 1/4" Round Bar Mirror Bracket with Stud • High Quality Aircraft Aluminum



JBC930SS

- Super Heavy Duty Oversized Stud Mount • Heavy Duty Stainless Steel • Fits 1/2" and 5/8" Holes • Standard Coaxial Connection



JBC985-3P

- Heavy Duty Chrome Ball Mount with 3.5" Black Mounting Plate, UHF Connector for Plug-to-Plug Connections



JBC985-3

- As above with Lug Connector

JBC986

- 3 1/2 Heavy Duty Ball Mount with Mounting Plate and Barrel Spring • Chrome Finish



JBC995SS

- Heavy Duty Stainless Steel Deluxe 3-Way Mirror Mount • Single Groove with Stud



SSR50

- Volvo Mount • 4 1/2" Long Stainless Steel Antenna Bar Mount • Provides Metal to Metal Connection • Designed to Thread into Pre-existing Hole in Newer Volvo Trucks Mirror Arm Assemblies



SSR50C

- Freightliner Mount • 6 1/2" Long Stainless Steel Antenna Mount for Freightliner Series Cascadia Trucks



PC-A30

- ANTENNA MOUNT FOR JEEP RUBICON, WRANGLER JK SERIES • Spare Tire Deep Antenna Mount Bracket • Fits 2007 Thru 2019
- Includes Aluminum Mount, & Mounting Hardware



PC31-3200B

- Black Coated Aluminum • JEEP JL • 2018 and Up • Designed to Mount on back door Hinge next to Spare Tire • Includes Stainless Steel Mounting Hardware

PC31-3200

- Polished Aluminum

AERO CB MAGNET MOUNT ANTENNA

- Elevated loading coil for increased efficiency and minimize vehicle effect
- More consistent performance than land based models
- Adjustable top whip for simple field tuning
- Heavy-Duty shock absorbing stainless steel spring (optional)
- 850 Watts rated

CL36
CL36M
CL36S
CL36SM

Can be tuned to 10 meter



JAVELIN CB FIBERGLASS ANTENNA

- 7' Quarter wave antenna
- Ultra-Wide bandwidth
- No loading coils or capacitors to blow out
- Heavy gauge copper conductors
- Stable radiation patterns & input impedance
- Rigid 1/2" fiberglass base
- Lightweight & low resistance
- 24" adjustable stainless steel tuning whip
- Hand assembled, tuned and tested in the USA
- 2 pc. design eliminates over size shipping charges

JA84

Can be tuned to 10 meter



ANTENNA MOUNT ACCESSORIES

JBC201L

- 3" Heavy - Duty chrome plate antenna Quick Disconnect
- New improved slotted design on top and bottom
- Tighten with a 1/2 or 15mm wrench



S405H

- Heavy - Duty 2 1/4" Stainless steel spring



PRO RING COAXIAL CABLE ASSEMBLIES

PRC9 - 9FT
PRC18 - 18FT

- Minimal clearance requires for ease of installation
- Versatile mounting configuration w/rugged RG 58 cable
- Slimline nipple connector w/ PL259 adapter



PRO SERIES BULK COAX CABLE

PR09913- 500

- 100% foil 95%tinned copper
- 10 Gauge solid conductor
- Solid PE .2785 dielectric
- 50 Ohms • 500 ft



HINGE ANTENNA MOUNT FOR FORD BRONCO 2022 & UP

PC21-4400B PC21-4402B
PC21-4403B PC21-4404B

- Mounts on rear top tailgate hinge (no drilling required)
- Made of 5mmaircraft quality aluminum
- Powder coated black
- Stainless steel mounting hardware included
- Bracket provided w/1/2 accessory hole



ANTENNA HOOD/FENDER MOUNT FOR FORD BRONCO SPORT 2022 & UP

PC22-4300 PC22-4302
PC22-4303 PC22-4304

- Mounts on rear top tailgate hinge (no drilling required)
- Made of 5mmaircraft quality aluminum
- Powder coated black
- Stainless steel mounting hardware included
- Bracket provided w/1/2 accessory hole



6 PIN MICROPHONE

PSM6PM

- Rugged dynamic microphone element
- Variable High Gain Amplifier
- High Quality chrome plated 6-pin connector
- 9' heavy-duty mil spec cord with strain relief
- Blue led operation indicator
- Compatible with selected Uniden & President Radios



OVER SIZE ALUMINUM BAR MOUNT

PC01-1200
PC01-1202
PC01-1203
PC01-1204

- Heavy-Duty aircraft aluminum
- Fits 3/4 to 2 1/2 diameter tubing
- Designed to hold antenna & flag with one bracket



RADIO ACCESSORIES

PC-SWR3

- SWR meter used to calibrate a CB antenna
- Impedance :52 Ohms
- SWR: 1:1-1:3
- Accuracy : + 5%
- 100 watts maximum power



JBCMH5HD

- Metal hook with protective rubber sleeve



PCMh1

- Solid magnet to prevent cracking
- Chrome plated bracket
- Assembled in the USA



TUNABLE ANTENNAS

- EZ- Tune tip allows you tune your antennas without tools
- Stainless Steel Threaded tuning tip and nut
- 3/8" premium fiberglass core • 19 gauge insulated copper wire • 3/8-24 stainless steel mounting stud
- Frequency range 26-28 MHz • Receives weather bands

BTF2B -2" BLACK
BTF2W -2" WHITE
BTF3B -3" BLACK
BTF3W -3" WHITE
BTF4B -4" BLACK
BTF4W -4" WHITE



FLEXIBLE ANTENNAS

- 300 Watt rated • 3/16" Flexible fiberglass whip
- Top Loaded ¼ wave helically wound antenna • 25 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable

SF2-B -2' BLACK
SF2-W -2' WHITE
SF3-B -3' BLACK
SF3-W -3' WHITE
SF4-B -4' BLACK
SF4-W -4' WHITE

Can be tuned to 10 meter



36 IN LOW PROFILE CB BASE STATION ANTENNA

PT3

- This 500 watt 36" tall black no-ground base station antenna is designed for mounting on buildings, fiberglass boats and vehicles that do not have a metal radiating surface.
- Features variable tuning/adjustable bandwidth by adjusting the center rings, S0239 bottom fitting.
- The mounting kit includes two "U" shaped mounting bolts that attach to Non-conductive structures up to 1-5" in diameter.
- For optimum performance use RG8-X coaxial cable in long lengths.



TRI MAGNET MOUNT

PC-PM3

- Maxi Triple Magnet Mount • 3 - 4" Magnets on a 1/4" thick aluminum triangular plate
- Heavy duty chrome plated stud with 3/8-24 thread



FENDER ANTENNA MOUNT FOR 2020/2021 DODGE RAM 1500, 2500 & 3500

PC32-3600

- Designed to mount between the hood & fender
- Made with 8 gauge polished stainless steel
- Protective rubber pads prevent rubbing against paint



FENDER ANTENNA MOUNT FOR FORD MAVERICK 2022-2023

PC22-4500

- Heavy duty polished stainless steel antenna fender mount designed to fit 2022-2023 Ford Mavericks.
- Will support antennas up to five feet tall.
- Requires a stud mount.



ANTENNA HOOD/FENDER MOUNT FOR 2019 & UP FORD RANGER

PC22-4200

- Designed to mount between the hood & fender
- Made with 8 gauge polished stainless steel
- Protective rubber pads prevent rubbing against paint



HOOD GROOVE MOUNT FOR 2015+ FORD F150

PC22-4000

- Ideal For Aluminum Body • Designed to mount between the hood & fender
- Made with 8 gauge polished stainless steel
- Protective rubber pads prevent rubbing against paint



STAINLESS STEEL FENDER MOUNT FOR CHEVY & GMC

PC12-3800

- Fits 2015-2020 Chevy Suburban, Tahoe and GMC Yukon vehicles



2017-2022 INTERNATIONAL LT TRUCK HINGE ANTENNA MOUNT

PC-A70-02

- The PCA7002 is designed to mount on 2017 - 2022 International LT Semi-tractors and requires no drilling.
- Built to provide years of service, bracket is constructed of 5mm thick polished aircraft aluminum with Stainless steel hardware and a heavy duty chrome plated-brass 3/8-24 thread stud with S0239.
- Utilizes top door hinge threaded bolts, mounts on driver or passenger's side.



PC-A40-03 PC-A40-03

W/HS818T-PL TERMINATOR CABLE

- IDEAL FOR ALUMINUM BODY FORD F150 TRUCKS • DESIGNED TO MOUNT BETWEEN THE HOOD & FENDER • MADE FROM 8 GAUGE POLISHED ALUMINUM • INCLUDES STAINLESS STEEL MOUNTING HARDWARE AND PROTECTIVE RUBBER PAD




PC-A40-03

3' BASE LOAD 3,500 WATT ANTENNA

MBL-3B

- 3,500 Watt Rated • Base Loaded Quarter Wave Antenna • Massive 1/2" Fiberglass Base with High Power 14 Gauge Copper Wire • 17-7 ph Stainless Steel Whip • Oversized Chrome Plated Ferrules • 3/8 x 24 Stainless Steel Mounting Screw • Tunable For Optimum SWR



MAGNET MOUNT CB ANTENNA

JBC101


- 9" Rubber Duck CB Antenna w/ Chrome Base • Powerful 3" Magnetic Base with Protective Base • Super Flexible Rubber Antenna • Weather Proof Encapsulated Connections • 10' Low Loss RG58 Coax Cable with PL259 Connector • Frequency Range 26-30 Mhz



CB ANTENNA

IMP4000

- Innovative Tunable Base Load CB Antenna • 40" Length • Rated at 350 Watts • 17/7 Stainless Steel Whip • Factory Tested and Tuned • Uses Standard 3/8" x 24 Threads



CB TO AM/FM ANTENNA SPLITTER

IM-AF

- Inverse Multiplexor System • Allows your CB Antenna to Simultaneously Work as an AM/FM Antenna • No Tuning Necessary • 30 Watts Maximum Input Power Rating • Works with Standard CB Antennas (not recommended for use with No Ground Antennas)



2018+ JEEP JL HINGE MOUNTS

PC31-3200

- Mount only polished aluminum

PC31-3200B

- Mount only • Color: Black

PC31-3202

- Mount polished aluminum • S0-239 STUD

PC31-3202B


- Mount • Color: Black • S0-239 STUD



SPARE TIRE ANTENNA MOUNT BRACKET FOR 2-WAY COMMUNICATIONS

PC-A30-02


- Fits 2007 and Newer Jeeps • Includes Aluminum Spare Tire Mount W/ Stainless Steel S0239 Stud and Mounting Hardware



36" TUNE BASE LOAD TUNABLE CB ANTENNA

JBC3600

- Base Loaded Antenna Pre-Tuned for 27 MHz • Unique High Performance Design for a Low SWR • Field Tunable, No Cutting • Adjust Rings for Superior Performance • Chrome Plated 3/8-24 Threaded Base



24" BASE LOAD CB ANTENNA

JBC2400


- 24" Base Loaded CB Antenna Pre-Tuned for 27 MHz • Unique Hi-Performance Design • Low SWR • Field Tunable, No Cutting - Adjust Rings for Superior Performance • Chrome Plated 3/8" x 24 Threaded Base • Stainless Steel Whip



5' BASE LOAD CB ANTENNA

JBC1500

- 5' Base Loaded 1/4 Wave CB Antenna • Adjustable Stainless Steel Whip • 5/16" Dia. Fiberglass Coil with 16 GA. Copper Wire • 1500 Watts P.E.P.





Antennas

- 5/16" Fiberglass Whips • Top Loaded 1/4 Wave Helically Wound Whip Antenna
- 750 Watt Power Rated • 20 Gauge Copper Wire • Factory Tuned - Field Adjustable
- Display Packaged

10800 – 2 Foot - White

10801 – 2 Foot - Black

10802 – 2 Foot - Red

10809 – 3 Foot - White

10810 – 3 Foot - Black

10811 – 3 Foot - Red

10818 – 4 Foot - White

10819 – 4 Foot - Black

10820 – 4 Foot - Red



Single Antenna Mirror Mount Kits

- 5/16" Fiberglass Whips • Top Loaded 1/4 Wave Helically Wound Whip Antenna
- 750 Watt Power Rated • 20 Gauge Copper Wire • Factory Tuned - Field Adjustable
- 3-Way Aluminum Mirror Mount with All Brass SO-239 Connector • 9 Foot Low Loss RG58 or RG59 Coaxial with Molded PL259 Connectors - Soldered Connection
- Display Packaged

10812 – 3 Foot - White

10821 – 4 Foot - White

10804 – 2 Foot - Black

10813 – 3 Foot - Black

10822 – 4 Foot - Black



Double Antenna Mirror Mount Kits

- 5/16" Fiberglass Whips • Top Loaded 1/4 Wave Helically Wound Whip Antenna
- 750 Watt Power Rated • 20 Gauge Copper Wire • Factory Tuned - Field Adjustable
- 3-Way Aluminum Mirror Mount with All Brass SO-239 Connector • 9 Foot Low Loss RG58 or RG59 Coaxial with Molded PL259 Connectors - Soldered Connection
- Display Packaged

10826 – 4 Foot - Black

10815 – 3 Foot - White

10816 – 3 Foot - Black



AM/FM Mirror Mount Kit

10111


- 31" Stainless Steel Antenna • Heavy-Duty Slimline Mirror Mount with Chrome Plated SO239 • 9' RG62U Coaxial Cable with Molded PL-259 to Motorola Plug



CB "King Kong" Antenna

10490

- 48" Durable Oversize Stainless Whip • Light Aircraft Aluminum • Ultra Broadband Performance
- 10,000 Watt Rated • Field Tunable • 5' - 6" Total Height



CB "Chimp" Antenna

10058 - Aluminum

- Open Coil Performance Antenna • Ultra Broad Band Performance • Field Tunable
- Oversize Stainless Steel Whip • 48" Total Height • 5000 Watts Rated • Lightweight Aircraft Aluminum • Oversize Stainless Steel Whip



Base Loaded 1/4 Wave Antenna

10222 - 36" Length


- 5/16" Diameter Fiberglass Base with 16 Gauge Copper Wire • 17-7 .100 Diameter Stainless Steel Whip • Adjustable Stainless Steel Whip can be Raised or Lowered for Superior SWR • Chrome Plated 3/8"-24 Threaded Base • Available in Black or White



Magnet Mount Kit

10302

- 3" Heavy Duty Chrome Plated Magnet Mount • 12 Foot RG58 Cable with PL259's • Impulse Antenna • 350 Watt Power Handling



Rubber CB Antenna

10150 - Black

- 15" Black Flexible Rubber Duck CB Antenna





Speakers

40851 - External "Wedge" Speaker

- 2 3/4" Speaker • 8 Ohm Impedance • Maximum Input 5 Watts • Frequency Response 700 - 5000 Hz
- 6 Foot Wire with 3.5mm Plug • Mounting Hardware included • Display Box

40701 - External "Presidential" Speaker

- Presidential CB Extension Speaker • 4" Heavy Duty Speaker • Maximum of 10 Watts Audio Input Power • 9 Foot Cable • Multi-Position Mounting Bracket and Hardware • Display Box

40600 - External "Talk-Back" Speaker

- Talk-Back 10 Watt CB Extension Speaker allow you to Monitor your own Transmissions & Filter Out Excess Background Noise • 4" Speaker • Noise Filter Switch • 9 Foot Cable • PA & Grounding Wires allow for easy installation and placement • Mounting Bracket & Hardware Included • Display Box



Power Accessories

- 30402** - 3 Pin Molded Plug • 16 Gauge Heavy Duty Power Cord with 3 Amp Fuse and Cigarette Lighter Plug



- 30404** - 3 Pin Molded Plug • 16 Gauge Heavy Duty Power Cord with 3 Amp Fuse



- 30406** - Heavy Duty Male Cigarette Lighter Plug with 4" Lead of 16 Gauge Wire



Mounting Brackets

A-C19B

- 19DX, PRO510

A-C529B

- 29 LTD

A-DX1B

- 148, Grant

A-DX1CB

- Chrome 148, Grant

30321

- 2" x 9-1/2" Standard Adjustable Radio Bracket

A-DXXB

- Deep 148GTL

A-DXXCB

- Deep 148GTL, Chrome

A-DXXXB


- 9" Deep, 10M

A-CAC1B

- Cascadia Mount

A-OBMB

- Outback Mount



CALL FOR ADDITIONAL BRACKETS

Misc Accessories

- 30442** - Plastic Buddy Hook Mic Holder



- 30445** - 3 Finger Mic Holder



- 30446** - Adhesive Plastic Mic Holder



- 30448** - Metal Buddy Hook Mic Holder



- 30462** - 5mm Replacement Knobs



- A-KN5BB-EA(BULK)** - 5mm Brass Replacement Knobs



- 30472** - 2" x 6" Strip Hook-n-Loop Adhesive Back Velcro



- 30474** - 1" x 4" Strip Hook-n-Loop Adhesive Back Velcro



Mounts & Springs

30301 or A-30301B (Bulk)

- Heavy Duty Aluminum Horizontal Mirror Mount with S0239 • Plug-to-Plug Stud Hook-up

30303 or A-303B (Bulk)

- Heavy Duty Aluminum Single Groove (4 Bolts) 3-Way Mirror Mount with S0239 Plug-to-Plug Hookup Stud

Also A-RV3B (No Stud - Bulk)

30333 or A-333B (Bulk)

- Extra Heavy Duty Aluminum Double Groove (4 Bolts) 3-Way Mirror Mount with S0239 Plug-to-Plug Hookup Stud

Also A-BRV3B (No Stud - Bulk)

30305

- 5" Heavy Duty Magnet Mount
- 18' RG58AU 95% Braided Coaxial
- Standard 3/8" - 24 Mounting
- Chrome Plated Housing • Molded PL259 Connectors



A-SSR50B (BULK)

A-SSR50CB (BULK CHROME)

- 8-1/2" Long Stainless Steel Mounting Bar for Freightliner® • Provides Metal to Metal Connection • Bulk

30308

- Heavy Duty Stud Connector

30309

- Standard Non-Corrosive Brass S0239

30311

- Medium Duty Stainless Steel 4" Spring

30312 or A-30312B (Bulk)

- Heavy Duty Stainless Steel 5" Spring

A-KA52B


- Heavy-Duty Spring Mount • Bulk

30319 or A-30319B (Bulk)

- Heavy Duty Non-Corrosive Chrome Plated Brass S0239

30335

- Heavy Duty Slimline Mirror Mount with HD S0239



Connectors & Switches

20432 - UHF Male - Female T Adapter

20433 - Right Angle Male UHF - Female UHF

20434 - UHF Double Female Adapter

20436 - Solder Type PL259 with UG175 Reducer

A-PL259 - Cable End

A-UG176 - Reducer for PL259 for Mini 8 Cable



Coaxial Cables

Our Best Cables


Belden Cable With Amphenol Connectors

Model	Length	Color	
A-3PP	3'	Gray	Plug to plug
A-6PP	6'	Gray	Plug to plug
A-9PP	9'	Gray	Plug to plug
A-12PP	12'	Gray	Plug to plug
A-18PP	18'	Gray	Plug to plug
A-12PL	12'	Gray	Plug to lug
A-18PL	18'	Gray	Plug to lug
A-3PPC	3'	Clear	Plug to plug
A-6PPC	6'	Clear	Plug to plug
A-9PPC	9'	Clear	Plug to plug
A-12PPC	12'	Clear	Plug to plug
A-18PPC	18'	Clear	Plug to plug
A-9PPP	9'	Gray	3 Plug Co-Phase
A-12PPP	12'	Gray	3 Plug Co-Phase
A-18PPP	18'	Gray	3 Plug Co-Phase



Plug To Plug Premium Cable Mini-8 Pro With Premium Connector

A-3-8X	- 3'
A-6-8X	- 6'
A-9-8X	- 9'
A-12-8X	- 12'
A-18-8X	- 18'



Plug-to-Plug Premium Gray Cable Mini 8 Pro Series

21109	- 9'
21112	- 12'
21118	- 18'



Plug To Plug Premium Clear Cable Mini-8 Super Pro Tinned Braid

21209	- 9'
21212	- 12'
21218	- 18'



Plug To Plug Molded Cables

21009	- 9'
21012	- 12'
21018	- 18'
21312	- 12' Co-phase
21318	- 18' Co-phase



500 ft Hi-Quality Mini-8 Cable

PRO8X-500

- 500 Feet (Spool) Mini 8 Cable
- 95% Shield • Gray Jacket



Aries Mics

4-pin Dynamic CB Microphone

50041

- 4-Pin Dynamic Microphone • Textured ABS Plastic Housing and Thumb Lever • Ergonomic Hand Contour Design • Blue LED Operation Indicator Light • 12' Heavy Duty Microphone Cord w/Strain Relief • Contoured Black Mesh Microphone Grill • Blister Card Packaged



Heavy Duty Powered CB Microphone

50043

- 4-Pin Powered CB Microphone • Ergonomic Hand Contour Design • Textured ABS Plastic Housing and Thumb Lever • 9' Heavy Duty Mil Spec Mic Cord



DX94HP

- AM/SSB Radio • Volume, squelch, mic gain, RF gain, dimmer, PWR level, echo time and level controls, clarifier-course/fine talkback volume control.
- Channel band and mode selection-AM/USB/LSB, meter functions- PWR and SWR, Roger Beep on/off, NB/ANL on/off, freq display on/off, echo on/off, voice changer on/off, +10KHz on/off, PA on/off, talkback on/off.
- Included Accessories: Stock mic, mic hanger clip, mounting bracket, side mounting screws, power cord, and owners manual.
- Dimensions: W 8" x D 10.75" x T 2.5"



DX66V3

- Smaller Design for Smaller Overhead Cubbies • Dual MOSFET Transistors
- Starlite Back-Lit Faceplate • Five-digit Frequency Counter • Talkback Controls • Automatic SWR Meter • RX/TX LED Indicator • Front Panel Microphone Jack • Rear PA & External Speaker Jacks • Pro Tune and Alignment Recommended • Length 9" • Width 5" • Height 2.5"



DX47HP

- Modes: AM/FM with Public Address • Heat Sink Mounted on Bottom of Radio • Internal Cooling Fan • Choice of Seven Backlight Colors • Noise Blanker • Automatic Noise Limiter • Mic/RF Gain • Channel Selector • Band Selector • Blue Channel Display Digits • Large Meter with 3 Scales — SWR, Power Output and Signal Strength • Microphone Jack on Front • 4 Pin Dynamic Microphone • RF Power Control • Echo Control • Squelch Control • Variable Dimmer Control • Automatic SWR Circuit • High SWR Alert LED • Talkback On/Off Switch • Roger Beep With ON/OFF Switch • Variable Power Output
- Dimensions (H x W x D): 3" x 7 7/8" x 9 1/4"



DX959G

- AM, SSB and PA Modes • 40 Channel AM SSB Mobile CB Radio • 120 Channels(40 ea. AM/LSB/USB) • 5-Digit Frequency Display • Large, EZ-to-Read Meter with Four Scales: • Noise Blanker and Automatic Noise Limited
- Automatic SWR Circuit • "Talkback" Circuit with On/Off Switch • Variable Dimmer/Mic-Gain/RF-Gain Controls • Roger Beep with On/Off switch & LED Indicator • Green/Red LED Indicator for RX/TX • Galaxy Noise Filter

DX959B – Blue LED



DX2547

- Power Scale Calibrated for AM and SSB • New Style Midsize Deluxe 40 Channel CB Base Radio • 6 Digit Frequency Counter • Large, EZ-to-Read Meter with 4 Scales • SWR Scale • Talkback Circuit with On/Off Switch and Volume Control • Variable Power Output Control • Roger Beep with On/Off Switch & LED Indicator • Galaxy Noise Filter • High SWR Alert LED Indicator • Instant Access to Channel 9 or 19
- Receive Clarifier with On/Off Switch • Flip-Down Front Feet • Powered Pin on Mic Jack
- Operates on both AC & DC



SR-447HPC2

- Compact Design Fit In New Trucks
- Loud & Clear Receiver
- 7 Color Faceplate with Dimmer
- Noise Blanker / ANL Switch
- Clear Modulation
- Dual Echo Controls with variable talkback



SR-497HPC

- 12 Color Black Light Front Panel
- Up-Armored™ Receiver
- "Big Radio" Modulation, Loud Proud
- Variable Talk Back Control
- Two Different Roger Beeps
- Multiple Step Dimmer



SR-655HP

- AM/FM/SSB
- Loud & Clear Receiver
- Excellent Stock Mic
- Variable Transmit Frequency Response
- Receiver Tone Control



SR-955HP

- AM/FM/SSB
- Brilliant 8-color LED backlit face plate
- Tone control for transmit and receive
- Advanced noise reduction and digital signal processing
- Loud & clear receiver
- Excellent stock mic



SR-94HPC

- Slim Chassis Design
- Modulated signal distortion
- Automatic Squelch Control
- Adjacent Channel Rejection
- RF gain Of / Auto
- Digital S-meter Display
- Dual Channel Watch
- Channel and Frequency Display



10000 WATT MAGNETIC MOUNT CB ANTENNA

SR-A10MM

- Antenna Color: Light Grey • Whip Length: 63" Stainless Steel.
- Length: 66in (6.5ft) • Width: 5in (at base) • Coaxial Cable Type: RG-8X • Power Handling: 10,000 Watts • Frequency range: 26 MHz to 30 MHz • Bandwidth: 2.11 MHz



CB NOISE CANCELING MICROPHONE

SR-65BC

- Maximum Talk Power, Minimum Noise! • Premium Dynamic Noise Canceling Cartridge • Heavy Duty Strain Relief • EMS & Military Grade PTT Switch • Rugged ABS Housing • Quality Tested • Super Flexible 9 Foot Heavy Duty Coil Cord • 4-Pin Prewired Connector



5000 WATT ROOF MOUNT ANTENNA

SR-5KR

- SR-5K has the capacity of handling up to 20,000 watts in the SSB mode and up to 5000 watt in the AM mode with a strong consistency • It is equipped with an efficient low loss coil that will ensure that you can talk with your CB contacts without any interruptions. This coil can also be removed as per your needs and makes it easy for you to steer your car without any hindrance. You can remove this coil with confidence as the weather-tight cap that comes along with it fixes on well for protecting it. • It is extremely convenient to install the antenna and adjust it according to your requirements with the help of the adjustable screws and the PL-259 solid quality coax with which you can strengthen your system by connecting each part of the system with each other. You can easily route this coax without any drilling and soldering at all.



10000 WATT CB ANTENNA

SR-A10

- 6 Gauge Solid Copper 100% Silver Plate Wire • 10,000 Watts Power Handling Capability • Extremely Efficient High "Q" Coil • Double Wall Coil Cover made from High Impact Mobay Plastic • Can be Tune for 26 – 30 Mhz • 10" Stainless Steel Shaft • 49" Stainless Steel Whip • Reduced Static Interference • RF Gain wide open or back off slightly • Standard 3/8" x 24" Thread on Shaft



3600 WATT 49 IN TAPERED STAINLESS STEEL WHIP HIGH-PERFORMANCE TRUCKER ANTENNA

SR-2K

- 49 in tapered stainless steel whip • 6 MHz to 30 MHz frequency range • Set screws make SWR tuning painless • Includes 5" & 10" shafts as well as allen wrench • Low loss coil enhances talking power

STRYKER CHANNEL KNOBS

SR1AMBER
SR1BLUE
SR1GREEN
SR1PURPLE
SR1RED



STRYKER DUAL KNOBS

SR2AMBER
SR2RED
SR2GREEN
SR2PURPLE
SR2BLUE



STRYKER BAND KNOBS

SR3AMBER
SR3BLUE
SR3GREEN
SR3PURPLE
SR3RED





7 COLOR DISPLAY



ADAMS

Large 7 Color LCD Display, Talkback, PA, Key Beep, Roger Beep, Noise Blanker, Electret or Dynamic Mic Compatible...

Size (WxDxH): 4.92 x 5.94 x 1.77 inches



2 - WAY RADIOS

VOX built in

7 COLOR DISPLAY



ANDY II (12/24V)

With additional features ~ Electret or Dynamic Mic Compatible, USB Port, Direct access to Weather Channels, VOX, Noise Gate, Compander Filters...

Size (WxDxH): 4.92 x 7.09 x 1.77 inches



1st Ultra-Compact AM/FM CB radio in the U.S.A.

7 COLOR DISPLAY



BILL II AM/FM

Ultra compact, Multi-function 7 Color LCD Display, Electret/Dynamic Mic Compatible, USB Charging Socket, Key Lock, Weather Channels and more...

Size (WxDxH): 4.02 x 3.94 x 0.98 inches

VOX built in



7 COLOR DISPLAY



TAYLOR (12/24V)

Multi-function 7 Color Display, Dimmer, USB Charging Socket, Electret or Dynamic Mic Compatible, S-Meter, Emergency Channels, VOX...

Size (WxDxH): 5.90 x 6.49 x 1.77 inches

VOX built in

7 COLOR DISPLAY



NEW

1st approved AM/FM CB radio in the U.S.A.



THOMAS AM/FM (12/24V)

Multi-function 7 Color LCD Display, AM/FM, PA mode, 2 programmable Emergency channels, Compander, VOX, Electret or Dynamic Mic Compatible...

Size (WxDxH): 4.92 x 7.09 x 1.77 inches

VOX built in



JOHNNY III (12/24V)

Multi-function 3 Color LCD Display, Weather Channels, Alert, Scan, External Loudspeaker jack, Roger Beep, Key Locking, VOX...

Size (WxDxH): 4.92 x 5.91 x 1.77 inches



1st Handheld AM/FM CB radio in the U.S.A.

7 COLOR DISPLAY



RANDY II AM/FM

Handheld or Mobile, large 7 Color LCD Display, Key Beep, Roger Beep, Key Lock, Dual Watch, Monitor, Alert, Noise Gate, Compander Filters, 2 programmable Emergency Channels, Weather Channels, VOX, Flashlight...

size (WxDxH): 5.98 x 2.62 x 1.46 inches

VOX built in



MC KINLEY (12/24V)

DIN size, Single Side Band, Front Firing Speaker, Multi-Function 3 Color LCD Display, Automatic Beeping SWR, 3 Memories, ANL Filter, VOX...

Size (WxDxH): 6.69 x 5.91 x 2.05 inches

MC KINLEY II

As above with AM/FM

VOX built in



7 COLOR DISPLAY



1st DIN-sized AM/FM CB radio in the U.S.A.



WALKER III AM/FM

DIN size, Multi-function 7 Color LCD Display, S/R/Vue-Meter, USB Charging Socket, Electret/Dynamic Mic Compatible, Weather Channels, VOX...

Size (WxDxH): 6.69 x 6.29 x 2.04 inches

2 - WAY RADIOS

VOX built in



JOHNSONII (12/24V)
DIN size, Front Firing Speaker, Multi-function 3 Color LCD Display, PA Mode, Weather Channels, Preset 9/19, SWR, VOX...
Size (W x D x H): 6.69 x 5.91 x 2.05 inches

The 1st approved mobile AM/FM CB radio with CTCSS/DCS

NEW

VOX built in
Automatic S.W.R. Meter
7 COLOR DISPLAY

7 COLOR DISPLAY



HARRISON AM/FM
USB charging socket, Roger Beep, Dimmer, PA (Public Address), Scan, Scan Skip, Key Beep, Vox, Tone, 2 programmable priority channels, Talkback function, Weather channel, Alert, ANL, NB and Hi-Cut filters, Electret / dynamic microphone compatible...
Size (WxDxH): 4.92 x 6.49 x 1.77 inches

7 COLOR DISPLAY

7 COLOR DISPLAY



RONALD
Large 7 Color LCD Display, AM/FM, RF Power, RF Gain, Echo, Scan, Talkback, Public Address, Digital SWR, 2 Emergency Channels, Electret or Dynamic Mic Compatible...
Size (W x D x H): 4.92 x 6.89 x 1.77 inches

VOX built in



LINCOLNII+
DIN size, Multi-function 3 Color LCD Display, PC Programmable, Split Frequency, Frequencies Display, S-Meter, Preset 9/19, Dual Watch, Digital SWR, VOX and more...
Size (W x D x H): 6.69 x 9.84 x 2.05 inches

VOX built in

Automatic S.W.R. Meter

7 COLOR DISPLAY

7 COLOR DISPLAY



RICHARD
DIN size, Rotary Switch Channel Selector, Multi-function 7 Color LCD Display, Electret or Dynamic Mic Compatible, Scan, S-Meter, USB Charging Socket and more...
Size (W x D x H): 6.69 x 6.29 x 2.05 inches

ASC Automatic Squelch Control

2+3 years warranty
PRESIDENT

ANTENNAS

10 Year warranty



Antennas	IOWA RW	MISSISSIPPI RW	MARYLAND RW	ALAMABA RW	NEW VIRGINIA	MLA-145
Type antenna	1/4 wave	1/4 wave	5/8 wave	5/8 wave	1/4 wave	5/8 wave
Lenght	40.16 inches	28.35 inches	57.87 inches	61.42 inches	19.69 inches	62.20 inches

* 5 year warranty on radio if purchased together with antenna. 2 year warranty on radio without antenna. 10 year warranty on antenna alone.

ANALOG SCANNERS

WS1010

- 400 Channel Memory
- Service Banks
- SKYWARN®
- Spectrum Sweeper
- Backlit Liquid Crystal Display
- Lock-Out Function
- Tune Function
- SAME/Fips Weather Alert
- Memory Backup
- Scan Delay
- Priority Channel
- Data Cloning
- Key Lock
- Flexible Antenna with BNC Connector
- Three Power Options
- PC Programmable
- Headphone Jack



WS1025

- 300 Channel Memory
- Service Banks
- SKYWARN®
- Backlit Liquid Crystal Display
- Lock-Out Function
- Tune Function
- SAME/Fips Weather Alert
- Memory Backup
- Scan Delay
- Priority Channel
- Data Cloning
- Telescoping Antenna
- PC Programmable
- FM Radio
- Headphone Jack



DIGITAL SCANNERS

WS1040

- Object Oriented User Interface
- Menu Driven Programming With Context Sensitive Help
- Scan List
- Free-Form Memory Organization
- V-Scanner Technology
- SKYWARN® Storm Spotter Functionality
- SAME and All Hazards Weather Alerting
- Multi-System Trunking
- Automatic Adaptive Digital Tracking
- Digital AGC
- LTR Home Repeater Automove
- Sub-audible Squelch Decoder
- Spectrum Sweeper
- P25 NAC Functionality
- Alert LED
- Audible Alarms
- High Speed PC Interface
- Real-Time Signal Strength Indicator
- Headphone Jack



WS1065

- Object Oriented User Interface
- Menu Driven Programming With Context Sensitive Help
- Scan List
- Free-Form Memory Organization
- V-Scanner Technology
- SKYWARN® Storm Spotter Functionality
- SAME and All Hazards Weather Alerting
- Multi-System Trunking
- Automatic Adaptive Digital Tracking
- Digital AGC
- LTR Home Repeater Automove
- Sub-audible Squelch Decoder
- Spectrum Sweeper
- P25 NAC Functionality
- Alert LED
- Audible Alarms
- High Speed PC Interface
- Real-Time Signal Strength Indicator
- Dim Function Button
- Headphone Jack



DIGITAL SCANNERS

TRX-1

- Multi-System Trunking
- Easy-to-Use Full Keypad
- The Complete Radio Reference USA and Canada Database on Micro SD Card
- Improved P25 Functionality
- Upgradeable CPU Firmware, DSP Firmwar and Library
- Micro SD Card
- Full USB Interface
- Includes case and 2 color inserts
- Powerful PC Application Software Included
- SKYWARN® Storm Spotter Functionality
- SAME and All Hazards Weather Alerting
- Powerful Spectrum Sweeper
- 200 Scanlists
- Scan Sets
- Expanded V-Scanner II Storage System
- Audio Recording
- Built-In Clock/Calendar
- Built-In Services Searches
- Exclusive Alert LED
- Programmable Audible Alarms
- Programmable Backlight and Alert LED Flash Patterns
- Signal Strength Meter
- Headphone Jack
- Built-In Discriminator Output



TRX-2

- Multi-System Trunking
- Easy-to-Use Full Keypad
- The Complete Radio Reference USA and Canada Database on SD Card
- Improved P25 Functionality
- Upgradeable CPU Firmware, DSP Firmware and Library
- SD Card
- Full USB Interface
- Detachable head unit
- Powerful PC Application Software Included
- SKYWARN® Storm Spotter Functionality
- SAME and All Hazards Weather Alerting
- Powerful Spectrum Sweeper
- 200 Scanlists
- Scan Sets
- Expanded V-Scanner II Storage System
- Audio Recording
- Built-In Clock/Calendar
- Built-In Services Searches
- Exclusive Alert LED
- Programmable Audible Alarms
- Programmable Backlight and Alert LED Flash Patterns
- Signal Strength Meter
- External Speaker Jack
- Headphone Jack
- Built - In Discriminator Output



Decodes NXDN™ DMR / MotoTRBO™ Voice & APCO P25 PI-II

Multi-system adaptive digital trunking scanner capable of monitoring:

**NXDN™ • Hytera XPT • Conventional DMR • MotoTRBO™ Capacity Plus
MotoTRBO™ Connect Plus • MotoTRBO™ Linked Cap Plus system**

PROFESSIONAL CB RADIOS



40 AM +40FM CHANNELS

CCBP29LTNW

Classic CB Radio with NightWatch™ and AM/FM

- 4 Watts Power Output
- 40 CB Channels
- Dual-Mode AM/FM
- NightWatch™ Electroluminescent Front Panel
- Dimmer Control
- SWR Calibration
- Antenna Warning Indicator
- Instant Channel 9 and 19



29 LX

Professional CB Radio with 4-Color LCD Display

- NOAA® weather & emergency alerts
- Weather & alert scan
- Instant channels 9/19
- On-screen frequency display
- Radio check feature
- Clock and alarm



40 AM +40FM CHANNELS

CCBP29LT01

Professional CB Radio with AM/FM

- Dual-mode AM/FM
- SWR calibration
- Instant channels 9/19
- 4W power output
- Antenna warning indicator
- Dynamike boost



40 AM +40FM CHANNELS

CCBP29LTCH

Professional CB Radio with AM/FM

- Dual-mode AM/FM
- SWR calibration
- Instant channels 9/19
- 4W power output
- Antenna warning indicator
- Dynamike boost

VHF MARINE RADIOS



MRF45-D

DSC-Capable VHF Radio

- Class D DSC (Digital Selective Calling)
- 1 or 25 Watts
- USA, Canada & International Channels
- 10 NOAA Weather Channels
- Weather Alert

MR HH600 FLT

6 Watt Handheld Floating VHF Marine Radio with GPS, Bluetooth & NOAA Weather

- Built-In GPS Receiver & DSC
- Bluetooth Wireless Technology
- Floating
- Rewind -Say-Again®
- Selectable Output



MR HH450 ALL-TERRAIN

6 Watt Handheld Floating VHF & GMRS All-Terrain Radio with NOAA Weather

- All-Terrain Radio™
- Weather alerts with S.A.M.E®
- Rewind-Say-Again®
- Floating design
- Unlimited memory channels
- Rugged case



RECREATIONAL CB RADIOS

HH 50 WX ST

Full-Featured Handheld CB Radio

- Soundtracker® system
- NOAA® weather & emergency alerts
- 40 CB channels
- Easy-to-read display
- Omni-directional microphone



HH RT 50

Handheld CB Radio with Magnetic Mount Antenna

- Soundtracker® system
- NOAA® weather & emergency alerts
- 40 CB channels
- Easy-to-read display
- Omni-directional microphone
- Mag mount antenna



I9 DXIV

Recreational CB Radio

- Compact design
- RF gain controls
- Bright LCD display
- Precise tuning
- Instant channels 9/19



I9 MINI AM/FM

Ultra Compact Full-Featured CB Radio

- Dual-mode AM/FM
- Ultra compact design
- Clear communication
- Hardwire or 12V CLA power options
- Instant channels 9/19
- VOX hands-free
- Adjustable receiver sensitivity



75 ALL ROAD

Wireless CB Radio

- Dual-mode AM/FM
- Bluetooth connectivity
- Modular design
- Digital noise cancellation
- USB or 12V power
- Waterproof IP66 rating

RADAR DETECTORS



RAD 350

- Radar/Laser Protection
- Instant-On Ready
- Laser Eye
- IVT Filter™
- 7-Segment Color Display
- Audible Signal Strength Levels



RAD 480i

Broader Protection with Shared Alerts

- Maximum detection range
- Rapid warning & accurate alerts
- Adjustable speed sensitivity
- Drive Smarter® app with shared alerts

POWER INVERTERS

Power Where You Need It

Pentagon Protection® gives 5 levels of protection against failures:

- Thermal shutdown • Reverse polarity • Over-voltage • Low voltage shutdowns • Low voltage alarm

Model	Continuous Power	Peak Power	Outlets
*CPI3000W	3000 Watts	6000 Watts	4AC + 2USB
CPI2500W	2500 Watts	5000 Watts	4AC + 2USB
CPI1500W	1500 Watts	3000 Watts	4AC + 2USB
CPI500W	500 Watts	1000 Watts	2AC + 2USB
**CPI400PSW	400 Watts	800 Watts	2AC + 2USB
* Remote Control W 2 USB Included		** Pure Sine Wave	



CB MICROPHONES

HGM73

Premium Dynamic 4-Pin Replacement CB Microphone

- Wire Mesh Grille
- Heavy-Duty ABS Shell
- 9' Cord
- Ergonomic Design



HGM75

Premium 4-Pin Power Microphone

- Wire Mesh Grille
- Heavy-Duty ABS Shell
- 9' Cord
- 2 Transistor Amp with 9 Volt Battery
- Ergonomic Design





PC68LTX-40 Channel CB Radio

- Easy-to-Read Meter with Bright LED Channel Indicator
- Instant Channel 9 • Chrome Front Panel • Analog S/R Meter • Squelch Control • RF Gain Control Microphone with Front Panel Connector • Mic Gain Control • PA/CB Switch



PC78LTX-40 Channel CB Radio

- Integrated SWR Meter • Bright LED Channel Indicator
- Instant Channel 9 • Chrome Front Panel • Analog S/R Meter • Squelch Control • ANL/Noise Blanker • Mic Gain Control • PA/CB Switch • Extra Long Microphone Cord

PC78LTX FM -As above AM/FM



BEARCAT 980- CB/SSB

- 40 Channel Operation • Instant Channels 9/19
- Digital S/R/SWR Meter • NOAA Weather • 7 Color Backlighting • ANL/Noise Blanker • Squelch Control
- Wireless Mic Compatible



PRO520XL -Compact Mobile CB

- 40 Channel Operation • LED Signal Strength Meter
- Phase Locked Loop Circuitry • Instant Channel 9 • Auto Noise Limiter • Heavy Duty Mic • Volume and Squelch Control • Mounting Hardware



PRO510XL-Compact Mobile CB

- 40 Channel Operation • Heavy Duty Microphone
- Auto Noise Limiter Switch • 7 Watts Audio Output
- LED Display • Squelch Control • Mounting Hardware



PRO505XL-Compact CB

- 40 Channel Operation • LCD Screen w/Read-outs for Signal Strength and Channel Display • Instant Channel 9 Key
- Squelch Control • Large "Easy to Grip" Mic • PA Capability



BEARCAT 880-40 Channel CB Radio

- 7-Color Backlighting; Noise Cancelling Mic; Talkback; Radio Diagnostics; 6 Pin Noise Canceling Mic; Wireless Mic Compatible
- Digital SRF / SWR Meter; Frequency Display; NOAA Weather; Squelch Control; ANL / Noise; Blanker; Memory Scan; RF Gain; Microphone Gain • Instant Channel 9/19; CB / PA; Channel Indicator; Includes 6 Pin to 4 Pin Adapter; Laser Etched Keys; Extra Long Mic Cord; Dimmer Switch Day / Night

BEARCAT 880FM -As above AM/FM



CMX760- Compact CB

- 40 Channel Operation • Ultra-Compact for Easy Mounting Just 4" x 4" x 1" • NOAA Weather with Alert • Easy-access Mic controls • Large Display on Mic • Speaker on Mic • 7 Color Backlit Display and controls • Frequency Display • Automatic Noise Limiter • Noise Blanker • One Touch 9/19
- Local/DX RF Gain • Channel Scan • Adjustable Key Beep • Roger Beep

PRO401HH

- Handheld 40 Channel CB Radio
- 4 Watts Power • TX Indicator
- Squelch Control • Auto Noise Cancel • Built-in Condenser Mic
- Internal Charging (DC Power Cord included) • Rechargeable or Alkaline Batteries (not included)



PRO538HHFM

- 40AM + 40FM channels • Largest LCD in class, easy to see channel numbers and features. • New CB FM Mode included.
- Use as Handheld CB Radio with batteries or slide on the DC Adapter with External Antenna connector to use like a fixed mount CB Radio for maximum range. • NOAA Weather Alerts keep you informed when severe weather threatens. • Dual Watch feature lets you talk on one channel, while keeping an ear on another channel you are interested in. • Use High power 4-Watts to punch out the strongest signal, or Low power 1-Watt to preserve battery life.



PRO501HH

- Full 40 Channel Operation • Handheld CB Radio • NOAA Weather - 10 Weather channels • Dual Channel Watch. • Instant Channel 9/19.
- Automatic noise limiter to reduce pulse noise. • Selectable 4 Watt HI / 1 Watt LOW Power. • Rechargeable (9 AA Ni-MH) or Alkaline (9 AA) batteries (not included). • Ceramic filter: Delivers greater selectivity and reduces adjacent channel interference. • AGC (Automatic Gain Control) for a constant sound level. • Automatic modulation control for a constant audio transmit modulation level. • Low distortion IC audio circuit.
- Antenna with BNC connector. • External speaker jack and external MIC jack. • Jack for external power source and battery charger.

PRO501TK-W/ Magnet Mount Antenna



Mobile/Base Scanners



BCD996P2—Mobile Trunking V Scanner

- Location-Based Scanning • Digital MobileTrunk-Tracker V Scanner • 25000 Dynamically Allocated Channels • S.A.M.E. Weather Alert • 100 Quick Key System Access • Band Scope



BCT15X—Mobile Trunking Scanner

- TrunkTracker III • Chs: 9,000 Max • S.A.M.E. Weather Alert • BearTracker Warning System • Band Scope • Channel Number Tagging • FireTone-Out Search



BC355N—Mobile/Base Scanner

- Preprogrammed for Police, Fire, Emergency Services, Marine, CB, Aircraft, Weather, and Marine Bands • Add Narrowband • 300 User Programmable Channels • Close Call RF (Radio Frequency) Capture



BC365CRS—Base Scanner

- 500 Channel Scanner • Weather Scan with Alert • FM Broadcast Stations • Narrowband Compliant • Priority with Do-Not-Disturb • 5-Service Searches • Public Safety Scanner • Alarm Clock with Snooze

Handheld Scanners

BCD325P2—Handheld Scanner

- Trunk Tracker V • USB Connectivity • Close Call RF Capture Technology • S.A.M.E. Weather Alert • 25000 Dynamically Allocated Channels • 100 System Quick Keys • Fire Tone-Out • Search w/Scan • Advanced Dynamic Memory • Public Safety Scanner



BC125AT—Handheld Scanner

- 500 Alpha Tagged Channels in 10 Banks • Civilian & Military Airbands • VHF Low/Hi, UHF • Weather Alert • Service Search • Narrowband Steps • Close Call Technology • Service Search • Backlit LCD Display • Includes Batteries, Antenna & USB Cable



SR30C—Handheld Scanner

- 500 Channels • Close Call with Do-Not-Disturb • Narrowband • PC Programming • EZ-to-read Backlit Display • Lockable Key-pad • User Selectable Priority Ch Scan • Locate Specific Calls with 6 Preprogrammed Service Searches including Public Safety, Railroad, and Marine • Compact Design • Monitor Police and fire departments (including rescue and paramedics) • NOAA weather transmissions • Business/Industrial radio • Utilities • Marine and amateur (ham radio) bands • Aircraft band



PREMIUM SCANNERS



SDS-100

- True I/Q receiver design for improved digital performance in weak-signal and simulcast areas
- Rugged/ weather resistant jis 4 construction
- Li-Ion battery • Improved UI with 3 contextual soft keys that Change function based on the current operation • Customizable color LCD: user can modify color and what is displayed



SDS-200

- advanced base/mobile digital trucking scanner. • True I/Q receiver technology • USA/Canada Radio Database
- Recording, Playback, and Replay S.A.M.E. Weather Alert
- Fully Customizable Scanning with your own Favorites Lists

Hybrid CB Radio / Digital Scanner

BearTracker 885

- Full-Featured 40-Channel CB Radio • Digital Trunktracking Scanner • BearTracker Warning System
- Legal alternative to Radar Detectors • GPS Included • Nationwide Scanner Database • Police, Fire, EMS, DOT Scanner Including Digital • 7-Color LCD Display • Weather Alert • PA Function • Wireless Mic Compatible • Digital and Analog Police/Fire/Ambulance/DOT Scanner • Includes VHF, UHF, 700/800 MHz • Quick Avoid for Unwanted Channels • SWR Meter • Antenna System Check • CB/Scan Priority Audio Selection • Mic and RF Gain • Simple, Distraction Free Operation



HomePatrol Series Digital Handheld Scanner

HOMEPATROL-2

- Simple Programming • TrunkTracker V • S.A.M.E. Emergency/Weather Alert • Covers US and Canada
- Quick Record and Playback • Digital Capable • Mobile Use with Vehicle Mount • Record and Replay: Hit record and capture all the action on the 2GB MicroSD card (included) • Easy Touch Screen Operation



MICROPHONES



BMKG0633001

- 4 Pin Handheld Replacement Microphone for Uniden CB Fits PRO510XL, and others • Black CurlyCord and Microphone



BMKG0646001

- Replacement Microphone
- Mic For PC68ELITE & PC78ELITE
- 4 Pin Connection



BMKG0637001

- 4 Pin Replacement Mic for CB PC68XL, PC68LTW, PC78XL & PC78LTW

MARINE RADIOS



UM385—White
UM385BK—Black

- 25 Watt Fixed mount Marine Radio with DSC • IPX4 JIS4 Waterproof Level • All USA/International/Canadian Marine Channel, including the new 4-Digit, and Canadian "B" Channel • Triple watch Feature • DSC Capability including distress and individual calling



UM435—White
UM435BK—Black

- 25 Watt Full-Featured Fixed Mount VHF Marine Radio • IPX8/JIS8 Submersible Level • DSC (Digital Selective Calling) including Distress • S.A.M.E Weather Alert (Specific Area Message Encoding) • Triple Watch Plus - Allows you to monitor emergency channel 16 and 9, and other selectable channel plus weather alert.

ATLANTIS 275

- 6 Watt Floating Handheld VHF Marine Radio • Emergency Strobe Light Easy to activate when needed • IPX8 (Submersible to 4.9 feet for 30 minutes) • NOAA Weather Channels Receives All Weather Channels and Alerts • Integrated LiON Battery Built-in LiON Battery Pack, including AC & DC Charging Cable, charge Cradle



MHS75

- Large Display • JIS8 Submersible up to 11 hours of battery life • 1W, 2.5W or 5W transmit power • Includes: clip-on DC Charger, Swivel Belt Clip, Lanyard and antenna



ATLANTIS 155

- 3 Watt Floating Handheld VHF Marine Radio • Floating Radio- IPX8 (Submersible to 4.9 feet for 30 minutes) • NOAA Weather Channels Receives All Weather Channels and Alerts • NiMH Rechargeable - 4x AAA, 950 mAh NiMH Rechargeable Batteries and DC Charging cable included



RADAR DETECTORS



R3

- highest performing single antenna radar detector • Provides advanced digital signal processing (DSP) • Extreme sensitivity • GPS with red light and speed camera alerts • Free GPS database updates downloadable from Uniden • Quiet Ride - User set speed auto mute • Updatable via USB connection to PC • full color OLED display • Multi-function display includes voltage, compass, altimeter, time of day • K false filter • KA false filter • Ka Narrow/Wide • Nearly SPECTRE undetectable • two different suction cup style mounting brackets included • Cigarette adapter with MUTE



R4

- Extreme Range Laser Radar Detection • Two LNA (Low Noise Amplifier) Design • Digital Signal Processor • GPS Built-in for Red Light and Speed camera locations • Ultra-bright, Easy to Read, Multi-colored OLED Display • MRCD/MRCT (Alert priority: Laser, MRCD, Ka, K, X) with customizable tones • Red Light Camera Alert • Speed Camera Alert • Auto Mute Memory - Automatically locks out false alert locations • Advanced K/KA Band Filters • Voice Notifications • GATSO Detection • Quiet Ride (Speed-based Auto Mute) • Auto Dim • Bogey Tone, Customizable, Alerts • Radar Band Frequency Display (Current Speed, Battery Voltage, Altitude, Clock) • Laser Gun Identification • Spectre Elite Undetectable • MAX Speed Warning System • Suction Mount Included (single and double) • Carrying Case Included • Cigarette Adapter with Mute Key, USB port, Data Cable, and Remote Keypad (optional accessory) • Upgradable Firmware



R7

- Super Long Range Laser Radar Detection • MRCD/MRCT (Alert priority: Laser, MRCD, Ka, K, X) with customizable tones • Dual Antennas display Laser direction • Voice Notifications • Radar band frequency displays • GPS for Red Light and Speed camera locations • Up to 2,000 GPS lockouts • Easy to read OLED display • User Mark set and voice notification • Advanced K and Ka band filters • Spectre I and IV undetectable • Displays Signal Strength and Vehicle Battery Voltage • Max. Speed Warning System • Red light camera point delete • X, K, MRCD, Ka, and Laser band selectable alert tones • Bogey tone (Alert tones 1 - 5) • X, K, and Ka band user-defined sensitivity levels • Auto mute volume levels (Off, On: 0 - 5) • Ka Frequency Voice Alert • Auto Dim • Overspeed Alert Mute • Radar arrows tell you which direction the threat is coming from • 360° laser detection • Large ultra-bright OLED display for day and night • GPS red light camera detection • Voice alerts • 50% faster processor



R8

- The R8 can remember and automatically mute false alerts along your routes so you never have to listen to the same false alert twice. • Preloaded Red Light and Speed Camera locations with Free Database and Firmware updates ensures your detector will never be out of date. • LARGE MULTI-COLOR OLED DISPLAY - is easy-to-read and allows for more useful information to be displayed at once. This improves your overall situational awareness. • Voice alerts allow for hands-free operation and provide clear communication. Voice Alerts are programmable to fit your style so you can keep your eyes on the road with no distractions. • the R8 has the Best K/KA Band filtering with the Least Amount of False Alerts from blind spot monitoring & Collision avoidance systems in other vehicles. • The R8 is an all new platform with unsurpassed range and sensitivity. It's Dual Antenna allows the R8 to detect threats from all four directions, with voice alerts for the direction of the threat. It even shows the band and signal strength for each.



UNIVERSAL ALL-IN-ONE DATA BYPASS AND INTERFACE MODULE

The EVO-ALL is the ultimate ALL-IN-ONE data immobilizer bypass, keyless entry, convenience, low power remote start and security interface combo module in the industry. It raises the standard of hassle-free installation convenience to a whole new level. It uses a multiple bus architecture with 10 separate communication ports that provide more complete functionality on every supported vehicle.

THIS PRODUCT MUST BE SOLD, INSTALLED AND SUPPORTED BY A PROFESSIONAL.

WORKS WITH



ALL-IN-ONE REMOTE STARTER, SECURITY SYSTEM AND DATA INTERFACE

The EVO-ONE is the ultimate and smallest ALL-IN-ONE HIGH POWER data immobilizer bypass, doorlock, security system & remote start interface. Compatible with all EVO-ALL T-Harnesses and also providing a new broad access to High Power T-Harnesses the EVO-ONE now sets the industry benchmark to a higher level. It raises the standard of hassle-free installation convenience to a whole new level. It uses a multiple micro controller and bus architecture which redefines the word Remote Starter. This unit is much more powerful than most entry level vehicle's BCM. EVO-ONE is an impressive state of the art unit at reachable cost.

THIS PRODUCT MUST BE SOLD, INSTALLED AND SUPPORTED BY A PROFESSIONAL.



MODULE & T-HARNESS COMBO FOR AUDI VEHICLES.

Module & T-Harness combo for select Audi vehicles. The EVO-AUDT2 is the ultimate Factory Fit, ALL-IN-ONE data immobilizer bypass, door lock, alarm & remote start interface with T-Harness combo module for select Audi vehicles. It raises the standard of hassle-free installation convenience to a whole new level. It uses a multiple bus architecture with 10 separate communication ports that provide more complete functionality on every supported vehicle.

THIS PRODUCT MUST BE SOLD, INSTALLED AND SUPPORTED BY A PROFESSIONAL.



CALL FOR ADDITIONAL MODELS AND SEE THE APPLICATION GUIDE



APPLICATION GUIDE

QUICK VEHICLE FINDER	FIND THE RIGHT SOLUTION FOR YOUR VEHICLE			VEHICLE SEARCH
Enter keywords	RAM	2022	1500	Gas Push-to-Start
SEARCH BY MAKE SUPPORT NEWS NEWLY SUPPORTED CLOSE				
HOME / VEHICLES / RAM / 1500 / 2022 - GAS PUSH-TO-START				

<https://fortin.ca/en/>

Remote Start/Keyless Entry/Security

4115L-1 Button Remote Start

- Remote Start System with 2 Micro sized 1 Button Remotes • Virtual Tach Eliminates the need for Tach Wire in most Installations
- Superhet (HX) Receiver for Great Range
- D2d Serial Data Port • Outputs for Optional Horn and Starter Kill/Anti-grind Relays • XCR Relays Onboard • Bit-Writer Programmable for Easy Configuration • Optional Unlock-while-Running Feature



4105L-4 Button 1-Way Remote Start System

- Two 1 Way 4 Button Remotes
- Superhet(HX+) Receiver for Superior Range
- Virtual Tach Eliminates the need for a Tach Wire in most Installations • Separate D2D & ESP2 ports



4003L-Remote Start Module

- Works with OEM Remotes and with most Aftermarket Remote Systems • Ignition 2 Relay Onboard • Virtual Tach Eliminates Tach Wire Connections • Hood, Brake, Neutral Safety, and RPM Shutdown Modes • D2D Port • Anti-Grind Output • Parking Light Notification • Parking Light Flash



5105L-1-Way Remote Start with Security

- Two 4 Button Remotes
- Avital Hybrid • On-Board Remote Start Relays • Dedicated ESP2 and D2D Ports • 1 Way Control Center • Double Guard® Shock Sensor • Revenger® Six-Tone Siren • Wiring Harnesses • Installation and Owners Documentation • All the Security Features you expect - Zone 2 Impact Sensor, Nuisance Prevention, Warn-Away, Fault-proof Starter Interrupt, Revenger Siren, and more!



5305L-2-Way LCD Remot Start w/Security

- One 4 Button 2-Way LCD Remote
- One 4 Button 1-Way Remote
- Avital Hybrid • On-Board Remote Start Relays • Dedicated ESP2 and D2D Ports • 1-Way Control Center • Double Guard® Shock Sensor • Revenger® Six-Tone Siren • Wiring Harnesses • Installation and Owners Documentation • All the Security Features you expect - Zone 2 Impact Sensor, Nuisance Prevention, Warn-Away, Fault-proof Starter Interrupt, Revenger Siren, and more!



3305L-2-Way LCD Security

- Direct Replacement for the 3300L • ESP2 Port for Bitwriter and SmartStart Compatibility
- 2-Way LCD 4 Button Remote • One 4 Button 1-Way Remote • Command Confirmations and Event Notifications via the LCD Remote Control • System Wiring Harnesses • All the Security Features you expect - Zone 2 Impact Sensor, Nuisance Prevention, Warn-Away, Fault-proof Starter Interrupt, Revenger Siren, and more!



3100L-1-Way Security

- Two 3 Button Remote Controls • Zone-2 Impact Sensor • Fault-Proof Starter Interrupt • D2D Serial Port for Xpresskits • Warn-Away • Nuisance Prevention • Revenger Siren
- Keyless Entry and AUX Functions • Timer Mode • Bitwriter Programmable for Easy Configuration • 6 Tone Siren • Virtual Tach



3100LX - As Above, No Siren

2101L-Keyless Entry System

- 2 Remotes with Dedicated Lock and Unlock Buttons • Door Lock Relays Onboard
- Lock/Unlock, Trunk Release, and Auxiliary



— We Stock Replacement Transmitters —
— Call for Additional Directed Products —

DS4 THE SIMPLE SOLUTION

DS4 Remote Start System

AstroStart **DS4** Remote Start System with Bluetooth

Features:

Integrated Data Bus Interface
Onboard Bluetooth® for programming and control
3X Lock Start from OEM remote
Onboard fuses

Temperature sensing

Manual and Automatic transmission capable

Upgradable:

- Long range remote control
 - SmartStart control and GPS
 - Security shock/ tilt sensor
- Integration harness compatible

Includes:

- DS4 module
- Temperature sensor (8556T)
- Valet/LED D2D Control Center
- All harnesses required for installation
- Installation guide



DS3 THE SIMPLE SOLUTION

DS3 Remote Start System

DS3 Remote Start System

Features:

Integrated Data Bus Interface
3X Lock Start from OEM remote
Onboard fuses
Temperature sensing

Upgradable:

- Long range remote control
- SmartStart control and GPS
- Security shock/ tilt/ temp sensor
- T-harness compatible

Includes:

- DS3 module
- Temperature sensor (8556T)
- Valet/LED switch
- Universal installation harness
- Dynamic doc tool creates a unique installation guide for your install



DS4P Remote Start System

AstroStart **DS4P** Remote Start System with High Current Relay and Bluetooth

Features:

Integrated Data Bus Interface
Onboard Bluetooth® for programming and control
3X Lock Start from OEM remote
High current relays
Onboard fuses

Temperature sensing

Manual and Automatic transmission capable

Upgradable:

- Long range remote control
 - SmartStart control and GPS
 - Security shock/ tilt sensor
- Integration harness compatible

Includes:

- DS4+ module
- Temperature sensor (8556T)
- Valet/LED D2D Control Center
- All harnesses required for installation
- Installation guide



DS3P Remote Start System

DS3P Remote Start System with High Current Relays

Features:

Integrated Data Bus Interface
3X Lock Start from OEM remote
High current relays
Onboard fuses

Temperature sensing

Upgradable:

- Long range remote control
- SmartStart control and GPS
- Security shock/ tilt/ temp sensor
- T-harness compatible

Includes:

- DS3+ module
- Temperature sensor (8556T)
- Valet/LED switch
- Universal installation harness
- Dynamic doc tool creates a unique installation guide for your install



DIRECTED® SMARTSTART

Start, control and locate your car with your smartphone.

DSM550



DS4/DS4P/DS3/DS3P RF Security Upgrade & Accessories

DCM550	DIRECTED CONNECT 4G LTE GPS PLUG & PLAY MODULE
DDSM550	DIRECTED SECURITY UPGRADE SHOCK/TILT/TEMP SENSOR
DS4SU	DIRECTED DS4SU, DS3/DS3P UPGRADE SHOCK/TILT/TEMP & SIREN

DS4/DS4P/DS3/DS3P T-Harnesses

THCHN1	T-HARNESS TIP CHRYSLER TYPE DS4 / DS4P
THCHN2	T-HARNESS MUX CHRYSLER TYPE DS4 / DS4P
THCHN3	T-HARNESS GEN 3 CHRYSLER DS4 / DS4P
THFON1	T-HARNESS 2008-2017 FORD DS4P (DS4P Only)
THFON2	T-HARNESS 2008-2016 FORD DS4 / DS4P
THGMN1	T-HARNESS 2006-2016 GENERAL MOTORS DS4 / DS4P
THGMN2	T-HARNESS 2006-2016 GENERAL MOTORS DS4 / DS4P
THGMN3	T-HARNESS 2017 & UP GENERAL MOTORS DS4 / DS4P
THGMN5	T-HARNESS 2010 & UP GENERAL MOTORS DS4/DS4P
THHON3	T-HARNESS 2013-16 ACCORD/CIVIC/CRV/FIT (DS4P Only)
THHON4	T-HARNESS 2008-15 TSX/ACCORD/PILOT/ODYSSEY (DS4P Only)
THHON5	T-HARNESS 2001-13 ACURA/HONDA (DS4P Only)
THHON6	T-HARNESS 2006-13 ACURA/HONDA (DS4P Only)
THHON7	T-HARNESS 2016-19 ACURA/HONDA, SUPPORT FOR TAKEOVER DS4/DS4
THHON9	T-HARNESS 2013-16 ACURA/HONDA, PTS SUPPORT FOR TAKEOVER DS4/DS4P
THHON10	T-HARNESS 2013-16 ACCORD/CIVIC/CRV, SUPPORT FOR TAKEOVER DS4/DS4P
THHON11	T-HARNESS 2013-16 ACURA/HONDA PTS (replaces THHON9)
THHYN3	T-HARNESS 2010-2017 HYUNDAI/KIA (DS4P Only)
THHYN4	T-HARNESS 2015-2020 HYUNDAI/KIA DS4 / DS4P
THHYN5	T-HARNESS 2011-2020 HYUNDAI/KIA DS4 / DS4P
THMAN1	T-HARNESS MAZDA, SCION iA & YARIS 2013 UP DS4/DS4P
THNIN3	T-HARNESS 2007-2016 NISSAN/INFINITY (SMARTKEY) DS4/DS4P
THNIN4	T-HARNESS 2004-2017 NISSAN/INFINITI KEY TYPE (DS4P Only)
THNIN5	T-HARNESS 2014-2018 NISSAN/INFINITY (SMARTKEY) DS4/DS4P
THNIN6	T-HARNESS 2013 & UP NISSAN/INFINITY (SMARTKEY) DS4/DS4P
THNIN8	T-HARNESS 2020 & UP NISSAN/MITSUBISHI (SMARTKEY) DS4/DS4P
THTON10	T-HARNESS TOYOTA/SCION/LEXUS (DS4P Only)
THTON6	T-HARNESS 2010 & UP TOYOTA/LEXUS (SMARTKEY) DS4/DS4P
THTON7	T-HARNESS 2018 & UP TOYOTA/LEXUS DS4 / DS4P
THTON8	T-HARNESS TOYOTA/SCION, SELECT H-KEY (DS4P Only)
THTON9	T-HARNESS TOYOTA/SCION, SELECT G/H KEY TYPE (DS4P Only)
THVWN1	T-HARNESS AUDI /VW, SELECT SMART KEY & KEY TYPE
THVWN2	T-HARNESS AUDI /VW, SELECT SMART KEY & KEY TYPE
THSUN1	T-HARNESS 2018-2018 SUBARU KEY TYPE DS4P/DS3P ONLY
THSUN2	T-HARNESS 2013-2018 SUBARU SMART KEY DS4P/DS3P ONLY

TERRITORY RESTRICTIONS

DIRECTED® SMARTSTART PRO | DSM550 4G LTE GPS MODULE

Features:

- New! 4G LTE technology provides blazing fast response time throughout North America. 3G backup ensures the most robust coverage possible.

- Optimized for use with DS3/DS3+ and other Directed digital systems & fully compatible with most other Directed systems

- New simplified one-piece wiring harness for faster, cleaner installs

- Module is plug-for-plug compatible with existing installations

- Activate on Secure or GPS plans with 1 or 3 year options

- Requires v5.0 or newer Directed SmartStart app

THE CONNECTED CAR REIMAGINED

Ready, set, done! The all-new Directed SmartStart Pro is the fastest connected car solution available. Optimized for use with Directed's groundbreaking DS4 platform, SmartStart Pro delivers scorching speed with 4G LTE connectivity and future-proof design to ensure support for new features as they are developed.

Available on the following mobile phone platforms.



Directed offers the Most Coverage for T-Harness Compatible Vehicles

Part#	Description
Interfaces	
DB3	DB3 BYPASS INTERFACE / DIGITAL REMOTE START MODULE
GMDLBP	GMDLBP DOOR LOCK AND OVERRIDE DATA BUS MODULE
556UXL	556UXL UNIVERSAL IMMOBILIZER MODULE (LARGER MODULE)
XL202	XL202 RF TO DATA TRANSLATOR MODULE

Interfaces

DB3	DB3 BYPASS INTERFACE / DIGITAL REMOTE START MODULE
GMDLBP	GMDLBP DOOR LOCK AND OVERRIDE DATA BUS MODULE
556UXL	556UXL UNIVERSAL IMMOBILIZER MODULE (LARGER MODULE)
XL202	XL202 RF TO DATA TRANSLATOR MODULE



DB3

- RSR/RXT compatible • Customizable features with DirectLink • Vehicle specific T-Harnesses
- RF loop compatible • Unique module ID allows for history lookup • Featuring multibus and advanced OBD2 connectivity for SmartStart
- SmartStart compatible



508D

- Tilt/Motion Sensor • Dual Zone Motion Detector for Interior & Exterior of Vehicle
- Detects Moving High Density Objects using RF Field-Disturbance Technology



524N

- Door Lock Motor • Heavy Duty Deluxe Two-Wire Door Lock Motor for adding Power Door Locks to most Vehicles

DIGITAL ECHO MICROPHONE

EC2018ETRA

• Includes numerous effects like echo, stadium effect, voice repeat and robotic voice • Create voice effects without installing radio modifications • Effect controls are conveniently located on microphone casing • Talk-back feature lets you monitor your own transmissions • Adjust controls while transmitting to create wild, "whammy" effects • 4-pin cord



DIGITAL TURBO ECHO BOARD WITH VARIABLE TONE CONTROL

TRB-X4


• Digital TURBO Echo Board now with Variable Tone Control • Tone Control Corrects "Tinny" or "Muddy" Sounding Microphones - Fix Your Audio! • Mini-Size PCB will Mount in Any Radio • Dual-Gang Echo Volume and Delay Control with Chrome Knobs • Universal Mounting Bracket Included • Installation and Operating Instruction Included



10 PACK HI-QUALITY POWER TRANSISTORS

MAX-MOD-10PK

• High Current / High Power PNP Power Transistor (AM Regulator) • Replaces & Upgrades 2SB688, 2SB754, 2SB817, 2SB827 and other AM Regulator Transistors in 10 Meter Radios • Supplies Necessary Current Levels for Maximum Modulation • Most Radios See a 10% Increase in Peak Power Levels • Runs 40%* Cooler than Stock Regulators • Massive TO-3PL Package for Improved Heat Dissipation • TO-3PL Size Mica Insulator Included



GPS TRACKING KIT

GPSMINIV2

• Real-time Vehicle Location via an Easy-to-use Web Interface • Track and Monitor Multiple Vehicles Simultaneously • Advanced Tracking Features: Security/Battery/Tow/Motion/Speeding Alerts and more • Vehicle Location History • Map Views • Complete w/Tracking Unit, Internal Antenna, Wiring Harness, Activation Guide and Installation Guide



UNIVERSAL HEAVY DUTY POWER WINDOW CONVERSION

JW-92ED

(Illum. "Arrow Symbol Switches)

JW-93ED

(Illum. "Window Symbol Switches)

JW-97FD

(Illum. "Window Symbol Switches)

JW-9000

FEATURES: Quite & smooth operation. Power window is equipped with **OVERLOAD** protected motor.



2 DOOR - 3 SWITCH KIT

JW-3221

Illum. "Arrow Symbol"

JW-3321

Illum. "Window Symbol"

JW-35LN

Non-Illum. "Toggle Type" Chrysler Style Pods

JW-39TO

Illum. "Push & Pull Type" Toyota Style



MOST POPULAR - 4 DOOR SWITCH KIT

JW-73FD

Illum. "Window Symbol"

JW-7385

Illum. "Window Symbol"

JW-7141

Non-Illum. "Arrow Symbol"

JW-7341


Illum. "Window Symbol"



CALL FOR ADDITIONAL MODELS



REMOTE START PERFECTED



1 BACKUP BATTERY PORT

Featuring our exclusive Power Maze technology, battery power only supports mission-critical security functions. You won't waste the battery on power-hogging features like remote start. Believe it or not, with Power Maze, a simple 9V battery is all you need to combat any security threat.

2 BACKUP BATTERY BRACKET

AL-XX70-B has this nifty slide on bracket for the backup battery. The slide on battery housing and harness are included with every security model powered by the AL-XX70-B.

3 DOOR LOCK/UNLOCK PORT

Analog outputs for door lock, driver unlock, & all door unlock. Has a +12v pin for driving relays or other analog adapters like the DLR-U

4 REMOTE START SATELLITE PORT(S)

4 analog outputs for several options to add extra or custom functions. AL-XX70-B has 3 programmable outputs. The RS-X70 has 2 programmable outputs. All have a +12v pin for driving relays or bypass modules.

5 WHITE 4-PIN AUX PORT

This port provides OEM alarm arm/disarm control along with remote start activation input and 3RD channel out. These functions are separated from the main harness since they are supported over data in most vehicles. Yep, cleaner install.

6 DUAL DATA PORTS

Both ports are physically matched to legacy (DBI) and modern (iDataLink) connectors. However, both support DBI or iDataLink protocols. Protocols are auto-detected during Vehicle Learn process or manually selectable.

7 BLADE HARNESS PORT

This is where you connect the harness included with any OmegaLink BLADE cartridge. It's also compatible with our line of T-harnesses.

8 70 SERIES ANTENNA/STATUS LIGHT PORT

This port supports any 70 series antenna module. Select any combination of 1-way/2-way and range you'd like. It also supports our push-button LED (included with the RS-170-B)

9 BLADE CARTRIDGE PORT

This is where the OL-BLADE-AL64 or OL-BLADE-TB is inserted to the AL-XX70-B. PCB shielding and precision locking guides makes it simple and secure.

10 DUAL ANALOG SENSOR PORTS

You can stack any 2 security sensors you'd like onto the AL-XX70-B.

11 SECONDARY HARNESS PORT

Our secondary harnesses feature 100% copper wire for maximum current capacity, increased flexibility, and longest possible performance life.

12 PRIMARY POWER HARNESS

Our primary harness supports four 20/30A vacuum sealed relays with 100% copper wire for the best possible performance in the industry. An optional low-current harness (P/N: H-RS6BLC) is also available (ask about our High Current > Low Current harness exchange program).

13 ONBOARD TEMPERATURE SENSOR

First introduced to the industry in our award winning 30 series remote start models. It provides low and high temp auto-start with selectable thresholds, temp readout on 2-way controllers, and auto-crank adjust for cold weather.

Standard Features:

- Includes the OL-BLADE-AL-64 for all-in-one installer paradise!
- Dual data ports
- Vehicle learn mode
- Self-diagnoses
- Full security suite
- Random Horn Honk
- XL Pitstop



2-WAY CONFIRMING SYSTEMS

powered by AL-XX70-B

RECHARGEABLE

AL-2075-3DB-L

Color OLED 2-Way Remote Start & Alarm System

Rechargeable, 2-Way Remote Start / Security with 3D Motion Sensing Includes Shock and Siren



AL-1870-3DB

B&W LCD 2-Way Remote Start & Alarm System

Deluxe Remote Start / Security with 3D Motion Sensing Includes Shock and Siren



IMPROVED BATTERY LIFE

AL-1775-3DB

LED 2-Way Remote Start & Alarm System

Deluxe Remote Start / Security with 3D Motion Sensing Includes Shock and Siren



powered by RS-X70

IMPROVED BATTERY LIFE

RS-475-3D

3000ft LED 2-Way

Deluxe Remote Start / Keyless Entry with 3D Motion Sensing - Alarm Equipped

RS-276-3D

3000ft LED 2-Way

Deluxe Remote Start / Keyless Entry with 3D Motion Sensing - Alarm Equipped



ALARM EQUIPPED

JUST ADD ANY COMPATIBLE SENSOR TO UPGRADE!



1-WAY / 4-BUTTON SYSTEMS

powered by AL-XX70-B

AL-1670-B

1500ft 4-Button 1-Way

Deluxe Remote Start / Security /
Keyless Entry
Includes Shock and Siren



RS-375-3DB

3000ft 4-Button 1-Way

Deluxe Remote Start / Keyless Entry
with 3D Motion Sensing
- Alarm Equipped
- 2-Way Ready



powered by RS-X70

RS-375


3000ft 4-Button 1-Way

Remote Start / Keyless Entry
- Alarm Equipped

RS-370

1500ft 4-Button 1-Way

Remote Start / Keyless Entry
- Alarm Equipped



Make your installs a slam dunk
with premium T-harnesses!
See Chart On Following Pages

ALARM EQUIPPED

JUST ADD ANY COMPATIBLE
SENSOR TO UPGRADE!



1-WAY / 1 + 1 BUTTON SYSTEMS

powered by AL-XX70-B

powered by RS-X70



RS-272

1500ft 1+1-Button
Remote Start / Keyless Entry
- Alarm Equipped



RS-271

1500ft 1-Button
Remote Start / Keyless Entry
- Alarm Equipped

RS-170-B
Deluxe Remote Start /
Security / Keyless Entry Platform
BUILD YOUR DREAM SYSTEM!

RS-170-B64
INCLUDES OL-BLADE-AL64!



JUST ADD ANY COMPATIBLE
SENSOR TO UPGRADE!



ALL-IN-ONE DATA START - RS-170-B64

Powered by the godfather of all remote start modules, the AL-XX70-B, the RS-170-B64 is the foundation for building the system of your dreams. It's compatible with RK series remote kits, Linkr smartphone control, sirens, sensors, and OmegaLink T-Harnesses, From add-on start (LOCK, LOCK, LOCK from OEM remote), to aftermarket keyless start, to a full-blown LEGENDARY security / convenience package, the RS-170-B64 is a one-stop platform. Stop choosing between what is or isn't compatible.

- Includes the OL-BLADE-AL-64 for all-in-one installer paradise!
- Supports 3x LOCK remote start (via data or analog)
- Powered by the AL-XX70-B
- Compatible with all OL-HRN-RS T-harnesses
- Includes high current harness and all supporting harnesses for hard-wire installs
- Includes new push-button LED/Valet
- Supports all 70 series remote kits
- Supports all 70 series remotes simultaneously:
1-button, 1+1 button, 4-button, 2-way, etc



3000FT REMOTE KITS FOR 70 SERIES & OMEGALINK REMOTE STARTS

Direct plug-into ANY 70 series Excalibur remote start, OmegaLink Data Start, iDataLink Data Start, or Fortin EVO Data Start. Backed by our legendary Limited Lifetime Warranty. All RFK Kits have a 3,000ft max range. Each kit includes a 2-way ready antenna module, with built-in status light and valet button, harness, batteries, and a Limited Lifetime Warranty on all components!



RFK-42-SST



RFK-32-SST



RFK-22-SST



RFK-12-SST

RFK-42-SST	Includes one 2-way remote and one 1-way remote, indicates engine run time (2-way only), multi-car support (2-way only), low vehicle battery alert (2-way only), and OEM alarm alert (2-way only). Durable chrome metal frames. Leather texture back case.
RFK-32-SST	Includes two 1-way remotes, durable chrome metal frames, leather texture back case, 2-way ready - just add remote!
RFK-22-SST	Includes one 2-way remote and one 1-way remote, indicates engine run time (2-way only), low vehicle battery alert (2-way only), and OEM alarm alert (2-way only). Supports Lock, Unlock, and Start/Stop. Programmable for Unlock only. Durable chrome metal frames.
RFK-12-SST	Includes two 1-way remotes, durable chrome metal frames, supports Lock, Unlock, and Start/Stop, Programmable for Unlock only, 2-way ready - just add remote!

SECURITY UPGRADE FOR RS-170-B64



AU-SEC

Dual Zone Shock & 6-Tone Siren Pack

- AU-84TDPB Magnetic resonance data shock for unbeatable impact detection.
- AU-73M Miniature high output 6-tone siren
- Upgrade ANY Excalibur 70 Series remote start with this simple kit.
- Upgrade the OL-RS-BA integrated remote start/bypass system with ease



T-HARNESS SOLUTIONS



These T-Harnesses are compatible with any Excalibur remote start. These are built to OEM or better quality standards and are made with 100% copper wire for maximum current delivery and reliability. These plug-in harnesses provide remote start critical connections and help you avoid straining sensitive data wires or compromising high current circuit integrity. You can even adapt these to ANY remote start brand using FlashLogic, iDataLink BLADE or ALCA modules.

- Get OmegaLink install convenience AND Excalibur features!
- Use what's already on your shelf!
- Connect directly to the BLADE port on the AL-XX70-B
- Includes an adapter for using the OL-MDB-ALL with ANY system

	Model	Discription	RS Firmware Support
Chrysler	OL-HRN-RS-CH4	Plug-in T-Harness for Chrysler Group of vehicles from 2008 and up, including TipStart.	
	OL-HRN-RS-CH5	Plug-in T-Harness for Chrysler Group of vehicles from 2005 and up, including standard key.	
	OL-HRN-RS-CH7	Plug-in T-Harness for Chrysler Group of vehicles from 2011 and up, including Push-To-Start models.	✓
Ford	OL-HRN-RS-FM2	Plug-in T-Harness for Ford Group of vehicles from 2006 and up, including 40-bit keys.	
	OL-HRN-RS-FM3	Plug-in T-Harness for Ford Group of vehicles from 2006 and up, including 80-bit keys.	
	OL-HRN-RS-FM8	Plug-in T-Harness for Ford/Lincoln Group of vehicles from 2013 and up, including Push-To-Start models.	✓
GM	OL-HRN-RS-GM8 NEW	Plug-in T-Harness for GM vehicles Push-To-Start from 2010 and up.	✓
	OL-HRN-RS-GM10	Plug-in T-Harness for GM "SWC" Group of full-size vehicles from 2006 and up.	
	OL-HRN-RS-GM12	Plug-in T-Harness for all GM7 vehicles, and GM 'flip-key' and standard key vehicles from 2017 and up.	
Honda Acura	OL-HRN-RS-HA3	Plug-in T-Harness for Honda/Acura standard key vehicles from 2008 and up.	
	OL-HRN-RS-HA6	Plug-in T-Harness for Honda/Acura Push-To-Start vehicles from 2013 and up.	
	OL-HRN-RS-HA7	Plug-in T-Harness for Honda/Acura Push-To-Start vehicles from 2014 and up.	
Hyundai Kia	OL-HRN-RS-HK	Plug-in T-Harness for Hyundai/Kia Group of vehicles from 2008 and up,. Covers main ignition harness connections only since most US vehicles are not equipped with immobilizer.	
Mazda	OL-HRN-RS-MA3	Plug-in T-Harness for Mazda Push-To-Start vehicles from 2013 and up.	
Nissan Infiniti	OL-HRN-RS-NI3	Plug-in T-Harness for Nissan/Infiniti Push-To-Start vehicles from 2013 and up.	
	OL-HRN-RS-NI4	Plug-in T-Harness for Nissan/Infiniti standard key vehicles from 2004 and up.	
	OL-HRN-RS-NI5	Plug-in T-Harness for Nissan/Infiniti Push-To-Start vehicles from 2007 and up.	
	OL-HRN-RS-NI8	Plug-in T-Harness for Nissan/Infiniti Group of vehicles from 2014 and up.	✓
Toyota Scion	OL-HRN-RS-TL5	Plug-in T-Harness for Toyota/Scion standard key vehicles from 2010 and up.	
	OL-HRN-RS-TL6	Plug-in T-Harness for Toyota/Lexus Push-To-Start vehicles from 2010 and up.	✓
	OL-HRN-RS-TL7	Plug-in T-Harness for Toyota/Lexus Push-To-Start vehicles from 2018 and up.	✓



OL-MDB-ALL

RS FIRMWARE SUPPORT

Select models support using the OL-MDB-ALL, FL-CAN, or ALCA as a standalone "3X Lock" remote start using "RS firmware". You can even add Excalibur RFK kits or Linkr smartphone control!



SECURITY AND KEYLESS ENTRY SYSTEMS

We also offer everything you need to give your customers security-focused solutions and non-remote start convenience packages that are ideal for fleet upgrade applications or vehicles not equipped with factory keyless entry/security.

FEATURES	<div> <div>INDUSTRY FIRST!</div> <div> <p>AL-1575 3000ft 2-Way Deluxe Security / Keyless Entry</p> </div> <div> <p>AL-560 500ft 1-Way Deluxe Security / Keyless Entry</p> </div> <div> <div>INT'L Model with English/Spanish Guides</div> <p>EXCAL-500+ 500ft 1-Way Deluxe Security / Keyless Entry</p> </div> <div> <p>KE-170 500ft 1-Way Deluxe Keyless Entry</p> </div> </div>			
	TECHNOLOGY			
Web Programmable	✓			
Flashable xOS Firmware	✓			
Dual Data Ports	✓			
Smartphone Control Compatible	✓			
SECURITY				
Driver Priority Unlock	✓			✓
Backup Battery Port	✓			
Plug-in Security Upgrade For OmegaLink and EVO Data Starts	✓			
Starter Interrupt	Relay Included	Relay Included	Relay Included	Output Only
Normally Closed Trigger Loop				
Multi-Tone Mini Siren	✓	✓	✓	
Dual Zone Shock Sensor	AU-84Tn Magnetic Sensor	AU-84TM Piezo Sensor	AU-84TM Piezo Sensor	
Backup Battery Port	✓			
Passive Arming/Locking	✓	✓	✓	✓
Remote Panic	✓	✓	✓	✓
Status Light and Valet Button	Built Into Antenna	LED/Valet Push Button Combo	LED/Valet Push Button Combo	LED/Valet Push Button Combo
CONVENIENCE				
Keyless Entry and Trunk Release	✓	✓	✓	✓
Auxiliary Outputs	3	1	1	1
Flashing Light Output(s)	(+) and (-)	(+) and (-)	(+) and (-)	(+) and (-)
Domelight Supervision	✓	✓	✓	✓

Omegalink

VEHICLE SPECIFIC DATA START KIT

The **Omegalink** line of Remote Start, Vehicle Specific Data Start kits and Transponder/Door lock Interface modules are the most advanced and comprehensive line-up in the Industry today. The program consists of three separate product offerings, designed to meet the needs of every Security and Remote Start installation for today's complex vehicles. The entire **Omegalink** line-up was developed in conjunction with Automotive Data Solutions (ADS) and brings together the advanced technology of ADS with the core security and remote start features of the **Omega** product lines. OmegaLink is the gateway to the vehicle's communication network – the best in vehicle integration.



OL-RS-BA



OL-RS-BMZ



OL-RS-VWA

**COMPATIBLE WITH
EXCALIBUR 'RFK' REMOTE KITS
& OMEGALINK 'OL-RF' REMOTE KITS**

T-Harnesses For The OL-RS-BA - The OL-RS-BA compatible T-Harness program allows you to mix and match T-Harness kits with a single module.	
OL-ADS-THR-CH4 OL-ADS-THR-CH5 OL-ADS-THR-CH12	For select Chrysler Group vehicles from 2005 and up: Standard Key (CH5), TipStart (CH4), and Push-to-Start models (CH10/CH12).
OL-ADS-THR-F01	For select Ford group vehicles from 2006 and up, including standard 40-bit and 80-bit keys (F01).
OL-ADS-THR-FM8	For select, Ford/Lincoln models from 2013 and up, including Standard Key and Push-To-Start models (FM8).
OL-ADS-THR-GM2 OL-ADS-THR-GM10 OL-ADS-THR-GM12 OL-ADS-THR-GM13 OL-ADS-THR-GM14 <i>COMING SOON</i>	For select GM SWC models 2004 to 2012 (GM2), GM 'flip-key' and Standard Key models 2010 and up (GM7), GM 'SWC' full-size models 2006 and up (GM10), GM Push-to-Start models 2010 and up (GM13), GM SWC models 2020 and up (GM14).
OL-ADS-THR-HA2 OL-ADS-THR-HA3 OL-ADS-THR-HA8 OL-ADS-THR-HA9 OL-ADS-THR-HA10	For select Honda/Acura Standard Key models from 2001 and up (HA2), Honda/Acura Standard Key models from 2008 and up (HA3), Honda/Acura Push-to-Start models 2013 and up (HA6/HA9), Honda/Acura Push-to-Start models 2014 and up (HA7/HA10). Honda Push-to-Start models 2016 and up (HA8).
OL-ADS-THR-HK3 OL-ADS-THR-HK4 OL-ADS-THR-HK5 OL-ADS-THR-HK6 OL-ADS-THR-HK7 OL-ADS-THR-HK8 OL-ADS-THR-HK9	For select Kia/Hyundai Push-To-Start models from 2011 and up (HK3), select Kia/Hyundai Push-to-Start models from 2015 and up (HK4), select Hyundai/Kia Standard Key models from 2006 and up (HK5), select Kia/Hyundai Push-To-Start models from 2018 and up (HK6), select Kia/Hyundai Push-to-Start models from 2016 and up (HK7), select Kia/Hyundai Push-to-Start models from 2017 and up (HK8), select Kia Push-to-Start models from 2014 and up (HK9).
OL-ADS-THR-MA3 OL-ADS-THR-MA6 - NEW	For select Push-To-Start Toyota/Scion models from 2013 and up (MA3), Push-To-Start Toyota/Scion models from 2019 and up (MA6).
OL-ADS-THR-NI3 OL-ADS-THR-NI4 OL-ADS-THR-NI5 OL-ADS-THR-NI10 - NEW	For select Nissan/Infiniti Push-to-Start models from 2013 and up (NI3), Nissan/Infiniti Standard Key models from 2004 and up (NI4), Nissan/Infiniti Push-to-Start models from 2007 and up (NI5), Nissan/Infiniti Push-to-Start models from 2018 and up (NI10).
OL-ADS-THR-TL5 OL-ADS-THR-TL7 OL-ADS-THR-TL10	For select Toyota/Scion Standard Key models from 2010 and up (TL5), Toyota/Lexus Push-To-Start models 2009 and up (TL7), Toyota/Lexus Push-To-Start models 2018 and up (TL10)..
OL-ADS-THR-SU1 - NEW OL-ADS-THR-SU2 - NEW	For select Subaru Standard Key models from 2017 and up (SU1), Subaru Push-To-Start models from 2017 and up (SU2).
OL-ADS-AHR-PWR	The High Current (HC) harness is used for remote start applications.
T-Harnesses For The OL-RS-BMZ - Fully integrated remote start for Mercedes, Mini, & BMW vehicles.	
OL-ADS-THR-BM1	For select BMW/Mini models 2005-2016.
OL-ADS-THR-BZ1 OL-ADS-THR-BZ2 OL-ADS-THR-BZ3 OL-ADS-THR-BZ4	For select Mercedes-Benz models from 2006-2013 (BZ1), select Mercedes-Benz models from 2016 and up (BZ2), select Mercedes-Benz models from and 2008 and up (BZ3), and select Mercedes-Benz models 2012-2014 (BZ4).
T-Harnesses For The OL-RS-VWA - Fully integrated remote start for VW, AUDI, and BENTLEY models.	
OL-ADS-THR-AU2 OL-ADS-THR-AU3	For select Volkswagen/Audi models from 2008 to 2018 (AU2), select Audi/Porsche models from and 2008 and up (AU3) - works with OL-RS-BA and OL-RS-VWA.
OL-ADS-THR-VW1 OL-ADS-THR-VW2- NEW	For select Volkswagen/Audi models from 2006 and up (VW1), select Volkswagen/Audi models from 2019 and up (VW2) - works with OL-RS-BA and OL-RS-VWA.

Lookup the latest vehicle compatibility at www.OmegaWeblink.com

Omegalink REMOTE START DATA MODULES WITH CUSTOM T-HARNESS



The Omegalink Data Start Modules/ Custom T-Harness kits will allow you to remote start vehicles from the OEM keyless entry transmitter to create an affordable "factory like" remote start system, eliminating the need for a traditional remote start system. Please note that some systems require an optional RF kit to control remote start functions. Optional RF kits and Linkr Telematics units can be added for increased operating range.

DATA START SYSTEMS

- Enables remote start from factory key fob (3XLOCK) on most models
- Advanced, fully integrated remote start technology
- No need to relinquish or purchase a costly key
- 'Plug and Play' wiring harness for non-invasive installation
- Compatible with long range remote controls and smart phone solutions sold separately

**COMPATIBLE WITH EXCALIBUR 'RFK' REMOTE KITS
& OMEGALINK 'OL-RF REMOTE KITS**

OEM INTEGRATION - PRODUCT INFORMATION





MAKE	PARTNUMBER	YEAR / APPLICATIONS	MASTER CARTON QTY	RF UPGRADEABLE	LINKR UPGRADEABLE
Mercedes-Benz Dodge Freightliner	OL-RS-BZ1	2006 - 2014 / 240+ Models	8	Yes	N/A
	OL-RS-BZ2	2003 - 2015 / 300+ Models	8	Yes	N/A
	OL-RS-BZ3	2008 - 2014 / 215+ Models	8	Yes	N/A
	OL-RS-BZ4	2012 - 2015 / 30+ Models	8	Yes	N/A
Chrysler Dodge Ram Jeep	OL-RS-CH4	2007 - 2017 / 215+ Models	8	Yes	Yes
	OL-RS-CH5	2005 - 2017 / 190+ Models	8	Yes	Yes
	OL-RS-CH10	2011 - 2021 / 250+ Models	8	Yes	Yes
	OL-RS-CH12	2011 - 2017 / 185+ Models	8	Yes	Yes
Ford Lincoln Mercury Mazda	OL-RS-F01	2006 - 2017 / 315+ Models	8	Yes	Yes
GM Chevrolet Cadillac Buick	OL-RS-GM2	2004 - 2012 / 100+ Models	8	Yes	Yes
	OL-RS-GM7	2010 - 2022 / 210+ Models	8	Yes	Yes
	OL-RS-GM10	2006 - 2017 / 515+ Models	8	Yes	Yes

Lookup the latest vehicle compatibility at www.OmegaWeblink.com

OMEGALINK DOORLOCK & IMMOBILIZER BYPASS MODULES

OMEGALINK Transponder and door Lock Interface Modules are the gateway to the vehicle's data networks. They're available in Doorlock/Convenience+Bypass models and Bypass Only models as external module or BLADE cartridges for the Excalibur AL-XX70-B remote start platform.

PART NUMBER	DESCRIPTION
OL-BLADE-AL64	CAN Door Lock & Transponder Interface With KLON Technology <ul style="list-style-type: none"> • Plug-in Cartridge • Now included in the RS-170-B64 <p>The OL-BLADE-AL-64 is a CAN BUS interface control module that has all OmegaLink Applications built into a slide-in cartridge. This solution allows for a cleaner installation, and is only compatible with Omega "BLADE" units.</p>
OL-BLADE-TB	CAN Transponder Interface With KLON Technology <ul style="list-style-type: none"> • Plug-in Cartridge <p>The OL-BLADE-TB is a Flashable Transponder bypass interface built into a slide-in cartridge. This solution allows for a cleaner installation, and is only compatible with Omega "BLADE" units.</p>
OL-MDB-ALL	CAN Door Lock & Transponder Interface With KLON Technology <p>Flashable Door lock & Bypass interface module. The OL-MDB-ALL also enables remote start from the factory key fob (3X LOCK) for many vehicles. Compatible with long range remote controls and smart phone solutions sold separately.</p>
OL-MIB-KO	Transponder Data Interface <p>Flashable Transponder bypass interface (NOTE: Bypass only).</p>
OL-MDB-GM1	Door Lock / Convenience With GM & Honda Transponder Interface <p>Flashable Door lock & Bypass interface module. It also controls various convenience features and supports transponder interface where applicable.</p>
OL-ADS-TBSL-VW1	Transponder Data Interface For Audi/VW Vehicles <p>Web-programmable for multiple vehicle makes and models from 2006 to present. Features a simple installation with most aftermarket remote car starter systems.</p>

ACCESSORIES			
PASS-4 "KEY IN THE BOX" UNIVERSAL TRANSPONDER INTERFACE KITS  <p>Universal Remote Start Transponder Interface with key sense shut-off for most vehicles (key required). New larger case capable of holding large headed keys with integrated OEM remote.</p>	OL-HRN-LINKR-ALL  <p>This adapter is required when adding Linkr-LT series smart-phone control modules to an OL-MDB-ALL using "RS Firmware"</p>	OL-ADSHRNSM01  <p>Adapter harness for DEI SmartStart for Data Start Systems (10 per pack)</p>	OL-ADSHRNSXL02  <p>Adapter harness for DEI RF Kits for Data Start Systems (10 per pack)</p>

NEXT GEN WEBLINK & KLON INTERFACE



NEW!

OL-USB-HUB

- Flashes all Weblink-compatible products
- Works with Weblink Desktop on PC and MAC
- Allows for streamlined workflow
- Updateable for future products and services
- Built-in key reader which expands KLON's potential and allows front-door cracks

NEW!



OL-RFID1

- Clones the OEM fob and communicates directly with the RFID module in the vehicle.
- Included in certain T-harness models.
- External accessory allows compatibility with blade-equipped starters and analog starters using external interface module.
- Requires OL-USB-HUB to program.

REMOTE KITS FOR 'OL-RS' SYSTEMS

3000FT RF KITS CONNECTS TO OMEGALINK, IDATALINK, AND FORTIN EVO ONE



OL-RF-52-SST



OL-RF-42-SST



OL-RF-32-SST



OL-RF-15-SST



OL-RF-12-SST

OL-RF-52-SST	Includes one 2-way, 5 button LCD remote, and one 1-way, 5 button remote, 3000ft max range. Supports lock, unlock, start, stop, trunk release, and AUX functions control.
OL-RF-42-SST	Includes one 2-way, 5 button remote, and one 1-way, 5 button remote, 3000ft max range. Supports lock, unlock, start, stop, trunk release, and AUX functions control.
OL-RF-32-SST	Includes two 1-way, 5-button remotes, 3000ft max range. Supports lock, unlock, trunk release, start, and stop control.
OL-RF-15-SST	Includes one 2-way, 1 button remote, and one 1-way, 1 button remote, 3000ft max range. Supports lock, unlock, start, and stop control.
OL-RF-12-SST	Includes two 1-way, 1 button remote, 3000ft max range. Supports lock, unlock, start, and stop control.

OMEGA PROLINE

KEYLESS ENTRY



REC-43T+

- Keyless Entry
- Trunk release output
- 3rd channel output
- Up to 500ft of range
- 100% copper harnesses

OMEGA PROLINE KEYLESS ENTRY

SECURITY ENTRY ALARM UPGRADE

**NOW COMPATIBLE WITH
REST-AT-NOTHING
SYSTEMS! SHOCK
SENSOR INCLUDED!**



AL-100-DP

- OEM Keyless Entry Alarm Upgrade
- Arms and disarms from OE remote via wire inputs or data port
- AU-84Tn dual zone shock included
- Data port for integration modules
- Ignition activated lock/unlock
- Passive arming
- Back-up battery port
- 3rd channel output (press lock, unlock, lock - programmable)
- Dual zone sensor port
- Anti-carjack modes

K-9 CAR ALARM

DELUXE SECURITY - DATA START UPGRADE



K9-CLASSIC-3

- 1500ft 4-Button 2-Way
- Deluxe Security
- Low/High Temp Auto Start (Optional Data Start Req'd)
- Low Voltage Auto Start (Optional Data Start Req'd)
- Simultaneous Horn Honk & Siren
- Up to 4 aux outputs

PREMIUM SECURITY

FULL FEATURED SECURITY



K9-MUNDIAL-6

- 500ft of Range
- Changeable transmitter inserts included
- 1 aux output
- Siren or horn output
- Pos. and Neg. light output
- 6-tone siren
- AU-84TM shock sensor
- Bright blue status light
- English/Espanol manual

Standard Features:

- 1 dual zone sensor port
- Dual zone shock sensor included
- Starter interrupt relay and socket
- Keyless entry
- Trunk release output
- Flashing light relay onboard
- Anti-hijack modes
- Carjacking protection
- Ignition controlled doorlocks
- Passive arming/locking
- 100% copper harnesses

K-9 CAR ALARM

SS3 PLATFORM

SS3 Platform



All items equipped with:

- Silent Arm/Disarm
- Human Panic Horn Honk Alert
- AU-84Tn Dual Zone Impact Sensor Included
- AU-73M Mini 6-Tone 20-Watt Siren
- Bright blue status light
- Supports Idatalink and DBI Protocols
- English/Espanol manual

DELUXE SECURITY



MUNDIAL-SSLA-3

- 500ft 4-Button 1-Way
- Full-featured Security and Keyless Immobilizer Mode
- Programmable Brake Lock
- 18 Programmable Features

**FEATURING BRAKE
LOCK CAPABILITY!**

K-9 CAR ALARM

FULL SECURITY PLATFORM

SS2 Platform

All items equipped with:



- Up to 500ft of range
- Up to 3 aux outputs
- Siren and horn outputs
- 6-tone siren included
- AU-84TM shock sensor
- 15 programmable features
- Bright blue status light
- English/Espanol manual
- 100% copper harnesses
- Anti-carjacking modes

powered by SS2 Platform

K9-Mundial-SSA-LA

500ft 4-Button 1-Way

2 Auxiliary Channel Output
Starter Kill Relay and Socket
Shock Sensor with Pre-warning
Port For External Dual Zone
Flashing Light Outputs



MUNDIAL-SS-LA

500ft 4-Button 1-Way

Full-featured Security and Keyless
Immobilizer Mode
18 Programmable Features



MUNDIAL-SSR-LA

500ft 4-Button 1-Way

Full-featured Security and Keyless
Immobilizer Mode
18 Programmable Features



K9-Mundial-SSX

500ft 4-Button 1-Way

Silent Arm/Disarm
2-Stage Disarm
ATV™
Easy Valet



140 Platform

All items equipped with:



- 8 programmable features
- Bright blue status light
- Siren and horn outputs
- 6-tone siren
- Built-in dual zone shock sensor
- English/Espanol manual

powered by 140 Platform

K9-170-LA

500ft 4-Button 2-Way

Keyless Entry / Security
1 auxiliary output



K9-160-LA

500ft 4-Button 2-Way

Keyless Entry / Security
1 auxiliary output



K9-150-LA

500ft 4-Button 1-Way

Keyless Entry / Security
1 auxiliary output



K9-140-LA

500ft 4-Button 1-Way Keyless

Entry / Security
1 auxiliary output





SECURITY ACCESSORIES

RELAYS & SOCKETS

AU-7 SPDT 30/40A Relay

General Purpose 30/40amp Single Pole Double Throw Relay.

AU-7-MINI Miniature Prewired SPDT 20/30 Relay

Mini relay with vacuum sealed construction for superior performance and longer life than standard relays. Prewired with 50cm long wires. Contacts have 18 AWG wires and coil triggers have 24 AWG wires. Ideal for extra ignitions, Ford parking lights, Kia/Hyundai style parking lights, extra ignitions, door locks, etc.

AU-SOCKET Starter Interrupt Socket

Pre-wired 3-wire relay socket for starter interrupt with 12" wires. (sold in bags of 5)

AU-SOCKET-5 Pre-wired Relay Socket

Universal pre-wired 5-wire relay socket with 12" wires. (sold in bags of 5)

SIRENS

AU-70CL4 High Volume Single/Multi-Tone Siren

Standard six tone, 80 watt siren. Cut loop to change to single tone.

AU-70SL Single/Multi-Tone Siren

Standard six tone, 20 watt siren. Cut loop to change to single tone.

AU-73M Multi-Tone Siren

Ultra compact six tone, multi-tone siren. Cut loop to change to single tone.

DOOR LOCKS/MISC

DS-2.4 Economy Gun-Style Doorlock Actuator

Converts manual doorlocks into power doorlocks for use with vehicle security systems. Two-wire reverse polarity operation; mounting hardware included.

DLS Doorlock Relay Socket

Pre-wired dual relay socket can be configured to operate 3-wire negative, 3-wire positive, and 5-wire reversal power doorlocking systems. Plugs into any Omega keyless entry system. Two SPDT relays are required.

DLP-P3 Doorlock Output Inverter

Pre-wired 3-pin doorlock plug converts negative doorlock outputs to positive doorlock outputs. Plugs into any Omega keyless entry system.

SENSORS

AU-46TD Dual Zone Digital Tilt Sensor

This dual zone sensor features 4 selectable tilt angles to trigger the sensor. It can also be configured for 3 second or 45 second arming delay. It has a 2 color LED to indicate the pre-warn and hard trigger zones.

AU-84TM Dual Zone Shock Sensor

Miniature dual zone impact sensor that utilizes a piezo crystal element. Has independent zone adjustment and indicator lights. Plug in to any Omega system.

AU-84TDPB Premium "DP" Dual Zone Magnetic Shock Sensor

Has the same features and performance as the AU-84Tn but it can connect to the system's black data port to upgrade all "Virtual Alarm" and "Alarm Equipped" remote start models.

AU-84Tn Premium Dual Zone Magnetic Shock Sensor

The AU-84Tn is a dual zone impact sensor that utilizes state-of-the-art Magnetic Impact Technology. Has independent zone adjustment and indicator lights. Direct plug in to any Omega security system.

SENSORS (CONTINUE)

AU-85Tn Dual Zone Magnetic Shock and Glass Break Sensor

Combines a broad spectrum impact sensor utilizing magnetic technology with an extra sensitive condenser microphone and sound discrimination circuit to detect glass tampering. Has independent zone adjustment and indicator lights. Direct plug in to any Omega security system.

AU-94TM Miniature Dual Zone Proximity Sensor

The AU-94TM is designed to provide both an internal (trigger) and external (pre-warn) zones of protection for the vehicle. Has independent zone adjustment and indicator lights. Direct plug in to any Omega security system.

AU-NCT Normally Closed Trigger Sensor

Detects normally closed triggers (like door triggers on many Ford vehicles) and is ideal for protecting belongings in vehicles, detecting trailer detachment, and more.

SWITCHES & LED's

22GT Toggle Style Valet Switch

Latching toggle switch that mounts through a 1/4" hole.

(sold in bags of 5)

22LC Surface Mount Valet Switch

Momentary push button with an adhesive foam backing for mounting to just about any flat surface. (sold in bags of 5)

24L Push Button Valet Switch

Momentary push button switch that mounts through a 1/4" hole. Compatible with all Omega systems. (sold in bags of 5)

AU-47 Pin Switch

Adjustable BCD pin switch. (sold in bags of 10)

BATTERIES

BAT-23A

12 volt replacement battery for Omega transmitters. (sold in bags of 5)

BAT-27A

12 volt replacement battery for Omega transmitters. (sold in bags of 5)

BAT-CR-2016

Thin profile, 3 volt, lithium transmitter battery. 2 required per transmitter. (sold in bags of 5)

BAT-CR-2032

Standard profile, 3 volt, lithium transmitter replacement battery for Omega transmitters. 1 required per transmitter. (sold in bags of 5)

BAT-CR-2450

Large profile, 3 volt, lithium transmitter replacement battery for Omega controllers. Up to 2 required per transmitter. (sold in bags of 5)

BAT-CR-2025

AGGRESSOR AIR HORNS

**CHROME
PLATED
BRASS!**



AH-300

The AH-300 is our original 3 tone train horn assembly. It has 10.5", 14.5", and 15" trumpets that features chrome plated brass construction. It is fitted with a 12 VDC switching solenoid 1/2" valve. Air line capable of handling up to 150 PSI is also included with all necessary mounting hardware. The AH-300BLK is the same design but constructed out of steel with a corrosion resistant black coating.

**CHROME
PLATED
BRASS!**



AH-D300+

The AH-D300+ is the same as the AH-300 but has a detachable style construction. With the addition of our braided air lines, you can disassemble each trumpet and mount them remotely from the manifold. This allows for installation in the most challenging of vehicles. Also equipped with a 1/2" valve

**CHROME
PLATED
BRASS!**



AH-250

The AH-250 is the ideal kit for anything from a compact car to a monster truck! It includes our dual horn assembly with 12" and 10" horns and our "can" style compressor. It comes with all necessary hardware and air line for a complete installation.



AH-300BLK

The AH-300BLK is the same design as the AH-300 but constructed out of steel with a corrosion resistant black coating for the same performance at a competitive price!



AC-2.0 MP

The AC-2.0 is our largest capacity air compressor yet! For use with any of our air horn assemblies.

- Operates on 12 VDC
- 150 PSI Output
- 2.50 CFM @ 0 PSI/13.8 volts
- 2.0 Gallon Tank
- Stainless Steel Braided Hose



AC-1.5 MP

The AC-1.5 is our high output air compressor for use with any of our air horn assemblies.

- Operates on 12 VDC
- 110 PSI Output Tank
- 2.03 CFM @ 0 PSI/13.8 volts
- 1.5 Gallon
- Stainless Steel Braided Hose



STR-F09

Universal 2 bulb kit

- Includes 2 bulbs - white LED's
- Mount bulb in headlight or surface mount on any vehicle panel
- Low or high power selectable
- Operates on +12 volt power supply
- 18 different flashing patterns
- Includes shielded extension cable
- Multiple kits can be wired in parallel
- Upgrade existing analog strobe ballast

STR-LED-BULB-W

- Replacement white bulb for STR-F09

SMARTPHONE CONTROL

Model:

LINKR-LT2



Linkr
MOBILE
from **OMEGA**

Key Features:

- Control & Confirm LOCK, UNLOCK, START, STOP, TRUNK, & Aux Functions
- View the vehicle's current location
- Displays remote start remaining run time
- NEW run time extender feature restarts the engine run time!
- Shows door locked/unlocked status
- Displays vehicle voltage and Linkr network connection strength
- Direct plug-in to Excalibur 70 series remote starts
- Direct plug-in to OmegaLink RS kits
- Alarm trigger alert
- Install as stand alone tracker (Only GPS instant locate and alarm alert is available)
- Supports iDatalink, Posse, Fortin, & DBI/Smartstart protocols
- Includes the 1st year of service (\$39 USD for the following year)
- Works in the USA, Puerto Rico, and roams in Canada

1st YEAR OF SERVICE INCLUDED!
NEW 4G LTE SPEED!
COVER 99% OF YOUR CUSTOMER'S
NEEDS FOR **HALF THE PRICE!**

powered by



**GET THE LINKR-LT
APP WITH YOUR
SHOP LOGO!**

Model:

RFK6000

Key Features:

- Connects via Bluetooth directly to the antenna and/or the long range remote
- True 2-way communication powered by LoRa™ technology
- Real-time Bluetooth® communication interaction with your smartphone with rapid response
- 2-way LED remote with over 1.5 miles of operating range
- Micro USB rechargeable Li-On battery (cable not included)
- Compatible with most digital remote start and security systems
- Compatible with android & iOS Smartphones - search "Connected SmartControl" in your app store.



NO SERVICE COST!
1.5 Mile RANGE SMARTCONTROL!



**GET THE CONNECTED
SMARTCONTROL APP WITH
YOUR SHOP LOGO!**

COMPATIBLE SYSTEMS

OMEGA BRANDS

EXCALIBUR

- Excalibur 70 series
(v1.4 FW or higher required)

OMEGALINK

- All "OL-RS" kits
- OL-MDB-ALL with RS Firmware

OMEGAEO

- OM-EVO-ALL with RS Firmware

CRIMESTOPPER

- RS-00
(LINKR-LT2 Only)
- RSx-G5
(LINKR-LT2 Only)
- SP402 / SP502
(LINKR-LT2 Only)
- RSx-G6

OTHER BRANDS

ADS iDatalink

- ALCA with RS Firmware
- HCx
- VWx
- BMx
- BZx
- AKX

ASTROSTART

- AF-D600

AUTOSTART

- ASD200
- ASD600

DIRECTED ELECTRONICS

- DBALL 2
- DB3
- 4X10 / 5X10
- DS4+

FORTIN ELECTRONICS

- EVO-ALL (LINKR-LT2 Only)
- EVO-ONE (LINKR-LT2 Only)

FIRSTTECH

- Compustar 7000 series
- Compustar 6000 series
- Compustar FT-xxx-DC
- Compustar FT-DC2 / FT-DC3

MIDCITY

- Midcity Smartkey Starter
(RFK6000 Only)
- All Modules With ADS Telematics Port
(Linkr Only)

Any System That Supports The iDatalink Telematics Protocol



MODEL: LINKR-MBT

NEW!

Model:

LINKR-MBT

Key Features:

- Bluetooth connection provides up to 200ft of high speed range.
- Quickly configure features on compatible systems
- Update system firmware while installed on compatible systems
- Control and Confirm LOCK, UNLOCK, START, STOP, TRUNK, and Aux Functions
- Displays remote start remaining run time
- Run time extender
- Shows door locked/unlocked status
- Displays vehicle module bluetooth signal strength
- Control and configure any Excalibur 70 series remote starts
- Control and configure any Crimestopper G6 series remote starts
- Control OmegaLink RS, FlashLogic, ADS data start kits (no programming)
- Uses iDatalink protocol and Omega diagnostics protocol
- No service contracts!



SYSTEM COMPATIBILITY FOR LINKR-MBT OMEGA BRANDS

EXCALIBUR

- Excalibur 70 series v1.6+ FW - Full Functionality

OMEGALINK

- All "OL-RS" kits - Control Only
- OL-MDB-ALL with RS Firmware - Control Only

CRIMESTOPPER

- RS-00 - Control Only
- RSx-G5 - Control Only
- SP402 / SP502 - Control Only
- RSx-G6 - Full Functionality

Join our Team!

CAREER OPPORTUNITIES AVAILABLE

Call Lesco or fax your resume



LESCO DISTRIBUTING INC.

1203 East Industrial Dr., Orange City, FL 32763

Sales: 800-444-8896

Local: 386-775-7244

2310 Foundation Drive, South Bend, IN 46628

Sales: 800-348-2888

Local: 574-251-4980

2134 NW 99th Ave, Doral, FL 33172

Sales: 800-327-2830

Local: 305-593-6131

1628 West Crosby Road, Suite 115, Carrollton, TX 75063

Sales: 800-527-2939

Local: 972-446-1605