

10.5 IN SINGLE-DIN FLOATING DISPLAY MECHLESS DIGITAL MEDIA RECEIVER

DDX10.5AD

- 10.5" (Wide 16:9) Full HD (1280x720 pixels) Single-Din touchscreen to maximize your viewing and allow perfect fit modular mounting.
- Android 10 System with 4+64 GB of memory
- Full 14 Band EQ and Subwoofer LPF
- Built in , Aux, SD Reader (64GB), 1.5a USB charging, AUX Input, AM/FM Tuner, and USB connections 3 (1 front and 2 rear)
- HDMI Outputs for full size monitor use
- Wireless remote control for easy operation.
- RCA inputs so you can view external sources video easily via source.
- Multi Colored Backlit Keys for easy use in dim settings
- MIC in options for easy phone operation and built in controls.
- Camera (front/rear) Inputs included so you can plug and play most types of back up cameras.
- Mech-Less
- Apple and Android compatible with mirror link.
- BT Mic included.
- Built in Navigation and antenna.
- 6v 8 channel Pre output.
- Steering Wheel controls compatible with most vehicles.



6.9 IN TOUCHSCREEN MECHLESS DOUBLE-DIN DIGITAL MEDIA RECEIVER

DDX6.9CP

- 6.9-inch (16:9) 1080p (1024x600 pixels) double din touchscreen to maximize your viewing in a small space.
- Full 10 Band EQ
- 4v preamp outputs (SUB / FRONT / REAR)
- Built in Apple Car Play, Mirror Link, Wi-Fi, Aux, SD Reader (64GB), 1.5a USB charging, AUX Input, AM/FM Tuner, and USB connections (1 front and 2 rear)
- Wireless remote control for easy operation.
- RCA inputs so you can view external sources video easily via source.
- MIC in options for easy phone operation and built in controls.
- APP control with the DS18 DDXRC app easily found on Google Play or the Apple store.
- Camera Inputs included so you can plug and play most types of back up cameras.
- Apple and Android compatible.



SINGLE DIN DIGITAL MEDIA RECEIVER MECHLESS PLAYER

SDX1

- Mech-less Single Din USB/BT Receiver
- Single Din Perfect Fit Mounting
- FM Radio: 18 Memory Locations
- Source: USB, SD, BT Reader / Streamer
- Supported Media Files: MP3, WMA, FLAC, MAV
- Remote control: Infrared
- RGB: 7 Selectable Colors
- Display: 3" VA White Backlit
- Power: 50 x 4 Watts Max
- Equalizer: 2 Bands with Adjustable Bass, Treble, and Subwoofer
- Pre-amp output: 7v
- Inputs: USB, SD, BT, Front AUX



MARINE AND POWERSPORTS WATERPROOF UNIVERSAL BLUETOOTH STREAMING DIGITAL MEDIA RECEIVER

BTRC-SQ

- Easily mountable without taking up a lot of space.
- Multiple outputs to make it connectable to most amplifiers and devices
- BT connectivity to your phone or tablet for stress free streaming or music playback.
- AUX input and USB slot is provided.
- 1A charging to keep your device charged while streaming if connected via USB.



RGB LED LIGHT BLUETOOTH CONTROL

LED-BTC

- BT 4.0 (Faster speed & longer range)
- iOS - Connect up to 7 controllers
- Android - Connect up to 4 controllers
- 5 amps of lighting
- Waterproof IP65 rated
- 12 volt applications



SXE SERIES AMPLIFIERS

DS 18's SXE Amplifier Series was designed for enthusiasts looking for an extreme increase to the quality of audio reproduced by their vehicle. The SXE Series offers you the ability to shape your systems audio to match your personal preferences. Its fully variable crossover, adjustable gain input sensitivity, and multi-channel amplifier design allows you to fine-tune your audio, ensuring every beat, melody, and lyric is reproduced with astonishing accuracy. The compact size of the SXE Series enables easy installation anywhere in your vehicle, making it a versatile companion for your custom audio setup. Immerse yourself in a customized soundstage that complements your unique style.



Item Number	Class	Channels	4 OHM Power	2 OHM Power	1 OHM Power	Color	Dimensions L x W x H
SXE-1200.4/BK SXE-1200.4/RD	AB	4	4 x 60W	4 x 100W	1200W	Black	9.81 x 5.51 x 1.88
						Red	
SXE-2500.1D/BK	D	1	300W	600W	800W	Black	9.75 x 7.75 x 3.25
SXE-3000.4D/BK SXE-3000.4D/RD	D	4	200W x 4	320W x 4	N/A	Black	11.75 x 7.75 x 3.25
						Red	
SXE-4000.4D/BK SXE-4000.4D/RD	D	4	430W x 4	275W x 4	N/A	Black	12.5 x 7.75 x 3.25
						Red	

X SERIES AMPLIFIERS

Small and compact amp putting out amazing power for its size. Perfect for vehicles with very little to no room to mount large amplifiers. Perfect for motorcycles looking to put an amp or two in their Ferring. Great For: Motorcycle Audio, Pro Audio, Car Audio, Marine Audio, Powersports Audio, Jeep Audio



Item Number	Class	Channels	4 OHM Power	2 OHM Power	1 OHM Power	Color	Dimensions LxWxH
X4	D	4	220W x 2	70W x 4	140W x 4	Black	6.5 x 3.75 x 2
X1	D	1	140W	220W	300W	Black	6.25 x 5.5 x 2

CLASS D 4-CHANNEL STEREO FULL RANGE CAR AUDIO AMPLIFIER

ZR800.4D

• Digital Class D Full Range Amp • MAX Wattage: 3600 Watts Peak • RMS Wattage: 2 x 600 Watts RMS @ 4-Ohms Bridge, 4 x 320 Watts RMS @ 2-Ohms, 4 x 200 • Watts RMS @ 4-Ohms • Frequency Response: 20Hz – 20KHz • Signal to Noise Ratio: >90dB • Efficiency at 4-Ohms: 88% • Total Harmonic Distortion: 1% • Input Range: 0.2v - 6v • Selectable X-Over: FULL/LPF/HPF • LED Indicator: Clipping, Power, Protect • Power and Ground Terminal: 4 Ga • Minimum Impedance: 2 Ohms (Stereo) / 4 Ohms (Bridge)





CO-AXIAL SPEAKERS WITH KEVLAR CONES

ZXI-694	DS18 PR 6x9IN 2-Way Coaxial Speakers with Kevlar Cone 360 Watts 4-Ohm
ZXI-654	DS18 PR ZXI 6.5IN 2-Way Coaxial Speakers with Kevlar Cone 240 Watts 4-Ohm
ZXI-574	DS18 PR ZXI 5x7IN 2-Way Coaxial Speakers with Kevlar Cone 210 Watts 4-Ohm
ZXI-5254	DS18 PR ZXI 5.25IN 2-Way Coaxial Speakers with Kevlar Cone 180 Watts 4-Ohm
ZXI-44	DS18 PR ZXI 4IN 2-Way Coaxial Speakers with Kevlar Cone 150 Watts 4-Ohm
ZXI-354	DS18 PR ZXI 3.5IN Full-Range Speakers with Kevlar Cone 120 Watts 4-Ohm



COAXIAL SPEAKERS

G6.9XL	DS18 PR GEN-X 6x9IN 4-Way Coaxial Speakers 180 Watts 4-Ohm
G6.5CX	DS18 PR GEN-X 6.5IN 2-Way Component Speaker System 150 Watts 4-Ohm
G6.5XL	DS18 PR GEN-X 6.5IN 3-Way Coaxial Speakers 150 Watts 4-Ohm
G5.7XL	DS18 PR GEN-X 5x7IN 3-Way Coaxial Speakers 165 Watts 4-Ohm
G5.25XL	DS18 PR GEN-X 5.25IN 2-Way Coaxial Speakers 135 Watts 4-Ohm
G4.6XL	DS18 PR GEN-X 4x6IN 2-Way Coaxial Speakers 135 Watts 4-Ohm
G4XL	DS18 PR GEN-X 4IN 2-Way Coaxial Speakers 120 Watts 4-Ohm

SUBWOOFERS

GEN-X124D	DS18 GEN-X 12IN Subwoofer 900 Watts Dvc 4-Ohm
GEN-X104D	DS18 GEN-X 10IN Subwoofer 800 Watts Dvc 4-Ohm



SHALLOW SUBWOOFERS

IXS12.4D	DS18 EA IXS Shallow 12IN Subwoofer 1600 Watts Dvc 4-Ohm
IXS10.4D	DS18 EA IXS Shallow 10IN Subwoofer 1200 Watts Dvc 4-Ohm



SRW SUBWOOFERS

SRW bass series was made to produce great bass within a shallow sub frame exceeding most other subs volume while also coming in at an amazing price point. Large surround with flexible spider packs will help the CCA voice coil teach maximum xmax producing full and deep bass with a up to spec box. Shallow mount size will let you fit this sub in compact places and requires less box space than other subs its size giving you many options in which to place it.

Item Number	Size	RMS/Peak Power	Impedance	Magnet
SRW8.4D	8"	150W/300W	4+4 OHMS	32 oz.
SRW12.4	12"	220W/440W	4 OHMS	45 oz.
SRW10.4	10"	200W/400W	4 OHMS	45 oz.



ZR SERIES SUBWOOFERS

The ZR subline is a great entry level subwoofer that both handles great power and gives you smooth clean bass. These subs work great in both sealed and ported boxes giving you many options for placement in any vehicle.

Item Number	Size	RMS/Peak Power	Impedance	Magnet
ZR12.4D	12"	750W/1500W	4+4 OHMS	100 oz.
ZR10.4D	10"	700W/1400W	4+4 OHMS	100 oz.



375 WATT 8 IN 2-WAY MARINE WATER RESISTANT SPEAKERS WITH INTEGRATED RGB LED LIGHTS

NXL-8

- 8" • RMS Power: 125W • MAX Power: 375W • Magnet Type: Y35 Ferrite Main Magnet & Reverse Neodymium
- Sensitivity: 93dB at 1 w/m • Nominal Impedance: 4 ohm • Frequency Response: 35Hz - 23KHz • Mounting Depth: 3.11"/79mm • Cut-out Diameter: 7.09"/180mm • Overall Diameter: 8.58"/218mm • Overall Height: 4.45"/113mm
- Tweeter Size: 25mm Titanium Dome PEI Surround • Integrated RGB LED lighting • IP65 Marine Grade Compliant Specifications
- 100% UV Stable • High Temp Injection molded composite • High gloss injection molded composite • ASA grills with UV coating



120 WATT 1.92 IN SILK DOME TWEETERS

CXT

- 1.9 inch overall diameter with a 1 inch voice coil is designed to make crisp and bright high frequencies with maximum loudness for your system. • Small design makes it easy to mount and even easier to pair together for great looks and easy installations. • Power rating of 30w AES and 120 peak which will allow the high frequencies to play with authority.



WHEEL WELL SUBWOOFER ENCLOSURE 10 IN SEALED LEFT AND RIGHT SIDE FOR JLU JEEPS

JL-SUB10/LR

- Fits 10" Subwoofer (DS18 CF-10SUB Recommended) • Injected High Density ABS • UV Protected and All Elements Ready • Lightweight and Strong Material • Mounting Bracket and Hardware Included • 1 Meter 6 Core Input Wire (Speaker input and RGB) • Internal VOL Area : 0.5 CuFt/14L



TAILGATE PLATINUM PACKAGE FOR JEEP JT,JK,JL

JMID

• High strength plastic mold injected enclosure for two flat mount 10 inch midrange speakers and two tweeters. • Easily mountable on the rear gate of your JT, JK, or JL Jeep saving you space while getting maximum loudness. • High powered amplifier especially picked to perfectly match the power needs of your setup with included amp kit. • RGB LED lights included on the ensure grill to give you a nice aesthetic ambience to match your theme or existing light setup. LED-BTC controller included so you can easily change the colors with your phone **PACKAGE INCLUDES:** J-MID Unloaded Enclosure Box • For Proper Use, Space Saving Install on Tailgate • Size: D x W x H : 28.74" (730mm) / 13.77" (350mm) / 5.9" (150mm) • 6 Core 1.5m Input Wires for RGB, Midrange Speakers and Tweeters 2x PRO-X Series 10 inch. • Kapton voice coil • 4 or 8 Ohms • 600-800 w MAX. 2x PRO-TW120/ PRO-TWX1 • 4 Ohms • 240w Max • 1" Voice Coil • Available in black or silver 1x GEN-X FULL RANGE CLASS AB 4 CHANNEL AMPLIFIER • 4 channel amplifier 1X LED-BTC • Module that will allow you to control lights via Bluetooth • RGB lights will allow you to make any color 1x AMPKIT • Power, Ground, RCA and All Wires and Accessories Need to Run In Your Jeep • CCA Wires



DOWN FIRE SUBWOOFER ENCLOSURE 2 X 12 IN PLEXIGLASS AND LED LIGHTS FOR JKU,JLU JEEPS

JSUB.2

• Fits Any DS18 12" Subwoofer • Dream RGB LED Light built-in • Acrylic Viewing Window for the Subwoofers • The Mounting Bracket for JKU & JLU Is Included • 2m Dream RGB Input Wires • Speaker Connect Wires Included • Angle Mounting "L" Bracket Included • Black Textured Paint MDF Enclosure • Internal Vol Area: 3.2 Fr3/ 90.6 L • Port Tune: 35hz



OVERHEAD SOUND BAR SYSTEM FOR JL/JLU/JT GLADIATOR JEEPS

JL-SBAR/BK

• Made by High Strength Plastic Injection Molding Guaranteeing Very High Strength and Durability. • Made to Hold (4) 8" Speakers and (4) 3.72" Large Tweeters. • Drop In Installation Only Requiring Very Minor Trimming of the Panels and Mounting Tab. • Included DS18 LED-RGB Lights to Match Your Rock Lights or Existing RGB Lights for A Great Show Look. • 8" Speaker Mounting (Fits Any DS18 8" Speaker) • 3.72" Tweeter Mounting • 10.5 cm Max Speaker Depth • High Density Plastic Molded with Color Injected • UV Protected and All Elements Ready • Light Weight and Strong Material • O.E.M Fit



TAIL GATE SUBWOOFER ENCLOSURE 2 X 10 IN FOR TJ/JK/JKU/JL/JLU JEEPS

JBASS

• Mounts 2 x 10" Subwoofer (DS18 IXS10.4D 10") • Mounting Hole Diameter: 234mm (9.21") • For Proper Use, Space Saving Install on Tailgate • Size: D x W x H : 28.74" / 13.77" / 5.9" mm • 6 Core 1.5m Input Wires for RGB and Woofer Speakers



PLUG AND PLAY HARNESS FOR JEEP JL SOUND BAR AND AMPLIFIER

JL-HARNESS

• Plug and play design that allows for hassle free installation without manual cutting or splicing. Color coded for easy installation and the supplied brackets will secure the unit firmly to the chassis.

