

AQUATIC AV[®]

products with a watertight reputation



M A R I N E E N T E R T A I N M E N T

MARINE STEREO




MP6 Shallow Mount Marine Stereo

The MP6 fits existing DIN size mounting holes and highlights over 15 features. Starring its ultra-shallow mounting depth of only 107mm, the MP6 is easier than ever to install in any environment.

- Bluetooth Audio enabled
- USB playback & charging
- DAB+ Ready*
- Blue Monochrome TFT display
- 288W max power (4x 72W)
- 1x pair RCA pre-outs (2V)
- 1x pair RCA auxiliary inputs
- Clock display mode
- 4 & 2 Ohm stable
- 1x 3.5mm jack input
- Rotary Knob control
- AM/FM radio with 30 presets
- DSP EQ
- Bass/Treble
- Balance/Fader
- 2x 12V Triggers
- Waterproof IP65
- Silicon faceplate cover (included)

*Requires Aquatic AV DAB+ receiver and antenna (sold separately)



Only 107mm mounting depth required!



Works with:
WR6 Wired Remote
RF6 KIT Handheld Remote
(sold separately)



CP6 Compact Marine Stereo

The CP6 has a compact design, perfect for installations with limited space. Despite its petite size, the power and functionality expected from Aquatic AV is not compromised.

- Bluetooth enabled
- USB playback & charging
- DAB+ Ready*
- Blue Monochrome TFT display
- 288W max power (4x 72W)
- 1x pair RCA pre-outs (2V)
- 1x pair RCA auxiliary inputs
- 4 & 2 Ohm stable
- 1x 3.5mm jack input
- Clock display
- Variable Brightness
- Rotary Knob control
- AM/FM radio with 30 presets
- 2x 12V Triggers
- Waterproof IP65
- Silicon faceplate cover (included)

*Requires Aquatic AV DAB+ receiver and antenna (sold separately)

MP5+ Marine Stereo

With all the features of the MP5 base model plus some additional perks including a color LCD display and search feature accessible when connected to an Apple product or USB drive, the MP5+ Stereo is an industry leader in watertight audio solutions.

- Bluetooth Audio enabled
- Sirius XM Ready*
- AM/FM radio with 30 presets
- USB playback & charging
- DAB+ Ready*
- 3" Color LCD Display
- 288W max power (4x 72W)
- 2x pair RCA pre-outs (4V)
- 1x RCA sub-out
- 1x pair RCA auxiliary inputs
- 1x 3.5mm jack input
- Clock display mode
- Variable brightness
- 4 & 2 Ohm stable
- Rotary Knob control
- DSP EQ
- Bass/Treble
- Dual Zone/Dual Source
- Balance/Fader
- 2x 12V Triggers
- Waterproof IP65
- Silicon faceplate cover (included)

*Requires Aquatic AV DAB+ receiver and antenna (sold separately)

**Requires Sirius XM radio subscription (sold separately)



Works with:
WR6 Wired Remote
RF6 KIT Handheld Remote
(sold separately)



Works with:
AQ-WR-5F Wired Remote
(sold separately)



MARINE STEREOS

BC6 MINI BlueCube Mini 'Hide-Away' Marine Stereo

The BC6 MINI marine stereo is designed to be installed completely hidden away and out-of-sight. Wirelessly connect via Bluetooth to stream and control your music directly from your Bluetooth enabled smartphone or MP3 device.

- Bluetooth Audio enabled
- 1x pair RCA auxiliary inputs
- 1x pair RCA pre-outs (2V)
- Halo Aerial Technology
- Waterproof IP65
- 288W max power (4x 72W)
- 4 & 2 Ohm stable
- Electronic Crossover
- Waterproof IP65
- Handheld Remote Control (sold separately)
- DSP EQ*
- Virtual Bass (VBass)*
- Bass/Treble*
- Balance*
- 2x 12V Triggers*
- Charges Remote Control via USB cable*



* Features unlocked with Remote Controls WR6 and RF6 KIT (both sold separately)





Works with:
WR6 Wired Remote
RF6 KIT Handheld Remote
(sold separately)



GP1 Gauge Size Marine Stereo

The new GP1 is our smallest marine stereo yet, designed to sit alongside standard dash gauges, but still packing a serious Aquatic AV feature set.

- Bluetooth enabled
- USB playback & charging
- DAB+ Ready*
- Blue Monochrome TFT display
- 288W max power (4x 72W)
- 1x pair RCA pre-outs (2V)
- 1x pair RCA auxiliary inputs
- 4 & 2 Ohm stable
- Clock display
- Variable Brightness
- Rotary Knob control
- AM/FM radio
- Waterproof IP65

*Requires Aquatic AV DAB+ receiver and antenna (sold separately)







BC6 BASIC BlueCube 6 Basic 'Hide-Away' Marine Stereo

The discreet design of this waterproof stereo makes it the perfect choice for boats and other environments where water and/or chemicals may pose a hazard to traditional audio equipment. With a 288 Watt amplifier and the ability to power up to 8 speakers/subwoofers at once, the BlueCube 6 Basic Hide-Away Stereo provides a high-quality and relaxing listening experience without interfering with the aesthetic of its environment.

- Bluetooth Audio enabled
- 1x pair RCA pre-outs (4V)
- Waterproof IP65
- 288W max power (4x 72W)
- 4 & 2 Ohm stable
- Electronic Crossover
- Waterproof IP65





BT1 All-Terrain Bluetooth Stereo

The BT144 All-Terrain Bluetooth Stereo is the ultimate in compact, durable audio for any adventure. Designed to fit into small installation environments, including ATVs, UTVs, golf carts, marine environments, and more, the All-Terrain Stereo saves space by omitting a traditional display.

- Bluetooth enabled
- Compact screenless design
- 100W max power (4 x 25W)
- 1 x stereo pair RCA (2V)
- 4 Ohm stable
- Backlit button navigation
- 2 x 12V Triggers
- Waterproof IP65






COMBINED STEREO SUBWOOFER SYSTEMS

SWA6 Series Combined Stereo Subwoofer System

The SWA6+, SWA6 and SWA6 MINI Combined Stereo Subwoofer Systems include a built-in 288W amplifier with full-range speaker outputs.

Simply connect regular speakers direct to the subwoofer and connect your smartphone or MP3 device wirelessly over Bluetooth and you're done. No additional stereo or amplifier required!



SWA6+

Built-in Amplifier Specification

- Bluetooth enabled
- USB playback
- Device charging via USB
- FM radio
- 2x RCA inputs
- 2x speaker outputs
- 288W max power (144W full range, 144W subwoofer)
- 4 Ohm & 2 Ohm stable

- Electronic cross-over
- 125-20,000Hz frequency response
- 12V Trigger
- Virtual Bass (VBass)
- Bass/Treble
- Balance
- Loudness
- RF6 Handheld Remote Control (included)

Subwoofer Specification

- 8" cone
- Tuned Port
- 144W max power
- 26-125Hz frequency response

SWA6 & SWA6 MINI

Built-in Amplifier Specification

- Bluetooth enabled
- Device charging via USB
- 2x RCA inputs
- 2x speaker outputs
- 288W max power (144W full range, 144W subwoofer)
- 4 Ohm & 2 Ohm stable

- Electronic cross-over
- 125-20,000Hz frequency response
- Remote Control Ready (RF6 KIT sold separately)

Subwoofer Specification

- 8" cone
- Tuned Port
- 144W max power
- 26-125Hz frequency response



Works with:
WR6 Wired Remote
RF6 Remote & Charging
Cable (sold separately)



Works with:
WR6 Wired Remote
RF6 KIT Handheld Remote
(sold separately)



MARINE SPEAKERS & SUBWOOFERS

Elite Series Marine Speakers & Subwoofers

The Elite Series speakers and subwoofers represent the pinnacle of our marine speaker range. The audio quality of these speakers is simply outstanding!

Featuring high-quality RGB LEDs to provide any color of cone illumination you choose*. Fully waterproof, salt/fog and UV protected for use in the harshest of marine environments.

Elite 6.5" Speakers

- Full range, co-axial Speaker
- RGB LED cone illumination
- 6.5" cone
- 25mm tweeter
- 240W total power (2x 120xW)
- 120W RMS power (2x60W)
- 55-20,000Hz frequency response
- 4 Ohm impedance

*Requires RGB LED controller (RG100 sold separately).



Matte White



Matte Black

Elite 10" Subwoofer

- RGB Color Illumination
- 10" Cone
- 600W total power
- 300W RMS power
- 51-500Hz frequency response
- 4 Ohm impedance
- Works with the Aquatic AV App

*Requires RGB LED controller (RG100 sold separately).



Matte White



Matte Black



Pro Sport Series Marine Speakers & Subwoofer

The new PRO Sport RGB marine speakers and subwoofers deliver outstanding audio quality.

The stylish matte black sport grill with multi-color LED lighting will accentuate your boating experience, providing illumination of the speaker cone in any color you choose.*

Pro Sport Speakers

- 6.5" RGB Speaker
- 120W max / 60W RMS
- Waterproof
- 60-20,000Hz frequency response
- 4 Ohm impedance
- UV & Salt/Fog Resistant
- RGB cone illumination
- Matte Black color
- Fixed Grill included

*Requires RGB Controller (RG100 sold separately).



Pro Sport Subwoofer

- 10" RGB Subwoofer
- 400W max / 300W RMS
- Classic Wave logo badge
- Up to 1,000Hz frequency response
- 4 Ohm impedance
- Multi-Environment Protection
- Durable with santoprene surround and ferrite magnet

*Requires RGB Controller (RG100 sold separately).



MARINE SPEAKERS & SUBWOOFERS

Pro Classic Series Marine Speakers & Subwoofers

The new Pro Classic series speakers and subwoofer feature a traditional grill-style, customizable lighting via the RGB Controller, and our Aquatic AV logo badge.

This series is perfect for marine, sport, and other environments where water and other environmental conditions could pose a hazard to traditional audio equipment

Pro Classic 6.5" Speakers

- Classic grill with Aquatic AV classic logo
- Multi-Environment protection
- 60-20,000 Hz frequency response
- 4 Ohm impedance
- 2 color sets
- RGB Color Illumination
- 120W max power / 60W RMS

*Requires RGB LED controller (RG100 sold separately).



Gloss White



Matte Black



Gloss White



Matte Black

Pro Classic 10" Subwoofer

- Classic grill with Aquatic AV classic logo
- Multi-Environment protection
- 35-1,000 Hz frequency response
- 4 Ohm impedance
- 2 color sets
- RGB Color Illumination
- 400W max power / 300W RMS

*Requires RGB LED controller (RG100 sold separately).



Economy Series Marine Speakers

The 6.5" marine speakers are robust, durable, and designed to withstand the harsh conditions associated with use in marine applications.

These marine-grade quality speakers will provide excellent sound and are built to last.

Economy 6.5" Speakers

- Full range, co-axial Speaker
- 6.5" cone
- 13mm tweeter
- 160W total power (2x 80W)
- 80W RMS power (2x 40W)
- 83-20,000Hz frequency response
- 4 Ohm impedance
- Removable grill



Matte White



Matte Black

SWP8 Passive Subwoofer

Our traditional passive subwoofer features the same cabinet and tuned port design as our active combined stereo subs for outstanding low frequency performance. Requires amplification from a marine stereo or marine amplifier.

- Compact Subwoofer
- Tuned Port
- 8" cone
- Dual voice coil
- 100W max power
- 26-125Hz frequency response
- 4 Ohm impedance



MARINE AMPLIFIERS

Shockwave Technology Marine Amplifiers

Aquatic AV's Shockwave Technology amplifier brings together outstanding sound quality, high-performance characteristics and unprecedented reliability for the marine environment.

Completely sealed and with conformal coated PCBs these fully waterproof (rated IP65) amplifiers deal with the toughest marine conditions.

AD600.5 5/4/3 Channel Marine Amplifier

- 5/4/3 channel amplifier
- 600W max power
- 10-20,000Hz frequency response
- Digital (Class D) technology
- Waterproof IP65
- 5x RCA inputs
- 5x speaker inputs
- Bridge Mode
- Bass Boost (0-18dB @ 50Hz)
- Variable Gain Control
- 4 Ohm & 2 Ohm stable
- 4x 50W + 1x 200W (4 Ohms)
- 4x 75W + 1x 300W (2 Ohms)
- 2x 150W (4 Ohms - bridged)



AQ-AD500.4 4/3/2 Channel Marine Amplifier

- 4/3/2 channel amplifier
- 600W max power
- 20-20,000Hz frequency response
- Class D (Digital) Amplifier
- Waterproof IP67
- 4x Low-Level (RCA) inputs
- 4 Ohm & 2 Ohm stable
- Bridge Mode
- 4x 100W max power (4 Ohms)
- 4x 150W max power (2 Ohms)
- Subwoofer Cross-Over



AQ-AD300.2-MICRO 2 Channel Marine Amplifier

- 2 channel amplifier
- 300W max power
- 10-45,000Hz frequency response
- Digital (Class D) technology
- Waterproof IP65
- 2x RCA inputs
- 4 Ohm & 2 Ohm stable
- Bridge Mode
- Electronic Cross-Over (40-400Hz)
- Bass Boost (0-12dB)
- 2x 150W max power (2 Ohms)
- 2x 100W max power (4 Ohms)
- 1x 300W max power (4 Ohms - bridged)



MARINE REMOTE CONTROLS

RG100 Aquatic AV RGB Controller

Control the colors and display modes of all your RGB devices remotely. Paired together with the Aquatic AV App, the Aquatic AV RGB Controller unlocks many possibilities for customization. Works best with Aquatic AV devices.

- 5A/60W Total Power
- Connect up to 32 devices*
- Waterproof
- 12V
- Compatible with the Aquatic AV App

*Might require additional accessories



WR6 Wired Marine Remote Control

Control your stereo remotely while viewing song, track and other system information on the back-lit LCD screen. For use with Aquatic AV 6-series marine stereos.

- Flush mount design
- LCD screen
- Polished Stainless Steel Bezel
- Waterproof IP65 & CFR46
- UV & Salt/fog resistant
- Requires extension cable: AQ-EXT-3, AQ-EXT-12, AQ-EXT-14 or AQ-EXT-24 (all sold separately)



RF6 KIT / RF6 REMOTE & CHARGING CABLE Handheld Marine Remote Control

Control of your system remotely while viewing song, track and other system information on the back-lit LCD screen. For use with Aquatic AV 6-series marine stereos.

- Floating design
- LCD screen
- 40ft range
- Waterproof IP66
- UV & Salt/Fog resistant
- Polymer Lithium battery
- RF6 KIT includes Handset, RF Receiver and USB Charging Cable
- RF6 REMOTE & CHARGING CABLE includes Handset and USB Charging Cable



MARINE KITS



PRO Classic Speakers/Amplifier Kit

The PRO Classic Speakers/Amplifier kit includes:

- 2 pairs of PRO Classic 6.5" Speakers in black or white
- PRO Classic 10" Subwoofer in black or white
- AD500.4 4-Channel Amp
- RG100 RGB Controller
- Y Splitter



ELITE Stereo/RGB Speaker Kit

The Elite Stereo/RGB Speaker Kit includes:

- MP5+ Marine Stereo
- AD600.5 5-Channel Amp
- 2 pairs of Elite 6.5" Speakers in black or white
- Elite 10" Subwoofer in black or white
- RG100 RGB Controller
- Y Splitter



PRO Sport Speakers/Amplifier Kit

The PRO Sport Speakers/Amplifier kit includes:

- 2 pairs of PRO Sport 6.5" Speakers
- PRO Sport 10" Subwoofer
- AD500.4 4-Channel Amp
- RG100 RGB Controller
- Y Splitter



PRO Sport Stereo/RGB Speakers Kit

The PRO Sport Stereo/RGB Speakers Kit includes:

- CP6 Compact Stereo
- 2 pairs of PRO Sport 6.5" Speakers
- RG100 RGB Controller



Economy Gauge Stereo/Speakers Kit

The Economy Gauge Stereo/Speakers Kit includes:

- GP1 Gauge Stereo
- 2 pairs of Economy 6.5" Speakers in black or white



Classic Stereo/RGB Speakers Kit

The Classic Stereo/RGB Speakers Kit includes:

- CP6 Compact Stereo
- 2 pairs of PRO Classic 6.5" Speakers in black or white
- RG100 RGB Controller



GP1 Essentials Kit

The GP1 Essentials Kit includes:

- GP1
- 6.5" Economy Speaker (White) (1 pair included)



MP6 Essentials Kit

The MP6 Essentials Kit Includes:

- MP6
- 6.5" Economy Speaker (White) (1 pair included)

LK101 / LK102 LED Lighting & Photosensor Kit

The LED Lighting & Photosensor System includes:

- Photosensor Control (AQ-PHSEN-AAV)
- Photosensor (AQ-PHCON-AAV)
- 10 Blue or White LEDs (AQ-PHLED-2B / AQ-PHLED-2W)
- 10 LED Holders with Stainless Steel Mounting Bezels



ACCESSORIES



AQ-ANT-1

AM/FM Di-pole antenna. For use with marine stereos. 135cm length.



AQ-AUX-4

USB and 3.5mm input socket. Splashproof with sealed cover. 135cm length.



AQ-EXT-3.5

3.5mm Jack-Jack cable for MP3 players. 21cm length.



AQ-EXT-3/12/14/24

Wired Remote Control extension cables. Available in 3ft, 12ft, 14ft & 24ft lengths.



AQ-UNH-2

Wiring harness for use with marine stereos. 20cm length.



AQ-USB-1

USB input socket. Splashproof with sealed cover. 160cm length.



AQ-Y-1

Wired Remote Control splitter cable. Allows connection of multiple wired remotes.



DAB+

DAB+ Digital Radio aerial connector. Includes DAB+ receiver and antenna.



CB103

RGB Universal JST Adaptor. Converts DIN to JST connector.



CB104

Universal RGB converter cable Adaptor. Converts DIN to 4 wire for RGB.



CB105

RGB 12ft/3.6m extension cable.



CB106

RGB 24ft/7.2m extension cable.



CB111

RGB Y-Splitter. Needed to connect extra outputs to the RG100.

Aquatic AV
282 Kinney Drive, San Jose, CA 95112, USA

E-mail: info@aquaticav.com
US & Canada: 1 877 579 2782
International: +1 408 559 1668
Fax: +1 408 559 0125
WWW.AQUATICAV.COM